

ATSPL/ECCR/H1-FY'26/2025-26/21

E-mail (Soft copy)
Date: 19/11/2025

To,

**The Deputy Director General of Forests (C),
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change (MoEF&CC),
Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.
E-mail: iro.gandhingr-mefcc@gov.in**

Sub.: Half Yearly Compliance to Environmental Clearance of Anjar TMT Steel Private Ltd.

Ref: EC F No. IA-J-11011/289/2021-IA-II(I) dated 23rd February'2023.

Respected Sir/Ma'am,

With reference to above subject, please find herewith the point wise **Six-Monthly Compliance Report (April'2025 to September'2025)** of environment clearance in respect of **Anjar TMT Steel Private Ltd.** Located at Welspun city, Village: Versamedi, Anjar, District-Kutch, Gujarat.


As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).

This is for your kind information and record, please.

Thanking you,

Yours faithfully,

For Anjar TMT Steel Private Ltd.



**Dr. Rameshkumar K.T.
(Vice President & Group Environment Head)**

Encl: As above

CC to:

- (1) **The Member Secretary, Gujarat Pollution Control Board**, Paryavaran Bhavan, Sector 10-A, Gandhinagar-382010. Email: ms-gpcb@gujarat.gov.in
- (2) **The Regional Director (West Zone), Central Pollution Control Board**, Parivesh Bhawan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara, Gujarat-390023. E-mail: westzonepcb@yahoo.com

Anjar TMT Steel Pvt. Ltd.

Welspun House, 5th Floor, Kamala City, Senapati Bapat Marg, Lower Parel (W), Mumbai 400013. India
T: +91 22 6613 6000 / 2490 8000 | F: +91 22 2490 8020
E-mail: comnanvsecretary_wcl@welspun.com | Website: www.welspuncorp.com

Environment Clearance Compliance Status Report of Anjar TMT Steel Pvt. Ltd. (ATSPL)

(Period: April'2025 – Sept'2025)




Unit: Anjar TMT Steel Pvt. Ltd. (ATSPL)



Survey No. 652/P-1,
Village: Versamedi, Welspun City,
Taluka: Anjar, District: Kutch (East), Gujarat-370110.

**Half Yearly Environment Clearance Compliance Report for M/s. Anjar TMT Steel Private Ltd.
Located at Survey no. 652/P-1, Welspun City, Village-Versamedi, Taluka-Anjar, District-Kutch, Gujarat.**


EC F No. IA-J-11011/289/2021-IA-II(I) dated 23rd February 2023

S.No.	Environment Clearance - Condition	Compliance Status
Specific Conditions		
I	The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Noted & being complied.
II	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF &CC in this regard.	Noted & shall be complied.
III	Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Regional Office of the MoEF & CC.	Noted. Regular checking & monitoring the performance of all Air Pollution Control Device and also conducted stack monitoring by third party NABL & GPCB approved agency.
IV	Following additional arrangements to control fugitive dust shall be provided:	
a)	Fog / Mist Sprinklers at all conveyors point and on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage area.	At Present, We have installed only TMT rebars Unit under this EC and no bulk raw materials such as coal, iron ore, or fly ash are handled. We will provide all measures and take care to reduce dust emission once Sponge Iron and WHRB to be installed.
b)	Proper covered vehicle shall be used while transport of materials.	Noted & shall be complied. All raw materials and finished products are transported using properly covered vehicles to prevent spillage and dust emission during transportation. The unit ensures that vehicles are adequately covered with tarpaulin sheets before leaving or entering the premises.
		
c)	Wheel Washing mechanism shall be provided in entry and exit gates.	Noted.


V	Particulate matter emission from stacks shall be less than 30 mg/Nm ³ .	Noted and complied. Regular stack emission monitoring is carried out through a NABL-accredited third-party agency, and the results consistently indicate that particulate matter emissions are well within the prescribed limit.
VI	Total water requirement will be 3861 m ³ /day which will be sourced from sister concern unit M/s. Welspun India Limited from its 30 MLD Sewage treatment plant after recycling & reuse of municipal sewage generated from the nearby Municipalities. No ground water abstraction is permitted.	Noted & Complied. There is no abstraction of groundwater or withdrawal from any natural surface water source. The required water is sourced from our sister concern, M/s. Welspun India Limited, through its Sewage Treatment Plant, which recycles and reuses municipal sewage from nearby municipalities. Water consumption data is regularly maintained and monitored to ensure it remains within the approved limit.
VII	The company shall also undertake rain water harvesting measures as per the plan submitted in the EIA/EMP report.	Complied. The company has implemented a comprehensive rainwater harvesting system as proposed in the EIA/EMP report. Two large rainwater harvesting lagoons have been developed with a total storage capacity of approximately 3000 million liters, spread over an area of about 27 acres with an average depth of 18 meters. A dedicated drainage network has been established to collect rainwater from rooftops and surface runoff areas, which is directed to the lagoons. The stored rainwater is utilized for gardening and process activities after undergoing primary treatment.




Glimpses of the Rain Water Harvesting Pond

<p>VIII</p>	<p>Sang River is at a distance of 0.6 km from the project site. Other water bodies such as Churwa river, Ponds, Shinai Lake also exists within the study area of 10 km from the project site. The water bodies shall not be disturbed. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.</p>	<p>Point noted & shall be complied.</p> <p>The Kutch district receives very low annual rainfall, and historical records indicate that no flooding has been reported in the region over the past 100 years. The company has obtained a No Objection Certificate (NOC) from the concerned Water Resources Department (WRD), confirming that the project site, located near Versamedi and Sang River, does not fall within a flood plain zone. Natural drainage patterns have been maintained, and no disturbance to nearby water bodies is caused due to project activities.</p> <div data-bbox="776 493 1546 1459" style="border: 1px solid black; padding: 10px;">  <p>The image shows a No Objection Certificate (NOC) from the Water Resources Department (WRD) of the Government of Gujarat. The certificate is addressed to the Manager of Welspun Corp. Ltd. in Versamedi, Anjar, Kutch. It confirms that the project site is not in a flood plain zone. The certificate number is No. QCSO/PB/64 and is dated 09/04/2025. The text of the certificate is as follows:</p> <p>Sub.: Regarding obtaining NOC/Certificate for the No flood plain zone near Sang River area at Versamedi. Ref.: Your letter No. WCL-SD/ENV/NOC/2025-26/13 dated 03/04/2025.</p> <p>In the above subject matter, a request has been made from your office for a NOC/Certificate regarding the high-water level and water level data of the area near the Sang River passing through Versamedi.</p> <p>The office here does not have any data available for H.F.L. near Versamedi village on the Sang River.</p> <p>The Sang River passing through Versamedi is approximately 600 mt. away from your Unit and the location where production capacity increasing within the existing plant as shown by your company.</p> <p>Thus, the location is far from the Sang River, hence this will not have any flood impact on the location where increasing the capacity in existing plant as shown by your company. Moreover, the Sang River is approximately 23.0 KM away from sea. Hence there is no flood plain zone at location where production capacity increasing within the existing plant as shown by your company.</p> <p>This is for your information please.</p> <p>The certificate is signed by the Deputy Executive Engineer, Quality Control Sub Division, Anjar - Kachchh.</p> </div> <p><i>Copy of NOC/Certificate from WDR for No Flood Plain Zone</i></p>
<p>IX</p>	<p>Air cooled condensers shall be used in the Power plant.</p>	<p>Point noted & shall be complied.</p>
<p>X</p>	<p>Action plan for 100 % solid waste utilization shall be implemented as committed in EIA/EMP report.</p>	<p>Point noted & Complied.</p> <p>The solid waste generated from the unit is completely reused in the process of the sister concern unit as per the action plan outlined in the EIA/EMP report.</p>
<p>XI</p>	<p>A proper action plan must be implemented to dispose of the electronic waste generated in the industry.</p>	<p>Point Noted & Complied.</p> <p>The company has an adequate E-waste management policy in place as per the E-Waste (Management) Rules. All E-waste generated is properly segregated and sent only to authorized recyclers for disposal. The annual E-waste return in Form-III is</p>

		submitted to the statutory authorities within the prescribed timeline.
XII	Mitigation measures to minimize the impact of noise shall be undertaken as committed.	<p>Point noted & complied.</p> <p>Noise level monitoring is carried out at regular intervals through a NABL and MoEF & CC accredited third-party agency, M/s Royal Environment Auditing & Consultancy Services, Rajkot. The monitoring results confirm that the noise levels are within the prescribed limits. Necessary mitigation measures are implemented to minimize noise generation and its impact on the surrounding environment.</p> <p><i>Please refer Annexure-1 for the Noise Monitoring Report by third party (NABL & MoEF&CC) accredited & GPCB approved agency.</i></p>
XIII	Three tier Green Belt shall be developed in a time frame of one year with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. Green belt development shall also be developed towards Sang River which is located at a distance of 600 m from the plant boundary. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF &CC.	<p>Green belt development is being carried out around the plant boundary using native species. In addition to this, plantation has also been undertaken within the plant premises and in nearby areas outside the boundary.</p> <p>Regular maintenance and monitoring are conducted to ensure healthy growth and replacement of damaged plants wherever required.</p> <p><i>Photographs of the plantation and green belt development are provided below for reference.</i></p>








Glimpses of Green Belt development at ATSP Unit




Photos of greenbelt developed nearby plant boundaries

<p>XIV Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.</p>	<p>Unit is developing greenbelt within premises along with paving to arrest soil erosion. Photographs of the same is as below:</p>
---	--


		 <p style="text-align: center;"><i>Photos of paved road and greenbelt developed</i></p>
XV	No construction activity/ infringement shall take place in flood plain of Sang River.	Noted & shall be complied. The company assures that no construction activity will be carried out in flood plain of Sang River.
XVI	The proposed project shall be designed as "Zero Liquid Discharge" Plant. There shall be no discharge of effluent from the plant.	Noted & complied.
XVII	The total wastewater generation from the proposed project will be 1020.00 KLD. As proposed, it shall be sent to M/s. Welspun India Limited ETP for treatment and reuse.	Complied. The total wastewater generation sent to our sister concerned unit M/s. Welspun India Limited for treatment, recycle & reuse as WIL having ETP with capacity of 29 MLD comprises Physical, Chemical and Biological Oxidation plant, UF and RO system.
XVIII	All internal road and connecting road from project site to main highway shall be developed and maintained with suitable Million Axle Standard (MSA) as per the traffic load due to existing and proposed project.	Noted & Complied. The internal roads within the plant and the connecting road (approximately 2 km) from the project site to the main highway have been properly developed and paved to withstand the anticipated traffic load as per Million Axle Standard (MSA) requirements. Regular maintenance is carried out to ensure smooth and safe movement of vehicles. <i>Photographs of the developed and maintained roads are attached below for reference.</i>
	 <p style="text-align: center;">Varshamedi, Gujarat, India 439q+6c, Varshamedi, Gujarat 370110, India Lat 23.117453° Long 70.089455°</p>	 <p style="text-align: center;">Varshamedi, Gujarat, India Pcmd Rd, Varshamedi, Gujarat 3701 Lat 23.114177° Long 70.083616°</p>

<p>XIX Internal roads of plant premises shall be concreted and maintained in good condition. Industrial vacuum cleaners shall be used regularly to clean roads to reduce fugitive emissions.</p>	<p>Noted & Complied. Internal roads of plant premises have been concreted. We have also maintained good housekeeping at all concrete roads in plant premises and cleaning through vacuum cleaner truck on regular intervals for the reduce fugitive emissions.</p>
---	--



Photos of the Internal and main plant roads cleaning through Vacuum Truck

<p>XX All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the run off material.</p>	<p>Complied. All stockyards and storage yard having proper water spraying arrangement and also water tanker deployed for the continuous water spraying for the dust suppression.</p>
--	--



Photos of water spraying for the dust suppression

<p>XXI All the commitments made to the public during the Public Hearing/Public Consultation shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.</p>	<p>Noted & being complied. Please refer Annexure-4 for the CSR activities along with their photographs.</p>
--	---

<p>XXII The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at https://cpcb.nic.in/technical-guidelines-3/. All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six-monthly compliance report being submitted by the project proponents.</p>	<p>Noted & complied. We have given training for the awareness on banned SUP and their impact on environment. In this regard, Awareness Boards are also displayed in company township and plant premises for the awareness on banned SUP.</p>
--	--



Photos of display boards for Banned SUP

<p>XXIII The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation.</p>	<p>We have adopted the clean air practices like mechanical collectors, Bag filters and other pollution control devices continuous operate & maintained. In addition to this, following measures also taken for the prevent air pollution.</p>
--	---

<p>Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.</p>	<ol style="list-style-type: none"> 1. Regular water spraying inside plant premises and at storage yards. 2. Regular cleaning of concrete roads through vacuum cleaning trucks for reduce fugitive dust emissions. <p>Also provided Fog/Mist water cannons and operated regularly inside plant premises for mitigate dust emissions.</p>
---	---

General Condition

I. Statutory compliance



<p>I The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/ Subordinate legislation's, etc., as may be applicable to the project.</p>	<p>Noted and Shall be Complied.</p>
--	-------------------------------------

II Air quality monitoring and preservation

<p>I The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 06 Nos. Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>	<p>We have already installed CAAQMS for monitoring of AAQ parameter to standards prescribed in Environment (Protection) Rules 1986.</p> <p>However, we are also monitoring ambient air quality on regular intervals by NABL accredited third party (M/s Royal Environment Auditing & Consultancy Services, Rajkot) and parameters found within in the prescribed limits.</p> <p><i>Please refer Annexure-2 as third-party Ambient Air Quality Monitoring (AAQM) Reports by third party (NABL & MoEF&CC) accredited & GPCB approved agency.</i></p>
---	--



Geo-tagged photographs of CAAQMS (Continuous Ambient Air Quality Monitoring System)

ii	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. We have conducted fugitive emission monitoring in our plant premises at different locations by NABL accredited third party (M/s Royal Environment Auditing & Consultancy Services, Rajkot) and parameters found within in the prescribed limits. <i>Please refer Annexure-3 as third-party reports for the monitoring of fugitive emissions by third party (NABL & MoEF&CC) accredited & GPCB approved agency.</i>
iii	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	Point Noted complied. Appropriate Air Pollution Control (APC) system provided at all transferred points and all belts covered with adequate canopy for the mitigate dust emission and also conducting fugitive monitoring on regular interval by third party. <i>Please refer Annexure-3 as third-party reports for the monitoring of fugitive emissions by third party (NABL & MoEF&CC) accredited & GPCB approved agency.</i>
iv	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Point Noted and complied. Regularly maintenance & replacement of bags for better efficiency of all bag filters.
v	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.	Point noted and shall be complied.
vi	The project proponent shall ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation.	Complied. We have also covered the truck with tarpaulin, which are used for the material transportation inside the plant premises.
 <p style="text-align: center;"><i>Photo of transportation vehicle covered with tarpaulin</i></p>		
vii	The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.	Noted
viii	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.	Shall be complied.


III	Water quality monitoring and preservation	
I	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31 st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30 th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7 th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted.
ii	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	Noted. However, we are not using/withdrawing ground water for our production or any purpose.
iii	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	Complied. Total generated domestic wastewater from the unit sent to M/s. Welspun India Limited, our sister company for treatment and reuse. We have executed an agreement with Anjar, Adipur & Gandhidham Nagar Palika for the 35 years to treat the city sewage water and reuse it in our plant for the processes.



Glimpses of 40 MLD STP for Treatment of Municipalities Sewage water

iv	The project proponent shall provide the ETP for effluents of rolling mills to meet the standards	Shall be complied.
-----------	--	--------------------

	prescribed in G.S.R 277 (E) 31 st March 2012 (applicable to IF/EAF) as amended from time to time.	Total generated wastewater from TMT bars unit be sent to M/s. Welspun India Limited, sister company for treatment and reuse.
v	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Point Noted & Shall be complied.
vi	Tyre washing facilities shall be provided at the entrance/exit of the plant gates.	Point noted & shall be complied.
IV	Noise monitoring and prevention	
I	Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Point Noted and complied. We have monitored Noise level monitoring on regular intervals by NABL accredited third party (M/s Royal Environment Auditing & Consultancy Services, Rajkot) and results are found within in the prescribed limits. Same report is also submitted to concerned authorities along with Six-monthly EC Compliance reports. <i>Please refer Annexure-1 for the Noise Monitoring Report by third party (NABL & MoEF&CC) accredited & GPCB approved agency.</i>
V	Energy Conservation measures	
I	Energy conservation measures may be adopted such as adoption of solar energy and provision of LED lights etc., to minimize the energy consumption.	The company has provided LED lights in their offices, Plant and residential areas.
VI	Waste Management	
I	Used refractories shall be recycled.	Point Noted and Shall be complied.
II	Kitchen waste shall be composted or converted to biogas for further use.	Point Noted and Shall be complied.
VII	Green Belt	
I	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	Point Noted and Shall be complied.
II	Project proponent shall submit a study report on Decarbonization program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.	Noted.

VIII	Public hearing and Human health issues	
I	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Point Noted & Shall be complied.
II	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	Point Noted and being complied. We have provided Job Specific PPEs to all workmen's those working at High temperature.
III	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Shall be complied.
IX	Environment Management	
i	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages based on the Socio-Economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.	Noted.
ii	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	The company have well laid down Environmental Policy duly approved by MD & Chief Executive officer. (Attached) 
iii	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Complied. A separate Environment Management Cell has been set up, with qualified personnel under the control of senior Executive, who is directly reporting the head of the plant.





Fig. Environment Management Cell structure at Anjar site

X	Miscellaneous	
i	<p>The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent’s website permanently.</p>	<p>Complied.</p> <p>The advertise regarding grant of environment clearance from MoEF&CC was published in local newspaper as well as English newspaper as under;</p> <div data-bbox="751 730 1068 1167" data-label="Image"> </div> <div data-bbox="1084 730 1546 1167" data-label="Image"> </div> <p style="text-align: center;">Copy of advertisement for ATSPLEC</p>
ii	<p>The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.</p>	<p>Complied.</p>
iii	<p>The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.</p>	<p>M/s ATSPLEC has uploaded the status of compliance of stipulated environment clearance conditions along with results of monitored data on the company website and updating the same on half yearly basis regularly.</p>




[Six-Monthly EC Compliance Report uploaded on Company Website](#)

<p>iv</p>	<p>The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.</p>	<p>Noted & complied. We have monitored the criteria of pollutant for the stack & ambient quality and same data also display at plant gate and also attached with six monthly EC compliance report. Which is an also disclosure on company website with all monitoring reports.</p>
------------------	---	--



[Photos of LED display board for Environmental Parameters](#)



[Screenshot of Compliance Report updated on Company Website](#)

<p>v</p>	<p>The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.</p>	<p>Point Noted & complied. We have submitted condition wise EC compliance report on the website of MoEF&CC through Parivesh 2.0 Portal within stipulated timeline.</p>
<p>vi</p>	<p>The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution</p>	<p>Point Noted and complied.</p>

	Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	We have submitted environmental statement report (Form-V) to concerned GPCB and other authorities within timeline as decided by concerned authorities.
vii	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted.
viii	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted.
ix	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left-over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.	Point Noted and being complied. The annual budget has been earmarked for the Environment Cell to carry out environmental management activities within the plant premises and surrounding areas. The details of expenditure incurred for these activities during the financial year 2025–2026 will be submitted in the next compliance report for the period October 2025 to March 2026.
x	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF & CC).	Noted. We will take prior approval from the concerned authorities in case of any expansion/modification required in future.
xi	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/ monitoring reports.	Point Noted and Shall be complied.

Annexure-1



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 391/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist,: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. Security Main Gate						Minimum	Maximum	Annual Average
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	65.8	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	66.7	65.4	66.1	65.5	66.8	64.1	64.1		66.8
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	53.2	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	53.2	53.5	54.2	53.8	53.4	50.8	50.8		54.2

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 392/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist, : Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. Weight Bridge						Minimum	Maximum	Annual Average
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0	61.6
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	61.5	62.3	62.8	61.6	61.4	60.2	60.2	62.8	
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	70.0	54.0
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	57.4	56.1	55.5	55.1	50.9	48.7	48.7	57.4	

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 393/11/2025-26

Date: 12/11/2025


SUMMARY OF NOISE LEVEL MONITORING Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. Triangle Garden						Minimum	Maximum	Annual Average
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	65.0	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	65.3	64.7	65.1	66.2	65.2	63.5	63.5		66.2
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	52.3	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	51.8	52.4	53.4	54.4	51.4	50.1	50.1		54.4

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 394/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. West Security Gate						Minimum	Maximum	Annual Average
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	63.3	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	62.4	61.9	62.2	63.4	63.9	65.9	61.9		65.9
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	53.2	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	55.6	50.9	51.2	52.7	55.9	53	50.9		55.9

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 395/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. Work Shop Area						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	63.4	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	64.2	63.7	64.3	64.1	62.7	61.1	64.3		
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	51.7	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	52.2	51.8	52.3	53.1	50.8	49.7	53.1		

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst

Annexure-2



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 231/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.Security Main Gate						Minimum	Maximum	Annual Average	Standard limit (Annually)**
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	22.2	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	39.1	29.2	25.2	15.8	11.3	16.2	11.3	39.1		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	47.6	60.0
04	Average Concentration of PM ₁₀	µg/m ³	68.2	55.1	45.4	40.2	31.2	45.3	31.2	68.2		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	12.3	50.0
06	Average Concentration of SO ₂	µg/m ³	18.6	13.2	12.1	10.4	7.1	12.6	7.1	18.6		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	18.4	40.0
08	Average Concentration of NO ₂	µg/m ³	25.6	23.2	18.3	15.4	16.4	11.3	25.6			

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 232/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City

Village: Versamedi, Taluka: Anjar,


Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.Weighing Bridge						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	24.6	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	40.5	30.1	26.1	16.6	15.6	18.7	15.6	40.5		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	49.3	60.0
04	Average Concentration of PM ₁₀	µg/m ³	70.6	53.8	46.2	39.5	37.8	47.8	37.8	70.6		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	14.5	50.0
06	Average Concentration of SO ₂	µg/m ³	22.6	14.1	12.8	11.3	10.6	15.8	10.6	22.6		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	19.7	40.0
08	Average Concentration of NO ₂	µg/m ³	27	24.5	16.5	16.5	14.6	19.5	14.6	27		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]

Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 233/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.Triangle Garden						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	23.3	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	38	28.5	25.4	15.9	12.5	19.4	12.5	38		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	48.8	60.0
04	Average Concentration of PM ₁₀	µg/m ³	76.2	53.1	45.8	39.7	36.9	41.2	36.9	76.2		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	13.5	50.0
06	Average Concentration of SO ₂	µg/m ³	21.9	12.9	11.9	10.8	9.4	13.9	9.4	21.9		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	20.1	40.0
08	Average Concentration of NO ₂	µg/m ³	28.1	25.1	17.8	16.6	12.6	20.3	12.6	28.1		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 234/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.West Security Gate						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	23.5	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	39.2	27.5	25.3	15.8	12.6	20.4	12.6	39.2		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	49.4	60.0
04	Average Concentration of PM ₁₀	µg/m ³	69.2	55.4	48.3	39.4	34.5	49.6	34.5	69.2		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	13.5	50.0
06	Average Concentration of SO ₂	µg/m ³	19.2	14.1	13.3	9.8	7.6	16.9	7.6	19.2		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	19.4	40.0
08	Average Concentration of NO ₂	µg/m ³	26.5	24.5	16.3	14.0	12.4	21.6	12.4	26.5		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.





Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 235/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.OHC						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	23.1	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	38.4	28.1	26.7	16.2	10.1	18.9	10.1	38.4		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	48.3	60.0
04	Average Concentration of PM ₁₀	µg/m ³	70.5	54.8	47.3	40.8	30.9	45.2	30.9	70.5		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	13.4	50.0
06	Average Concentration of SO ₂	µg/m ³	20.4	13.5	12.8	10.3	6.3	17.1	6.3	20.4		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	19.0	40.0
08	Average Concentration of NO ₂	µg/m ³	27	23.7	17.5	15.3	10.8	19.8	10.8	27		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 236/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Anjar TMT Steel Pvt. Ltd. (GPCB ID-82601)

Address Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.Work Shop Area						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	23.2	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	40.2	28.4	25.2	16.4	11.6	17.4	11.6	40.2		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	51.4	60.0
04	Average Concentration of PM ₁₀	µg/m ³	75.4	56.2	47.9	40.2	41.6	47.3	40.2	75.4		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	13.6	50.0
06	Average Concentration of SO ₂	µg/m ³	23	12.7	12.5	10.7	8.9	13.8	8.9	23		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	19.5	40.0
08	Average Concentration of NO ₂	µg/m ³	28.6	24.9	16.7	15.1	14.2	17.2	14.2	28.6		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst

Annexure-3



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No.: 718/07/2025-26

Date: 31/07/2025

ANALYSIS RESULT OF FUGITIVE EMISSION

Name of company : Anjar TMT Steel Pvt. Ltd.
Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

Date of Sampling : 10/07/2025

Sample Collected by : Royal Environment

Sr. No.	Monitoring Location	Permissible Limit**	SPM Level ($\mu\text{g}/\text{Nm}^3$)
01	Nr. Raw Material Handling Yard	3000	1405

Instruments Used : HVS APM 430, Calibration done on.: 08/01/2025

** Permissible Limits are as per GPCB CC&A.

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No.: 818/08/2025-26

Date: 30/08/2025

ANALYSIS RESULT OF FUGITIVE EMISSION

Name of company : Anjar TMT Steel Pvt. Ltd.

Welspun City

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

Date of Sampling : 22/08/2025

Sample Collected by : Royal Environment

Sr. No.	Monitoring Location	Permissible Limit**	SPM Level ($\mu\text{g}/\text{Nm}^3$)
01	Nr. Raw Material Handling Yard	3000	1510

Instruments Used : HVS APM 430, Calibration done on.: 08/01/2025

** Permissible Limits are as per GPCB CC&A

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No.: 918/09/2025-26

Date: 30/09/2025

ANALYSIS RESULT OF FUGITIVE EMISSION

Name of company : Anjar TMT Steel Pvt. Ltd.
Welspun City
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

Date of Sampling : 17/09/2025

Sample Collected by : Royal Environment

Sr. No.	Monitoring Location	Permissible Limit**	SPM Level ($\mu\text{g}/\text{Nm}^3$)
01	Nr. Raw Material Handling Yard	3000	1724

Instruments Used : HVS APM 430, Calibration done on.: 08/01/2025

** Permissible Limits are as per GPCB CC&A.

Royal Environment Auditing & Consultancy Service



Analyst


Annexure-4

Welspun[®]WORLD

FY25-26 Welspun Corp Limited CSV – Q2 Review



About Foundation



Core Values and Programme



EDUCATION WelShiksha	EMPOWERMENT WelNetrotva	ENVIRONMENT WelPrakroti	HEALTH WelSwasthya

(3E + H)

Our Presence


12 STATES

24 DISTRICTS

755 VILLAGES

10 LACS + BENEFICIARIES

Gujarat	Chhattisgarh	J & K	Maharashtra
Madhya Pradesh	Karnataka	Uttar Pradesh	Bihar
Tamil Nadu	Telangana	Puducherry	Odisha



WFHK Programs Linkages with SDGs




We are addressing 11 SDGs out of 17 SDGs



Remaining 6 SDGs does not fall under our purview.



WFHK - Organogram



WFHK - Location wise reach



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved	% of Achieved
Gujarat	207642	118869	38908	107702	50075	157777	76%
Maharashtra	2320	692	342	0	1034	1034	45%
MP	30050	9946	4647	7074	7519	14593	49%
Telangana	14552	6359	5169	6781	4747	11528	79%
WEL Sites	611620	109552	172609	76731	205430	282161	46%
WelKrishi	130000	120316	-6659	113657	0	113657	87%
WSSW	24	20	3	23	0	23	96%
Grand Total	996208	365754	215019			580773	
Beneficiary Total	989298	363460	211475	311542	263393	574935	58%

Beneficiary list is excluding WelPrakruti and We Volunteer

WFHK Initiative wise Reach



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved	% of Achievement
WelShiksha	140492	101045	16891	91966	25970	117936	84%
WelSwashthya	306002	81859	75972	99751	58080	157831	52%
WelNetrutva	21805	3362	4264	6085	1541	7626	35%
WelKrishi	130000	120316	-6659	113657	0	113657	87%
WelSuraksha	388000	55915	119746	0	175661	175661	45%
Convergence	1325	510	594	0	1104	1104	83%
WelDisha	1650	433	664	60	1037	1097	66%
WSSW	24	20	3	23	0	23	96%
We Volunteer	1445	158	302	146	314	460	32%
WelPrakruti	5465	2136	3242	280	5098	5378	98%
Grand Total	989298	363460	211475	311542	263393	574935	58%

Beneficiary list is excluding WelPrakruti

WCL – CSR Overview



Programme	Target	Q1	Q2	Old	New	Total	% of Achievement
		Achieved	Achieved			Achieved	
WelDisha	207	183	0	27	156	183	88%
WelNetrutva	9373	1741	1724	2946	518	3465	37%
WelPrakruti	2183	1586	88	280	1394	1674	77%
WelShiksha	63412	44670	7693	40831	11532	52363	83%
WelSwasthya	47690	15100	12487	11310	16277	27587	58%
WeVolunteer	625	158	164	146	176	322	52%
WSSW	5	4	0	4	0	4	80%
Only Beneficiary	121086	61855	21955	55264	28546	83810	69%

WCL CSR Overview - Site Wise



Region	Target	Q1 Achieved	Q2 Achieved	Old	New	Total Achieved	% of Achievement
Gujarat	93438	53491	17508	48465.9	22533	70999	76%
WelDisha	27	27	0	27	0	27	100%
WelNetrutva	7718	992	1684	2445	230	2676	35%
WelPrakruti	68	0	68	0	68	68	100%
WelShiksha	51202	43072	6728	39328	10472	49800	97%
WelSwasthya	34200	9401	8916	6666	11651	18317	54%
WeVolunteer	225	0	113	0	113	113	50%
MP	30050	9946	4647	7074	7519	14593	49%
WelDisha	180	156	0	0	156	156	87%
WelNetrutva	1655	749	40	501	288	789	48%
WelPrakruti	2115	1586	20	280	1326	1606	76%
WelShiksha	12210	1598	965	1503	1060	2563	21%
WelSwasthya	13490	5699	3571	4644	4626	9270	69%
WeVolunteer	400	158	51	146	63	209	52%
WSSW	5	4	0	4	0	4	80%
WSSW	5	4	0	4	0	4	80%
Total	123494	63441.05	22155.6	55543.9	30052.75	85596.65	69%
Only Beneficiary	121086	61855.05	21955.15	55263.9	28546.3	83810.2	69%

Content



Gujarat

Madhya Pradesh


WSSW

Our Presence



Kutch District
2 Block
Anjar &
Gandhidham
Overall 70 Villages

Valsad District
6 Block
Vapi, Kaprada,
Pardi, Valsad,
Umernagar,
Dharampur
Overall 109
Villages



Patan District
1 Block
Patan
Overall 14 Villages

Gandhinagar
District
1 Block
Kalol
Overall 5 Villages

Bharuch District
3 Block
Bharuch,
Jhagadia, Vagra
Overall 26 Villages

Gujarat - Overall



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved
WelShiksha	113782	95715	14951	87395	23271	110666
WelSwashthya	76000	20890	19814	14813	25891	40704
WelNetrutva	17150	2204	3742	5434	512	5946
WelDisha	60	60	0	60	0	60
WelPrakruti	150		150	0	150	150
We Volunteer	500		251	0	251	251
Gujarat	207642	118869	38908	107702	50075	157777

Gujarat Project wise Overview



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved
WelDisha	60	60	0	60	0	60
Youth Skill Development	60	60	0	60	0	60
WelShiksha	113782	95715	14951	87395	23271	110666
BaLA painting	4000	90	17	0	107	107
Coding Club Project	4700	0	5869	220	5649	5869
Digital Class Room(R&M)	80906	80906	0	80906	0	80906
GDVV	25	17	8	17	8	25
Improving Learning Outcome	13000	7360	2820	4934	5246	10180
Need based support	4600	3750	3820	0	7570	7570
Para Teacher Support	2500	0	2360	0	2360	2360
Prevocational Courses	1200	1200	33	1200	33	1233
Scholarship- Varshamedi	1	1	0	1	0	1
School RO plant	2500	2104	0	0	2104	2104
Vocational LAB	350	287	24	117	194	311

Gujarat Project wise Overview



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved
Mega Health camp	0	0	0	0	0	0
Mobile Medial Unit	21000	5276	5465	0	10741	10741
Preventing Healthcare	55000	15614	14349	14813	15150	29963
WelSwashthya	76000	20890	19814	14813	25891	40704
Agri & AH Project	14000	1962	3432	5214	180	5394
Bio Gas Project	150		30	0	30	30
Natural Farming	3000	242	280	220	302	522
WelNetrutva	17150	2204	3742	5434	512	5946
WelPrakruti	150		150	0	150	150
WelPrakruti	150		150	0	150	150
We Volunteer	500		251	0	251	251
We Volunteer	500		251	0	251	251

Preventive Healthcare Programme



65 villages outreach in Gujarat- 25-26 (Anjar 30 & Vapi 35 villages)

	Outreach type	Target	Achieved
1	Outreach :population	40,000	29963
	New beneficiaries		15150
2	Anaemia treated/ under treatment/ awareness	5000	2965
3	Malnutrition treated /Under treatment/ awareness	5000	586
4	TB & substance abuse outreach	5000	10552
5	RTI & cancer outreach	1000	2866
6	Hypertension & Diabetes outreach	2500	8445

	Mobile medical unit (26 villages in Anjar)	Targets 25-26	Achieved
1	Patient outreach	20,000	10741
2	Awareness on Communicable & Non communicable illness	2500	957
3	Follow up	2000	648

Activity	Total
School session/ Students covered	3,654
Awareness Session	1,765
One to one awareness session	1,525
Numbers of group sessions	34
Follow-ups	461
MAMTA Diwas -ANC/ PNC	205
Recipie demonstration/competition	278
One to one Meeting with Stakeholders and FLHWs	139
Special Health Day : HT, MHHM, No tobacco, yoga day, world environment day /camp/ nutrition month /diet diversity	2,449
Numbers of Meetings conducted with partner NGO	45
Street plays/ Nukad natak	1,594

Gujarat WelShiksha Glimpses




Learning Camps



Science Activity



Vocational Lab



BaLA Paintings



GUNL Students Exposure



Coding Club



Pre-vocational Education



Kalol -Skill -Placement Drive

Gujarat WelNetrutva Glimpses



Gujarat WelSwashthya Glimpses



Vapi We Volunteer Tree Plantation Drive



As part of our green initiative "**Ek Ped Maa Ke Naam**", WeVolunteer successfully planted **100 ornamental shrubs and trees** in **Morai village**, in collaboration with the **Forest Department**.

All saplings were provided **free of cost**, emphasizing our shared commitment to environmental sustainability and community well-being.



Vapi We Volunteer



A powerful initiative launched by **Macy's**, in partnership with **Planet Water Foundation** and **Welspun, Vapi**.

The **Aqua Tower Project** was created to provide clean water and promote hygiene education at the **Government Primary School in Kakwadi, Valsad**



Nurturing Growth: “Punam” Journey to Health and Well-being with Nutrition Supplements provided Under Project WelSwasthya



Punam, a 4-year-old girl from Dudhai village, was found to be **moderately malnourished** during a home visit by the WelSwasthya team. Her mother, Sejuben, was concerned about Punam’s frequent illnesses and poor diet.

With support from Community Mobilizer Ms. Axita, Punam received nutritional supplements and her mother was guided on preparing balanced, home-cooked meals. Over the next few months, Punam’s health improved significantly.

By September, Punam’s weight increased to 15 kg, placing her in the normal category. Her mother was delighted with the progress, and Punam is now healthier and more active.



Nurturing Growth: “Arushi” Journey to Health and Well-being with Nutrition Supplements provided Under Project WelSwasthya



Arushi, a 4-year-old girl from Khirsara village, was identified with **moderate acute malnutrition** during a home visit by Ms. Kajal from the WelSwasthya team. Her mother, Lakshmiben, shared concerns about Arushi’s poor appetite and frequent illnesses.

With support from the WelSwasthya project, Arushi received nutritional supplements and her mother was guided on preparing balanced, home-cooked meals. Over time, Arushi’s health improved—she started eating better and gained weight.

By September, Arushi’s **weight increased to 16 kg**, placing her in the normal category. Her mother was overjoyed with the progress, and Arushi is now healthier and more active.





Restoring Strength: A Calcium Deficiency Success Story



Rohamatben/56 , Navagam, A middle-aged woman from a farming family had been struggling with persistent fatigue, joint pain, and muscle cramps for over six months. Despite managing household work, **she felt unusually tired and had developed tingling in her hands and legs.**

During a health screening, she was diagnosed with calcium deficiency, likely due to poor dietary intake, low sunlight exposure, and a sedentary lifestyle. With no history of chronic illness, her condition was linked to lifestyle and nutritional gaps.

She was advised to take Calcium 500 mg daily for six months, along with dietary changes and sun exposure. Pain relief was provided with diclofenac + paracetamol as needed.

After following the treatment and lifestyle advice, her symptoms gradually improved. **She regained energy, reduced joint pain, and began engaging more actively in daily life.**

Her story highlights the importance of early diagnosis, nutritional awareness, and community health support in managing micronutrient deficiencies.

Animal Husbandry : She built her path to prosperity



Beneficiary Name: Geetaben Shamjibhai Loncha

Project support: Rs. 9000 supported as a revolving fund.

Activity: Cow rearing.

Background:

January 2023: Geetaben started her dairy journey with Rs. 9,000 support from Welspun.

Purchased 1 cow (cost Rs. 16,000) by contributing Rs. 6,000 herself.

Journey & Outcome:

She sold milk from the cow and used the money earned to grow her dairy business.

In a short time, Geetaben expanded to 4 cows, and now 3 female calves. With careful care and reinvestment, she created a steady source of income.

Impact:

Demonstrates how small financial aid can empower women entrepreneurs. Geetaben aims to further expand her dairy unit for stable income growth.



Press Note



અંજાર ખાતે વેલસ્પન ફાઉન્ડેશન દ્વારા પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી

વેલસ્પન ફાઉન્ડેશન દ્વારા અંજાર ખાતે પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી.



શૈક્ષણિક વિકાસને ટેકો આપવા માટે વેલસ્પન ફાઉન્ડેશન ફટિખદ્દ

વેલસ્પન ફાઉન્ડેશન દ્વારા શૈક્ષણિક વિકાસને ટેકો આપવા માટે ફટિખદ્દ કાર્યક્રમો શરૂ કર્યા છે. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી.

તાજેતરના સમયમાં સ્ત્રીઓને જાગૃતિ આપવા માટે કાર્યક્રમો શરૂ કર્યા



સ્ત્રીઓને જાગૃતિ આપવા માટે કાર્યક્રમો શરૂ કર્યા છે. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી.

વેલ સ્વસ્થ્ય અંતર્ગત કમળો દ્વારા લોકોને જાગૃત કરવા માટેનો સ્વાસ્થ્ય અંજાર તાલુકાનાં ગામોમાં આરોગ્ય અને પોષણ જાગૃતિ માટે કાર્યક્રમો

૧૪ ગામોમાં ૧૦૪ ધાબાઓને પેટીન પાયર અને સ્ટીલિંગ પુસ્તક ગ્રામ્ય



વેલ સ્વસ્થ્ય અંતર્ગત કમળો દ્વારા લોકોને જાગૃત કરવા માટેનો સ્વાસ્થ્ય અંજાર તાલુકાનાં ગામોમાં આરોગ્ય અને પોષણ જાગૃતિ માટે કાર્યક્રમો. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી.



અંજાર ખાતે વેલસ્પન ફાઉન્ડેશન દ્વારા પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી

વેલસ્પન ફાઉન્ડેશન દ્વારા અંજાર ખાતે પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી.

દિવ્ય ભાસ્કર **બુજ 07-10-2025**

દિવ્ય ભાસ્કર 24-07-2025

વેલશિક્ષા વાપી કાર્યક્રમને શિક્ષણક્ષેત્રે વિશિષ્ટ સોગદાન બદલ મંત્રીએ બિરદાવ્યું

વાપી ખાતે વેલસ્પન ફાઉન્ડેશનની ટીમનું વાર્ષિક રિપોર્ટ સમાવેશ કર્યું



વેલશિક્ષા વાપી કાર્યક્રમને શિક્ષણક્ષેત્રે વિશિષ્ટ સોગદાન બદલ મંત્રીએ બિરદાવ્યું. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી.

પાંતિયા ખાતે રસાયણમુક્ત ખેતી અંગે 50 થી વધુ ખેડૂતોને માર્ગદર્શન આપ્યું

વેલસ્પન ફાઉન્ડેશન દ્વારા કૃષિ સેમિનારમાં ખેડૂતોને આજીવ વીધી



પાંતિયા ખાતે રસાયણમુક્ત ખેતી અંગે 50 થી વધુ ખેડૂતોને માર્ગદર્શન આપ્યું. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી હાલોમાં ઘણા બધા બાળકો અને સ્ત્રીઓની હાજરી રહી.



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT FOREST & CLIMATE CHANGE GOVT OF INDIA

फा.सं. एलबी-2021/7/99/इंस्टलैब-एचओ-सीपीसीबी-एचओ / प्राइवेट / 65
मान्यता पत्र

02 अप्रैल 2025

सेवा में,

प्रयोगशाला प्रमुख,
मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन),
प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास,
मासूम स्कूल रोड, मोटा मावा,
राजकोट-360005, गुजरात।

विषय: पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरणीय प्रयोगशाला के रूप में मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात की मान्यता के बारे में।

महोदय,

केन्द्रीय प्रदूषण नियंत्रण बोर्ड(के.प्र.नि.बोर्ड) को पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरण प्रयोगशालाओं की मान्यता के लिए दिशानिर्देशों के निबंधन और शर्तों की स्वीकृति के साथ आपके दिनांक 17/02/2025 के प्रस्तुत आवेदन के संदर्भ में, के.प्र.नि.बोर्ड के सक्षम प्राधिकारी ने पर्यावरण प्रयोगशाला और सरकार के विश्लेषक की मान्यता को अनुमोदन प्रदान किया है। तत्पश्चात, मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात को भारत की राजपत्र अधिसूचना में प्रयोगशाला की अनिवार्य प्रत्यायन/प्रमाणन की वर्तमान अपेक्षा को ध्यान में रखते हुए दिनांक 29/03/2028(तीन साल) तक आईएसओ/ आईईसी 17025 और आईएस/आईएसओ 45001 की वैधता के साथ अधिसूचित किया जाएगा।

2. निम्नलिखित विश्लेषकों को सरकारी विश्लेषक के रूप में अनुमोदित किया गया है:

1. सुश्री श्वेता कमलेशभाई धनानी
2. श्री पार्थ महेशभाई गोधानी

3. प्रयोगशाला अनिवार्य रूप से स्वीकृत निबंधन और शर्तों का पालन करते हुए निम्नलिखित परीक्षणों करेगी:

- क. **भौतिक परीक्षण:** चालकता, रंग, पीएच, स्थिर और वाष्पशील ठोस, कुल ठोस, कुल विलीन ठोस, कुल निलंबित ठोस, आविलता, तापमान, वेग एवं निर्वहन औद्योगिक बहिःस्राव धारा का विसर्जन मापन, फ्लोक्यूलेशन टेस्ट (जार टेस्ट), गंध, लवणता, निपटान योग्य ठोस और आपक वॉल्यूम इंडेक्स (एसवीआई)।
- ख. **अकार्बनिक (सामान्य और गैर-धात्विक):** अम्लता, क्षारीयता, अमोनिकल नाइट्रोजन, क्लोराइड, क्लोरीन अवशिष्ट, विलीन ऑक्सीजन, फ्लोराइड, कुल कठोरता, कुल केजेल्डहल नाइट्रोजन (टीकेएन), नाइट्राइट नाइट्रोजन, नाइट्रेट नाइट्रोजन, फॉस्फेट, सल्फेट, कार्बन डाइऑक्साइड, क्लोरीन डिमांड, साइनाइड, आयोडीन, सिलिका, सल्फाइड और सल्फाइड।
- ग. **अकार्बनिक (सूक्ष्म मात्रिक धातु):** बोरॉन, कैडमियम, कैल्शियम, टोटल क्रोमियम, क्रोमियम हेक्सावैलेंट, तांबा, लोहा, सीसा, मैग्नीशियम, पारा, निकल, पोटेशियम, सोडियम, सोडियम अवशोषण अनुपात (एसएआर), जिंक, आर्सेनिक, एल्युमीनियम, बेरियम, कोबाल्ट, मैंगनीज, सिल्वर और स्ट्रॉटियम।
- घ. **ऑर्गेनिक्स (सामान्य) और ट्रेस ऑर्गेनिक्स:** बायोकेमिकल ऑक्सीजन डिमांड (बीओडी), रासायनिक ऑक्सीजन डिमांड (सीओडी), तेल और ग्रीस, फेनोलिक यौगिक, कीटनाशक (प्रत्येक) (ऑर्गेनो-क्लोरीन और ऑर्गेनो नाइट्रोजन-फॉस्फोरस), कार्बन/नाइट्रोजन अनुपात, ऑर्गेनिक कार्बन (ठोस में), पॉली-क्लोरीनेटेड बाइफेनाइल (पीसीबी) (प्रत्येक), पॉलीन्यूक्लियर एरोमैटिक हाइड्रोकार्बन (पीएच), सर्फैक्टेंट, टैनिन & लिग्निन और टोटल ऑर्गेनिक कार्बन (टीओसी)।
- ङ. **सूक्ष्म जीवविज्ञान परीक्षण:** टोटल कोलीफॉर्म, फीकल कोलीफॉर्म, ई.कोली, फीकल स्ट्रेप्टोकोक्की और टोटल प्लेट काउंट।
- च. **आविष विज्ञानी परीक्षण:** मछली का उपयोग करके विषाक्तता के मूल्यांकन के लिए जैव परख विधि (100% प्रवाह में 96 घंटे के बाद मछली का 90% जीवित रहना), डैफ़निया या अन्य जीव का उपयोग करके विषाक्तता का मापन और ज़ेबरा मछली (आयाम रहित विषाक्तता परीक्षण) का उपयोग करके विषाक्तता कारक का मापन।

जारी.

‘परिवेश भवन’ पर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in

- छ. **जैविक परीक्षण:** बैक्थिक जीव की पहचान और गणना, मैक्रोफाइटिक पहचान, प्लवक पहचान गणना और क्लोरोफिल।
- ज. **परिसंकटमय अपशिष्ट का लक्षण वर्णन:** निक्षालक (टीसीएलपी अर्क/जल अर्क) तैयार करना, संक्षारकता, ज्वलनशीलता (फ्लैश प्वाइंट), विषाक्तता और अपशिष्ट & निक्षालक में भारी धातुओं/पीड़कनाशियों का मापन।
- झ. **मृदा/आपंक/तलछट और ठोस अपशिष्ट:** बोरॉन, कटियन एक्सचेंज क्षमता (सीईसी), विद्युत चालकता, नाइट्रोजन (उपलब्ध), कार्बनिक कार्बन/पदार्थ (रासायनिक विधि), पीएच, फास्फोरस (उपलब्ध), फॉस्फेट (ऑर्थो), फॉस्फेट (कुल), पोटेशियम, मृदा के अर्क में एसएआर, सोडियम, मृदा की नमी, टीकेएन, कैलोरी मान, अमोनिया, कैल्शियम, कैल्शियम कार्बोनेट, क्लोराइड, रंग, विनिमेय सोडियम प्रतिशत (ईएसपी), जिप्सम आवश्यकता, भारी धातु, मैग्नीशियम, यांत्रिक मृदा विश्लेषण, नाइट्रेट, नाइट्राइट, पोटेश (उपलब्ध), सल्फेट, कुल कार्बनिक कार्बन (टीओसी), कुल पानी में घुलनशील नमक और जल धारण क्षमता।
- ञ. **परिवेशी वायु/पलायक उत्सर्जन:** नाइट्रोजन डाइऑक्साइड (एनओ₂), सल्फर डाइऑक्साइड (एसओ₂), कुल निलंबित विविक्त कण, श्वसन योग्य निलंबित कण पदार्थ (पीएम₁₀), अमोनिया, कार्बन मोनोऑक्साइड, क्लोरीन, फ्लोराइड, सीसा, मीथेन, ओजोन, बेंजीन टोल्यूनि ज़ाइलीन (बीटीएक्स), पॉलीसाइक्लिक एरोमैटिक हाइड्रोकार्बन (पीएच) बेंजो-ए-पाइरिन और अन्य, पीएम_{2.5} और वाष्पशील कार्बनिक कार्बन।
- ट. **चिमनी गैस/स्रोत उत्सर्जन:** पार्टिकुलेट मैटर, सल्फर डाइऑक्साइड, वेग और प्रवाह, कार्बन डाइऑक्साइड, कार्बन मोनोऑक्साइड, तापमान, ऑक्सीजन, नाइट्रोजन के ऑक्साइड, एसिड धुंध, अमोनिया, क्लोरीन, फ्लोराइड (पार्टिकुलेट), फ्लोराइड (गैसीय) और हाइड्रोजन सल्फाइड।
- ठ. **रव (शोर) स्तर:** शोर स्तर माप (20 से 140 डीबीए) और परिवेश रव & स्रोत विशिष्ट रव।
- ड. **मौसम संबंधी:** परिवेश का तापमान, हवा की दिशा, हवा की गति, सापेक्ष आर्द्रता और वर्षा।
4. प्रयोगशाला और विश्लेषकों की क्षमता का पता लगाने के लिए प्रयोगशाला को के.प्र.नि.बोर्ड द्वारा आयोजित विश्लेषणात्मक गुणवत्ता नियंत्रण एक्जूसी (अभ्यास में अनिवार्य रूप से भाग लेना होगा। प्रयोगशाला किए गए नमूना विश्लेषण पर के.प्र.नि.बोर्ड को तिमाही प्रगति रिपोर्ट प्रस्तुत करेगी।
5. अधिसूचना के अनुसार, एक संयुक्त दल द्वारा मान्यता प्राप्त पर्यावरण प्रयोगशाला का औचक निरीक्षण/आवधिक निगरानी उस के उचित कामकाज, व्यवस्थित प्रचालन और प्रयोगशाला में तैयार किए गए आंकड़ों की विश्वसनीयता का निर्धारण करने के लिए की जाएगी।
6. प्रयोगशाला के पास नियमानुसार ISO/IEC: 17025)2017 (और IS/ ISO: 45001 का अपेक्षित प्रत्यायन और प्रमाण पत्र होना चाहिए। यह मान्यता यथा लागू प्रत्यायन और नवीनीकरण के अधीन है और किसी भी निबंधन और शर्तों के गंभीर गैर-अनुपालन के मामले में, प्रयोगशाला को न्यूनतम दो साल की अवधि के लिए ब्लैकलिस्ट किया जा सकता है और सरकार की ओर से अनधिकृत तरीके से कार्य करने के लिए, यथा लागू सिविल/आपराधिक कार्यवाही शुरू की जा सकती है।
7. मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), राजकोट, गुजरात को संबंधित अनिवार्य प्रत्यायन/प्रमाणीकरण के साथ मान्यता की समाप्ति से पूर्व केंद्रीय प्रदूषण नियंत्रण बोर्ड के वेबपोर्टल (<https://cpcbepalab.in/epalab>) का उपयोग कर के ऑनलाइन मान्यता के नवीनीकरण के लिए आवेदन करना अपेक्षित है।

भवदीय,

K. R. 2/4/25

(डॉ. के. रंगनाथन)

वैज्ञानिक-ई एवं प्रभागप्रमुख
उपकरणीय प्रयोगशाला

डॉ. के. रंगनाथन / Dr. K. Ranganathan
वैज्ञानिक 'ई' / Scientist 'E'
प्रभाषी जल एवं उपकरणीय प्रयोगशाला
Div. Head-Water & Instrumentation Laboratory
केंद्रीय प्रदूषण नियंत्रण बोर्ड
Central Pollution Control Board
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार
(Mo Environment, Forest & Climate Change, Govt. of India)
परिवेश भवन, पूर्वी अर्जुन नगर, दिल्ली-110032
Parivesh Bhawan, East Arjun Nagar, Delhi-110032

Certificate of Accreditation by NABL



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

ROYAL ENVIRONMENT AUDITING & CONSULTANCY SERVICE (LABORATORY DIVISION)

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

PLOT NO. 19/20, MASOOM SCHOOL ROAD, MOTA MAUVA, RAJKOT, GUJARAT, INDIA

in the field of

TESTING

Certificate Number: TC-15048

Issue Date: 06/12/2024

Valid Until: 05/12/2028

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: Royal Environment Auditing & Consultancy Service

Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer