

**E-mail (Soft Copy)**

**WCL-MD/ECCR/H2-FY'26/2025-26/02**

**Date: 30/05/2026**

To,

**The Deputy Director General of Forests (C),  
Integrated Regional Office (IRO),  
Ministry of Environment, Forest and Climate Change,  
Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.  
E-mail: iro.gandhingr-mefcc@gov.in**

**Subject: Submission of Half-Yearly EC Compliance Report (Oct'2025 – Mar'2026) – Welspun Corp Ltd. (Metallic Division).**

**Ref:** Environmental Clearance F.No. J-11011/136/2015-IA-II (I) dated 22/03/2021.

Dear Sir/Ma'am,

With reference to the above subject, please find enclosed the point-wise Six-Monthly Environmental Clearance (EC) Compliance Report for the period October 2025 to March 2026 in respect of Welspun Corp Ltd. (Metallic Division) , located at Anjar, District Kutch, Gujarat.

As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).

This is for your kind information and record, please.

Thanking you,

Yours faithfully,

**For Welspun Corp Ltd. – Metallics Division**

  
**Dr. Rameshkumar K.T**  
**(Vice President & Group Environment Head)**

**Encl:** As above

**Cc to:**

- (1) The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10-A, Gandhinagar-382010. Email: [ms-gpcb@gujarat.gov.in](mailto:ms-gpcb@gujarat.gov.in)**
- (2) The Regional Director (West Zone), Central Pollution Control Board, Parivesh Bhawan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara, Gujarat-390023.  
E-mail: [westzonepcb@yahoo.com](mailto:westzonepcb@yahoo.com)**

**Welspun Corp Limited (Metallics Division)**

Welspun House, 5th Floor, Kamala City, Senapati Bapat Marg, Lower Parel (W), Mumbai 400013. India

T: +91 22 6613 6000 / 2490 8000 | F: +91 22 2490 8020

E-mail: [company\\_secretary\\_wcl@welspun.com](mailto:company_secretary_wcl@welspun.com) | Website: [www.welspuncorp.com](http://www.welspuncorp.com)

Registered Address: Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat-370110. India

T: +91 28 3666 2222 | F: +91 28 3627 9060

Corporate Identity Number: L27100GJ 1995PLC025609

**Environment Clearance Compliance Status**  
**Report of Welspun Corp Ltd. (Metallics Division)**

**(Period: October'2025 - March'2026)**



**Unit: Welspun Corp Ltd. (Metallics Division)**

Welspun City, Village: Versamedi,  
Taluka: Anjar, District: Kutch, Gujarat-370110.

**Half Yearly Environment Clearance Compliance Report for M/s. Welspun Metallics Ltd. (WML) located at Village: Versamedi, Tehsil: Anjar, District: Kutch, Gujarat.**

**(EC File No. J-11011/136/2015-IA-II(I) dated 22<sup>nd</sup> March 2021)**

S.No.	Environment Clearance - Condition	Compliance Status
1.	M/s Welspun metallics Limited (WML) has made an online application vide proposal no. IA/GJ/IND/190966/2021 dated 06/01/2021 along with copy of EIA/EMP report and Form-2 seeking Environment Clearance (EC) under the provisions of the para 7(ii) of EIA Notification,2006 for the project mentioned above. In addition to this, project proponent also submitted another proposal bearing number IA/GJ/IND/190956/2021 dated 06/01/2021 for part transfer of the 0.5 MTPA DI Pipe unit envisaged under the para 7(ii) EC in the name of M/s Welspun DI Pipes Limited.	<b>Noted &amp; being complied.</b>
2.	It may be noted that EC under para 7(ii) for the project cited above was accorded by MoEF&CC on 26/02/2021. The product slate envisaged under the EC dated 26/02/2021 is furnished as below:	<b>Noted.</b>

Sr. No.	Name of facility	Exiting Units		Proposed units		Total Units (Existing +Proposed)		Noted.
		configuration	Production MTPA	configuration	Production MTPA	configuration	Production MTPA	
1.	Coke Oven & By products Recovery Plant (COBP)	2 x 58 No. Ovens	1.37	--	--	2 x 58 No. Ovens	1.37	
2.	Sinter plant	1x496 m <sup>2</sup>	5.28	--	--	1x496 m <sup>2</sup>	0.72	
3.	Blast Furnace with matching pig casting facility (Along with Pig casting Machine of Capacity)	1x 4300 m <sup>3</sup>	3.34	--	--	1x 4300 m <sup>3</sup>	0.50	
I.	"NOC" from M/s. Welspun Metallics Limited.				<b>Noted.</b>			
II.	"Undertaking "from M/s. Welspun DI Pipe Limited (WDIPL)				<b>Noted.</b>			
III.	Revised Plant layout with area and green belt detailed by WML and WDIPL.				<b>Noted &amp; being complied.</b>			

IV.	EC Condition compliance Responsibility Matrix between WML & WDIPL.	<b>Complied.</b> Condition-wise compliance reports are being submitted separately for M/s. Welspun Metallica Limited (WML) and M/s. Welspun DI Pipes Limited (WDIPL) in accordance with the responsibility matrix specified in the respective EC letter.
-----	--	---

Sr No.	Items	Total Capacity as per EC recommended under para 7 (ii)	Facilities/ Utilities after amendment in EC and subsequent partial transfer of DI Pipe Plant from EC of Parent Company (WML) to New Company (WDI)	Compliance status
			Parent Company (WML)	
<b>A</b>	<b>Title of the Project</b>	Installation of 3.0 MTPA Integrated Steel Plant including 1.5 MTPA Cement Plant and 200MW CPP by M/s Welspun Metallics Ltd., located at Village Versamedi, Tehsil Anjar, District Kutch, Gujarat.	Installation of 3.0 MTPA Integrated Steel Plant including 1.5 MTPA Cement Plant and 200MW CPP by M/s Welspun Metallics Ltd., located at Village Versamedi, Tehsil Anjar, District Kutch, Gujarat.	<b>Noted.</b>
<b>B</b>	<b>Location</b>	Village Versamedi, Tehsil Anjar, District Kutch, Gujarat Latitude- 23° 6'23"N to 23° 7'53"N Longitude-70° 4'3"E to 70° 5'56"E	Village Versamedi, Tehsil Anjar, District Kutch, Gujarat. Latitude- 23° 6'23"N to 23° 7'53"N Longitude-70° 4'3"E to 70° 5'56"E	<b>Noted.</b>
<b>C</b>	<b>Units/Facilities</b>			
1.	Coke Ovens & By-products Recovery Plant (COBP)	2 X 58 No. Ovens -1.37 MTPA Gross Coke	2 X 58 No. Ovens -1.37 MTPA Gross Coke	Welspun Metallics Ltd (WML) has installed the coke oven plant of Capacity 0.25 MTPA.
2.	Sinter Plant	1 x 496 sq m -5.28 MTPA	1 x 496 sq m -5.28 MTPA	M/s. Welspun Metallics Limited (WML) has installed and commissioned a Sinter Plant with a capacity of 0.72 MTPA.

3.	Blast Furnace	1 x 4300 m <sup>3</sup> - 3.34 MTPA Hot Metal	1 x 4300 m <sup>3</sup> - 3.34 MTPA Hot Metal	M/s. Welspun Metallics Limited (WML) has installed and commissioned a Blast Furnace Plant with a capacity of 0.50 MTPA.
4.	Steel Melt Shop	BOF - 2 x 165 T LF - 2 x 165 T VD- 1 x 165 T 1.55 MTPA	BOF - 1 x 165 T LF -1 x 165 T VD - 1 x 165 T 1.55 MTPA	<b>Noted.</b>
5.	Continuous Casting	Slab caster –1 x 1 Strand 1.6 MTPA	Slab caster – 1 x 1 Strand 1.6 MTPA	<b>Noted.</b>
6.	DI Pipe Plant (Including Induction Furnaces, Convertor, Centrifugal Casting Machine, Annealing Furnace, Finishing Line.)	2 X 0.25 MTPA-0.5 MTPA	-	The DI Pipe Plant has been commissioned and commercial production has commenced under M/s. Welspun DI Pipes Limited (WDIPL).
7.	Foundry Shop for Metal Fitting and other casting using Heating and Melting Furnace (Induction Furnace) and Sand Moulding Facility	0.1 MTPA	0.1 MTPA	<b>Noted.</b>
8.	Lime/dolo Calcining	2 x 600 TPD 0.17 MTPA	1 x 600 TPD 0.17 MTPA	<b>Noted.</b>

	Plant 1 x 600 TPD			
9.	Power Plant	2 X 100 MW (Gas based) 165 MW BF-TRT, CDQ & Sinter Cooler 35 MW	2 X 100 MW (Gas based) 165 MW BF-TRT, CDQ & Sinter Cooler 35 MW	<b>Noted.</b>
10.	Cement Grinding unit	1.5 MTPA	1.5 MTPA	<b>Noted.</b>
<b>D</b>	<b>Process Description</b>	<ul style="list-style-type: none"> <li>• Production of coke in Coke Ovens.</li> <li>• Production of Sinter in Sinter plant.</li> <li>• Production of Steel through BF-BOF route, with Blast Furnace having hot metal production capacity of 3.34 MTPA followed by 1.6 MTPA slab casting.</li> <li>• Power generation through waste heat recovery.</li> <li>• Cement Grinding unit based on BF Slag</li> <li>• Production of DI Pipes using Blast furnace Hot metal from WML followed by desulphurization (if required) and scrap charging</li> <li>• Superheating of molten metal in induction furnace,</li> </ul>	<ul style="list-style-type: none"> <li>• Production of coke in Coke Ovens</li> <li>• Production of Sinter in Sinter plant.</li> <li>• Production of Steel through BF-BOF route, with Blast Furnace having hot metal production capacity of 3.34 MTPA followed by 1.6 MTPA slab casting</li> <li>• Power generation through waste heat recovery.</li> <li>• Cement Grinding unit based on BF Slag.</li> </ul>	<b>Noted.</b>

		<ul style="list-style-type: none"> <li>• Magnesium treatment in convertor;</li> <li>• Centrifugally casting of pipes using molten metal in CCMs;</li> <li>• Heat treatment in annealing furnace to give ductility to the casted pipes.</li> <li>• Cement lining, zinc and bitumen coatings &amp; stampings</li> </ul>		
<b>E</b>	<b>Land Requirement</b>	231.58 ha (77.2 ha -33.3% Greenbelt)	207.08 ha (68.33 ha -33.3% Greenbelt)	<b>Noted.</b>
<b>F</b>	<b>Raw Material</b>	<ul style="list-style-type: none"> <li>• Iron Ore (Fines) – 4.08 MTPA</li> <li>• Iron ore (Lump) – 1.91 MTPA</li> <li>• Coking Coal – 2.01 MTPA</li> <li>• Non-Coking Coal – 0.09 MTPA</li> <li>• PCI Coal – 0.64 MTPA</li> <li>• Limestone – 1.22 MTPA</li> <li>• Dolomite – 0.51 MTPA</li> <li>• Steel scrap-0.08 MTPA</li> <li>• Zinc wire-2600 TPA</li> <li>• Fe-si-16800 TPS</li> <li>• Mg-6600 TPA</li> </ul>	<ul style="list-style-type: none"> <li>• Iron Ore (Fines) – 4.08 MTPA</li> <li>• Iron ore (Lump) – 1.88 MTPA</li> <li>• Coking Coal – 2.01 MTPA</li> <li>• Non-Coking Coal – 0.09 MTPA</li> <li>• PCI Coal – 0.64 MTPA</li> <li>• Limestone – 0.92 MTPA</li> <li>• Dolomite – 0.41 MTPA</li> <li>• Calcined lime-600 TPAS</li> </ul>	<b>Noted.</b>

		<ul style="list-style-type: none"> <li>• Calcined Lime-600 TPA</li> </ul>		
<b>G</b>	<b>Water Requirement</b>	47232 m <sup>3</sup> /day (1755 m <sup>3</sup> /hr)	37224 m <sup>3</sup> /day	<b>Complied.</b> Water consumption is within the limit stipulated under the existing Environmental Clearance (EC). During FY 2025-26, the average water consumption for M/s. Welspun Metallics Limited (WML) was 2450.8 m <sup>3</sup> /day, which is well within the permitted limit.
<b>H</b>	<b>Power Requirement</b>	211 MW	195 MW	<b>Noted.</b>
<b>I</b>	<b>Fuel Requirement</b>	<ul style="list-style-type: none"> <li>• Coke Oven gas (COG) – 48127 Nm<sup>3</sup>/hr</li> <li>• BF Gas (BFG) – 587155 Nm<sup>3</sup>/hr</li> <li>• BOF Gas (BOFG) – 28310 Nm<sup>3</sup>/hr</li> <li>• Propane – 20 TPD</li> <li>• Fuel Oil – 600 TPD</li> </ul>	<ul style="list-style-type: none"> <li>• Coke Oven gas (COG) – 48127 Nm<sup>3</sup>/hr</li> <li>• BF Gas (BFG) – 587155 Nm<sup>3</sup>/hr</li> <li>• BOF Gas (BOFG) – 14155 Nm<sup>3</sup>/hr</li> <li>• Propane – 20 TPD</li> </ul>	<b>Noted.</b>
<b>J</b>	<b>Pollutants</b>	PM –273.1Kg/hr SO <sub>2</sub> –551.8 Kg/hr NO <sub>x</sub> –869.3 Kg/hr	PM – 258.9 Kg/hr SO <sub>2</sub> – 547 Kg/hr NO <sub>x</sub> – 862 Kg/hr	<b>Noted.</b>
<b>K</b>	<b>Pollution Mitigation Measures</b>			
<b>1</b>	<b>Air Pollution Control</b>	<ul style="list-style-type: none"> <li>• Dry fogging and bag filter based DE system in material handling.</li> <li>• Charging and pushing Emission control in coke ovens.</li> <li>• Electrostatic Precipitator (ESP) based process gas</li> </ul>	<ul style="list-style-type: none"> <li>• Dry fogging and bag filter based DE system in material handling.</li> <li>• Charging and pushing Emission control in coke ovens.</li> <li>• low NO<sub>x</sub> stage combustion burners.</li> <li>• Electrostatic Precipitator (ESP) based process gas cleaning in Sinter plant and CPP.</li> <li>• ESP based DE systems in BF Cast house, stock house and SMS.</li> </ul>	<b>Complied.</b> WML has installed a Dry Fogging System in the material handling and storage area. Further, an Electrostatic Precipitator (ESP)-based process gas cleaning system and Bag Filter-based Dust Extraction (DE) system have already been installed.

		<p>cleaning in Sinter plant and CPP.</p> <ul style="list-style-type: none"> <li>• ESP based DE systems in BF Cast house, stock house and SMS.</li> <li>• Bag filter based DE system</li> <li>• low NOx oxy-fuel burners in Annealing furnaces.</li> </ul>		<p>In addition, Environmental Monitoring for all process stacks is being carried out on a monthly basis through a third-party agency accredited by NABL and approved by GPCB. The monitoring reports are regularly submitted to the statutory authorities along with the compliance reports.</p> <p>Please refer Annexure-1 as a Stack Emission Monitoring report issued by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</p>
--	--	---	--	---



**Geo-tagged photographs of Installed APCD's and regular Environmental Monitoring at WML Unit**



<p><b>2</b></p>	<p><b>Noise Pollution Control</b></p>	<ul style="list-style-type: none"> <li>• Plugging leakages in high-pressure gas/air pipelines.</li> <li>• Reducing vibration of high-speed rotating machines by regular</li> </ul>	<ul style="list-style-type: none"> <li>• Plugging leakages in high-pressure gas/air pipelines.</li> <li>• Reducing vibration of high-speed rotating machines by regular monitoring of vibration and taking necessary steps.</li> <li>• Design of absorber system for the shift office and pulpit operator's cabin.</li> </ul>	<p><b>Complied.</b></p> <p>Necessary noise control measures have been implemented across the plant. Regular maintenance of process equipment is carried out to ensure efficient operation and minimize noise generation. High-noise areas, wherever identified, are appropriately marked with</p>
-----------------	---------------------------------------	--	---	---

		<p>monitoring of vibration and taking necessary steps.</p> <ul style="list-style-type: none"> <li>• Design of absorber system for the shift office and pulpit operator's cabin.</li> <li>• Noise absorber systems in pump houses.</li> <li>• Noise level at 1m from equipment will be limited to 85 dB (A).</li> <li>• The fans and ductwork will be designed for minimum vibration.</li> <li>• All the equipment in different units will be designed/operated in such a way that the noise level shall not exceed 85 dB (A).</li> <li>• Periodical monitoring of work zone noise and outside plant premises.</li> <li>• Un-manned high noise zone will be mark as "High Noise Zone".</li> </ul>	<ul style="list-style-type: none"> <li>• Noise absorber systems in pump houses.</li> <li>• Noise level at 1m from equipment will be limited to 85 dB (A).</li> <li>• The fans and ductwork will be designed for minimum vibration.</li> <li>• All the equipment in different units will be designed/operated in such a way that the noise level shall not exceed 85 dB (A).</li> <li>• Periodical monitoring of work zone noise and outside plant premises.</li> <li>• Un-manned high noise zone will be marked as "High Noise Zone".</li> <li>• In shops where measures are not feasible, attempts shall be made to provide operators with sound-proof enclosure to operate the system.</li> <li>• Workers exposed to noise level will be provided with protection devices like earmuffs and will be advised to use them regularly, while at work.</li> <li>• Workers exposed to noisy work place shall be provided with rotational duties.</li> <li>• All workers will be regularly checked medically for any noise related health problem and if detected, they will be</li> <li>• provided with alternative duty.</li> </ul>	<p>warning signage, and suitable PPEs are provided to concerned personnel.</p> <p>Further, Ambient noise level monitoring and work zone noise are carried out periodically through a NABL-accredited and GPCB-approved third-party agency, and the monitoring reports are submitted to the statutory authorities along with the compliance reports.</p> <p><a href="#">Please refer Annexure-2 as Noise Level Monitoring Report issued by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</a></p>
--	--	--	--	---


		<ul style="list-style-type: none"> <li>• In shops where measures are not feasible, attempts shall be made to</li> <li>• provide operators with sound-proof enclosure to operate the system.</li> <li>• Workers exposed to noise level will be provided with protection devices like earmuffs and will be advised to use them regularly, while at work.</li> <li>• Workers exposed to noisy work place shall be provided with rotational duties.</li> <li>• All workers will be regularly checked medically for any noise related health problem and if detected, they will be provided with alternative duty.</li> </ul>		
<b>3</b>	<b>Effluents Generation and Management</b>	<ul style="list-style-type: none"> <li>• Zero Liquid Discharge outside plant boundary.</li> <li>• Effluent generated from coke ovens would be separately treated in Biological Oxidation and Depenalization (BOD)</li> </ul>	<ul style="list-style-type: none"> <li>• Zero Liquid Discharge outside plant boundary.</li> <li>• Effluent generated from coke ovens would be separately treated in Biological Oxidation and Dephenolization (BOD) treatment unit for removal of phenolic compounds and cyanide.</li> </ul>	<p><b>Complied.</b></p> <p>M/s. Welspun Metallics Limited (WML) operates as a Zero Liquid Discharge (ZLD) plant.</p> <p>No process effluent is generated from the existing operations. Domestic wastewater</p>

		<p>treatment unit for removal of phenolic compounds and cyanide.</p> <ul style="list-style-type: none"> <li>• Cooling tower blow downs and treated effluent from BOD plant of coke ovens would be taken to the CETP for further treatment and reuse as make-up water.</li> <li>• Treatment of plant sanitary waste water including canteen effluent in a sewage treatment plant for separation of floating oil and reduction of BOD level.</li> <li>• ETP shall be provided for DI plant exclusively with the provision of safe handling of hazardous waste generated in DI plant.</li> </ul>	<ul style="list-style-type: none"> <li>• Cooling tower blow downs and treated effluent from BOD plant of coke ovens would be taken to the CETP for further treatment and reuse as make-up water.</li> <li>• Treatment of plant sanitary waste water including canteen effluent in a sewage treatment plant for separation of floating oil and Reduction of BOD level.</li> </ul>	<p>generated from the plant is transferred to our sister concern, M/s. Welspun Living Limited (WLL), for further treatment and recycling as per the established water management arrangement. An MoU has been executed between M/s. WML and M/s. WLL for the treatment, recycling, and reuse of wastewater.</p> <p>Hazardous waste generated from the plant is collected, stored, and disposed of through GPCB-authorized recyclers/reprocessors in accordance with applicable statutory requirements.</p> <p>Further, details of hazardous waste generation and disposal are regularly submitted to the statutory authorities through Hazardous Waste Annual Returns (Form-IV) and monthly reporting through the GPCB XGN Portal (E-Patruk).</p>
<b>4</b>	<b>Solid and Hazardous Wastes</b>	<p>All non-hazardous solid wastes shall be utilized in-house in Sinter Plant/BOF. BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for road construction.</p> <p>Coal tar sludge and BOD sludge would be recycled for coke making by mixing with the coal charge.</p>	<p>All non-hazardous solid wastes shall be utilized in-house in Sinter Plant/BOF.</p> <p>BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for road construction. Coal tar sludge and BOD sludge would be recycled for coke making by mixing with the coal charge.</p> <p>All other hazardous wastes shall be disposed in secured landfill/ handed over to authorized dealers for disposal as per statutory norms.</p>	<p><b>Complied.</b></p> <p>Non-hazardous solid wastes generated from the plant are being utilized in-house in the Sinter Plant, wherever applicable.</p> <p>BF Slag generated from the Blast Furnace is being sold to authorized cement manufacturers and related records are maintained.</p> <p>Hazardous wastes generated from the plant are collected, stored, transported, and disposed of through GPCB-authorized recyclers/Pre-processors in accordance with the applicable statutory requirements. Transportation of hazardous waste is carried out through GPS-</p>

	<p>All other hazardous wastes shall be disposed in secured landfill/ handed over to authorized dealers for disposal as per statutory norms.</p> <p>100% use/recycle of solid waste generated in DI plant shall be ensured.</p>		<p>enabled vehicles under the manifest system through the GPCB XGN Portal.</p> <p>Further, details of hazardous waste generation and disposal are submitted to the statutory authorities through Hazardous Waste Annual Returns (Form-IV) within the prescribed timelines, and the same are also uploaded on the GPCB XGN Portal as per statutory requirements.</p>
<b>S.N.</b>	<b>Environment Clearance Condition (M/s Welspun Metallica Limited)</b>	<b>Compliance Status</b>	
<b>A.</b>	<b>Specific conditions as per the EC recommendation under para 7(ii)</b>		
i.	<p>CEMS shall be provided on all process stacks and the signal shall be received in plant control room for central control of APCDs installed in the plant</p>	<p><b>Complied.</b></p> <p>Continuous Emission Monitoring Systems (CEMS) have been installed on all applicable process stacks. The signals from the CEMS are received in the plant control room for continuous monitoring. Further, the Online CEMS data are continuously transmitted to the servers of the GPCB and CPCB as per statutory requirements.</p> <p>All online CEMS analyzers are calibrated at regular intervals, and periodic health checks are carried out through authorized service providers in accordance with the Revised Guidelines for Continuous Emission Monitoring Systems (CEMS), August 2023, and subsequent amendments issued by CPCB.</p>	





Screenshots of Online CEMS data transfer to GPCB & CPCB server



Online CEMS systems installed and real time data uploading to CPCB & GPCB Servers

2	Ventilation system for odour control in bitumen coating area shall be included.	<b>Not Applicable.</b> Bitumen coating operations are not carried out at the M/s. Welspun Metallics Limited (WML) site.
3	Zn dust monitoring in AAQ in DI plant shall be carried out.	<b>Not Applicable.</b>

		The DI Pipe Plant is not part of the existing operations of M/s. Welspun Metallics Limited (WML).
4	ETP shall be provided for DI plant exclusively with the provision of safe handling of hazardous waste generated in DI Plant.	<p><b>Not Applicable.</b></p> <p>The DI Pipe Plant is not part of the existing operations of M/s. Welspun Metallics Limited (WML).</p>
5	PM level from the stacks shall be less than 30 mg/Nm <sup>3</sup> .	<p><b>Complied.</b></p> <p>PM emissions from all process stacks are being maintained below 30 mg/Nm<sup>3</sup> in accordance with the stipulated environmental clearance condition. The online emission data are continuously transmitted to the CPCB RTDMS and GPCB servers through the installed Continuous Emission Monitoring Systems (CEMS).</p> <p>Further, stack emission monitoring is carried out on monthly basis through a NABL-accredited and GPCB-approved third-party agency to verify compliance with the prescribed emission standards.</p> <div style="display: flex; justify-content: space-around;">   </div> <p style="text-align: center;"><u>Geo-tagged photographs of third-party stack monitoring</u></p> <p style="text-align: center;"><a href="#">Please refer Annexure-1 as a third-party stack monitoring report.</a></p>

6	100 % use / recycle of solid waste generated in DI plant shall be ensured.	<p><b>Not Applicable.</b></p> <p>The DI Pipe Plant is not part of the existing operations of M/s. Welspun Metallics Limited (WML).</p>
7	Tree density in green belt shall be 2500 trees per ha. Plant shall have 33 % green belt as committed by PP.	<p><b>Complied.</b></p> <p>M/s. Welspun Metallics Limited (WML) is continuously undertaking green belt development activities within the plant premises and surrounding areas.</p> <p>At present, a total green belt area of 9,35,160.70 m<sup>2</sup> has been developed out of the total plot area of 35,39,871 m<sup>2</sup> at Welspun City, Anjar.</p> <p>In addition, plantation activities are being carried out under various CSR initiatives in the areas surrounding the plant premises and nearby villages to enhance the overall green cover and environmental sustainability.</p>





[Glimpses of Greenbelt developed at M/s Welspun Metallics Limited & Surrounding areas](#)

8	Both plants shall have their independent green belts.	<b>Noted and Being Complied.</b>  Green belt development is being undertaken independently by the respective unit in accordance with the provisions of the Environmental Clearance.
9	Validity of split ECs shall be from Feb 2017.	<b>Point noted.</b>
10	More efficient bags such as PTFE bags shall be used in the filter bag house and designed for 150% of normal design air flow.	<b>Complied.</b>  PTFE filter bags are being used in the bag filter systems, which are designed for 150% of the normal design air flow to ensure effective control of particulate emissions.  Further, all Air Pollution Control Devices (APCDs) are regularly inspected and maintained to ensure efficient operation and optimum performance.




***Photographs of the Maintenance of ESP fields & Bags replacement in Air Pollution Control Devices (APCD)***

11	PP shall use ultralow NOx burner with three stage combustion, flue gas recirculation and auto combustion control system.	Point noted.
----	--	--------------

**B. General conditions as per the EC recommended under para 7 (ii)**

<b>I.</b>	<b>Statutory compliances</b>
-----------	------------------------------


	<p>The Environment Clearance (EC) granted to the project/activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislation, etc., as may be applicable to the project.</p>	<p><b>Noted and complied.</b></p> <p>The unit ensures compliance with all applicable environmental standards, Acts, Rules, Regulations, and statutory requirements relevant to the project. All necessary approvals, consents, authorizations, and permissions from the concerned regulatory authorities are obtained, renewed and complied with as applicable from time to time.</p>
<p><b>II.</b></p>	<p><b>Air quality monitoring and preservation</b></p>	
<p>i</p>	<p>The project proponent shall install 24*7 continuous emission monitoring system at process stacks to monitor stack emission as well as Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>	<p><b>Complied.</b></p> <p>M/s. Welspun Metalics Limited (WML) has installed 24x7 Continuous Emission Monitoring Systems (CEMS) on all applicable process stacks for continuous monitoring of stack emissions. Further, a Continuous Ambient Air Quality Monitoring Station (CAAQMS) has been installed within the plant premises for continuous monitoring of ambient air quality parameters.</p> <p>Periodic calibration and preventive maintenance of all CEMS and CAAQMS analyzers are carried out through authorized agencies/equipment suppliers to ensure their accuracy, reliability, and proper functioning.</p> <p>In addition, manual stack emission monitoring and ambient air quality monitoring are conducted at regular intervals through a NABL-accredited and GPCB-approved third-party agency.</p> <p>The online CEMS data are continuously transmitted to the servers of the Gujarat Pollution Control Board (GPCB) and Central Pollution Control Board (CPCB) in accordance with statutory requirements.</p> <p>Further, Ambient Air Quality Monitoring (AAQM) is carried out periodically through a NABL-accredited and GPCB-approved third-party agency to verify compliance with the prescribed environmental standards.</p> <p><a href="#">Please refer to Annexure-3 for the Ambient Air Quality Monitoring (AAQM) reports issued by a NABL-accredited, MoEF&amp;CC-recognized, and GPCB-approved agency.</a></p>



**Geo-tagged photographs of Continuous Emission Monitoring Systems**

2	<p>The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>	<p><b>Complied.</b></p> <p>Fugitive emission monitoring is carried out on a quarterly basis at various locations within the plant premises through a NABL-accredited and GPCB-approved third-party agency, in accordance with the stipulated Environmental Clearance condition.</p> <p>The monitoring reports are maintained and submitted to the statutory authorities as part of the periodic compliance reporting requirements.</p> <p><a href="#">Please refer to Annexure-4 for the Fugitive Emission Monitoring Reports issued by a NABL-accredited, MoEF&amp;CC-recognized, and GPCB-approved agency.</a></p>
---	--	--


3	The cameras shall be installed at suitable location for 24*7 recording of battery emissions on the both sides of coke oven batteries and videos shall be preserved for at least one-month recordings.	<p><b>Complied.</b></p> <p>CCTV cameras have been installed at suitable locations on both sides of the coke oven batteries for continuous 24x7 monitoring and recording of battery emissions. The recorded video footage is being maintained and preserved for a minimum period of one month as stipulated in the Environmental Clearance (EC) condition. Regular monitoring and data retention practices are being followed to ensure compliance.</p>
4	Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.	<p><b>Complied.</b></p> <p>Sampling facilities, including portholes, adequate monitoring platforms, access staircases, and power supply arrangements, have been provided at all applicable process stacks in accordance with CPCB guidelines to facilitate manual monitoring of emissions.</p>



**Geo-tagged photographs of sampling facility for manual stack monitoring**

5	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	<p><b>Complied.</b></p> <p>M/s. Welspun Metallics Limited (WML) has installed appropriate Air Pollution Control (APC) systems such as Electrostatic Precipitators (ESP) and Bag Filters at all dust-generating points, including measures for control of fugitive dust emissions from vulnerable sources, in order to comply with the prescribed stack emission and fugitive emission standards.</p>
---	---	--

		<p>In addition, stack emission monitoring is carried out at regular intervals through a NABL and GPCB-approved third-party agency to ensure compliance with the stipulated emission norms, and all monitored parameters are found within prescribed limits.</p> <p>Further, fugitive emission monitoring is also conducted periodically through a NABL-accredited and GPCB-approved third-party agency.</p> <p>Please refer to <a href="#">Annexure-1 for Stack Emission Monitoring Reports</a> and <a href="#">Annexure-3 for Fugitive Emission Monitoring Reports</a> issued by a NABL-accredited, MoEF&amp;CC-recognized, and GPCB-approved agency.</p>
--	--	--





**Photos of the APCD (Air Pollution Control Devices) installed at WML Unit**

6	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	<p><b>Noted and complied.</b></p> <p>Manometers have been installed for monitoring differential pressure (DP) across bag filters to ensure proper performance and timely maintenance of the system. Mechanized bag cleaning is being carried out through solenoid valve-based pulse jet cleaning systems for effective cleaning of filter bags and sustained efficiency of Air Pollution Control Devices (APCDs).</p>
7	Secondary emission control system shall be provided at SMS Converters.	<p><b>Point noted.</b></p> <p>SMS plant is not installed yet and will be complied after installation &amp; commissioning of SMS plant.</p>

8	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	<p><b>Complied.</b></p> <p>Sufficient housekeeping measures have been implemented for regular cleaning of plant roads, shop floors, and other operational areas. A vacuum cleaning truck has been deployed for cleaning of the main gate area as well as internal paved roads within the plant premises to maintain good housekeeping and minimize dust emissions arising from vehicular movement.</p>
---	--	--







9 Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.

**Complied.**

M/s. Welspun Metallics Limited (WML) is recycling and reusing iron ore fines, coal and coke fines, lime fines, and other dust fines collected from pollution control devices and vacuum cleaning systems. The recovered fines are being utilized in the Sinter Plant through appropriate recycling and agglomeration processes, thereby ensuring resource recovery and minimizing waste generation.

10	The project proponent uses leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	<p>M/s Welspun Metallics Ltd (WML) is using leak proof trucks/dumpers carrying coal &amp; other raw materials and cover them with tarpaulin to reduce the dust emission during vehicle movement.</p> <div style="display: flex; justify-content: space-around;">   </div> <p style="text-align: center;"><i>Truck covered with tarpaulin</i></p>
11	Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility).	<p><b>Point noted and will be complied.</b></p> <p>Regular housekeeping is carried out in the coke oven battery wharf area for collection of coal and coke spillage. Necessary arrangements are in place to ensure timely cleaning of material spillage and to minimize fugitive dust generation in the area.</p>
12	Land-based APC system shall be installed to control coke pushing emissions.	<p><b>Point noted and will be complied.</b></p>
13	Monitor CO, HC and O <sub>2</sub> in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.	<p><b>Point noted.</b></p>
14	Vapor absorption system shall be provided in place of vapour compression system for cooling of coke oven gas in case of recovery type coke ovens.	<p><b>Point noted.</b></p>
15	In case concentrated ammonia liquor is incinerated, adopt high temperature	<p><b>Point noted.</b></p>

incineration to destroy Dioxins and Furans. Suitable NOx control facility shall be provided to meet the prescribed standards.

We have adequate facility and technology for the dust emission and gaseous emission control.

16 The coke oven gas shall be subjected to desulphurization if the Sulphur content in the coal exceeds 1%.

**Noted and complied.**

The sulphur content in coal used for coke oven operations is consistently maintained below 1%. Regular monitoring and testing are carried out through the in-house laboratory to ensure compliance with the prescribed sulphur limit.



Internal physical and chemical analysis of coal is conducted at regular intervals, and records are maintained for verification of compliance.

Document Name: Coal Report		SOURCE (HVM COAL)										PO:2571211479										Material Code:		112200030004	
		PROXIMATE ANALYSIS										PHYSICAL ANALYSIS													
Sr.No.	DATE	No Vehicles	Quantity (MT)	GM %	Ash %	VM %	IM %	FC %	S %	P %	+10mm	+8mm	+6mm	+4mm	+3 mm	+1mm	+0.5mm	+150 mic	-150 MIC	MPS	CSN				
1	01.02.2026		196.26	8.23	7.29	35.30	1.34	56.07	0.05	0.044	15.29	6.08	6.81	7.73	14.18	22.84	8.84	11.23	7.00	4.15	7.50				
2	02.02.2026		202.00	8.76	8.97	34.30	1.39	55.54	0.07	0.048	16.70	4.99	4.72	6.04	12.60	16.80	12.86	18.37	8.92	3.64	7.50				
3	03.02.2026		168.76	9.02	7.80	34.60	1.44	56.16	0.04	0.041	11.14	6.36	5.45	7.05	11.59	15.45	15.45	18.41	9.00	3.43	8.00				
4	04.02.2026		403.82	7.96	11.90	33.30	1.53	53.27	0.07	0.053	18.81	6.27	4.02	8.25	16.50	14.85	9.57	15.54	7.59	4.37	7.00				
5	05.02.2026		174.27	7.32	7.64	34.60	1.47	56.29	0.02	0.047	17.70	6.78	4.72	8.55	18.58	12.98	7.08	14.45	9.14	4.33	8.00				
6	06.02.2026		303.85	8.75	8.31	34.00	1.48	56.21	0.03	0.040	19.65	6.48	4.32	6.70	12.96	18.36	9.72	11.88	9.91	4.52	8.00				
7	07.02.2026		326.30	8.31	7.60	34.80	1.59	56.01	0.05	0.046	17.93	7.07	5.05	7.58	12.88	16.92	9.34	13.38	8.85	4.25	7.00				
8	08.02.2026		140.17	7.90	8.05	34.40	1.82	55.73	0.01	0.041	14.38	7.32	6.19	8.19	15.04	17.48	8.51	12.38	9.30	4.10	8.00				
9	09.02.2026		333.44	9.27	7.27	34.96	0.99	56.83	0.00	0.052	17.37	6.30	5.16	8.45	13.62	17.37	12.21	11.27	8.45	4.20	7.50				
10	10.02.2026		262.87	8.60	7.31	34.83	1.26	56.54	0.06	0.047	14.61	4.49	6.74	8.99	16.48	17.00	13.86	10.11	7.12	4.00	8.00				
11	11.02.2026		95.77	8.29	8.04	33.49	0.97	57.50	0.01	0.048	14.38	4.29	5.15	10.94	12.23	16.52	15.02	13.30	8.17	3.80	8.00				
12	12.02.2026		283.60	8.30	7.83	35.00	0.82	56.35	0.08	0.043	17.94	5.44	5.04	8.87	12.10	24.19	7.06	12.50	6.86	4.27	8.00				
13	13.02.2026		564.52	8.67	9.16	33.90	1.61	55.31	0.02	0.045	13.48	6.64	4.43	9.86	14.49	20.12	8.85	14.49	7.64	3.91	8.00				
14	14.02.2026		298.83	8.06	8.90	32.70	1.03	57.37	0.06	0.048	14.34	6.55	4.78	10.97	13.80	18.41	8.67	15.22	7.26	4.02	8.00				
15	15.02.2026		168.78	8.24	7.88	35.00	1.02	56.30	0.03	0.045	16.83	4.77	5.78	6.03	12.56	13.07	11.81	20.60	8.55	3.85	8.00				
16	16.02.2026		524.29	8.19	7.88	35.00	1.02	56.30	0.02	0.040	16.83	4.77	5.78	6.03	12.56	13.07	11.81	20.60	8.55	3.85	8.00				
17	17.02.2026		283.37	8.20	8.91	34.50	1.55	55.04	0.00	0.043	18.42	6.64	5.35	7.28	14.56	17.13	8.35	12.85	8.42	4.33	8.50				
18	18.02.2026		257.69	7.99	9.21	34.90	1.52	54.37	0.09	0.040	21.21	7.07	6.06	4.71	7.07	18.52	7.74	18.86	8.76	4.37	8.00				
19	19.02.2026		296.52	8.85	9.21	34.90	1.52	54.37	0.01	0.040	21.21	7.07	6.06	4.71	7.07	18.52	7.74	18.86	8.76	4.37	8.00				
20	20.02.2026		397.42	9.50	9.44	34.50	1.08	54.98	0.02	0.042	21.16	5.19	3.73	2.90	10.58	15.15	5.39	26.35	9.55	4.01	8.00				
21	21.02.2026		257.82	8.32	7.23	35.20	1.54	56.01	0.06	0.037	22.35	4.29	3.16	2.71	10.84	17.16	7.32	23.48	8.80	4.06	8.00				
22	22.02.2026		106.59	8.73	8.03	34.90	1.77	55.30	0.06	0.039	17.24	5.64	5.02	6.58	11.29	22.88	5.02	17.24	9.09	4.04	8.00				
23	23.02.2026		346.46	8.58	8.41	34.40	1.47	55.72	0.01	0.040	22.35	6.02	6.02	8.31	13.75	15.76	11.17	11.46	5.16	4.76	8.00				
24	24.02.2026		198.61	8.55	8.57	34.40	1.75	55.28	0.04	0.038	14.40	5.46	4.99	5.46	9.74	24.94	9.74	17.18	8.09	3.67	8.00				
25	25.02.2026		310.93	7.06	8.27	34.70	2.10	54.93	0.07	0.042	15.45	6.01	4.72	5.58	10.52	20.17	12.88	16.74	7.93	3.78	8.00				
26	26.02.2026		313.60	9.45	11.40	33.40	1.88	53.32	0.05	0.042	14.64	6.07	4.60	5.44	10.25	24.48	10.25	16.32	7.95	3.73	8.00				
27	27.02.2026		334.32	9.21	8.63	34.60	2.09	54.68	0.07	0.044	11.89	6.43	5.26	6.24	11.70	24.76	12.09	13.06	8.57	3.61	8.00				
28	28.02.2026		77.07	8.98	8.07	33.80	2.10	56.01	0.06	0.037	13.72	5.01	5.97	5.59	15.61	25.43	9.83	11.74	7.90	3.72	8.00				
			793.000	8.53	8.40	34.40	1.44	55.50	0.02	0.044	17.04	5.97	5.11	6.99	12.65	18.41	8.87	15.78	8.27	4.04	7.87				
			Quantity (MT)	GM %	Ash %	VM %	IM %	FC %	S %	P %	+10mm	+8mm	+6mm	+4mm	+3 mm	+1mm	+0.5mm	+150 mic	-150 MIC	MPS	CSN				

*Internal Physical Analysis of Coal Report*

17 Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.



**Point noted.**




18	Design the ventilation system for adequate air changes, as per prevailing norms for all tunnels, motor houses, Oil Cellars	<b>Point noted.</b>
19	The project proponent shall install Dry Gas Cleaning Plant with bag filter for Blast Furnace and SMS converter.	<b>Point Noted &amp; Complied.</b> M/s Welspun Metallics Ltd has installed dry Gas Cleaning Plant for Blast Furnace with bag filter.
<div style="display: flex; justify-content: space-around;">   </div> <p style="text-align: center;"><i><b>Geo tagged photographs of Gas Cleaning Process plant for your reference</b></i></p>		
20	Dry quenching (CDQ) system shall be installed along with power generation facility from waste heat recovery from hot coke.	<b>Point Noted &amp; Complied.</b> Waste Heat Recovery Boiler (WHRB) with a capacity of 75 TPH has been installed as part of the Coke Dry Quenching (CDQ) system. The system effectively utilizes the waste heat from hot coke for power generation, thereby improving energy efficiency and reducing overall emissions.



*Geo tagged Photographs of Waste Heat Recovery Boiler*

III	<b>Water Quality monitoring and preservation</b>	
1	<p>The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (Integrated iron &amp; Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>	<p><b>Not Applicable.</b></p> <p>M/s. Welspun Metallics Limited (WML) operates as a Zero Liquid Discharge (ZLD) plant.</p> <p>No process effluent is generated from the existing operations. Domestic wastewater generated from the plant is transferred to our sister concern, M/s. Welspun Living Limited (WLL), for further treatment and recycling as per the established water management arrangement. An MoU has been executed between M/s. WML and M/s. WLL for the treatment, recycling, and reuse of wastewater.</p>

2	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	We are using water source from our sister company WLL (Welspun Living Limited). Hence, there is not any ground water usage or fresh water consumption within Welspun city-Anjar.
3	The project proponent shall provide the ETP for coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time as amended from time to time;	<p><b>Complied.</b></p> <p>We have installed non recovery type coke oven plant. We have provided settling pond for the water coming from quenching tower &amp; reusing the water from settling pond.</p> <div style="display: flex; justify-content: space-around;">   </div> <p><i><u><a href="#">Geo tagged Photographs of Coke Quenching water recirculation Pond</a></u></i></p>
4	Adhere to 'Zero Liquid Discharge'	<b>Noted and agreed to complied with ZLD norms.</b>
5	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	<p><b>Complied.</b></p> <p>Domestic waste water of M/s WML is sent to M/s WIL for further treatment. We have MOU with our sister unit for fresh water supply and domestic waste water treatment as under;</p>

		<div data-bbox="982 212 1835 1190" style="border: 1px solid black; padding: 10px;">  <p style="text-align: center;"><b>MEMORANDUM OF UNDERSTANDING</b> <b>BY &amp; BETWEEN</b> <b>WELSPUN INDIA LTD</b> <b>AND</b> <b>WELSPUN METALLICS LTD</b></p> <p>This MEMORANDUM OF UNDERSTANDING (MoU) dated - 01/01/2021 sets forth the basic understandings between</p> <p><b>Welspun India Ltd, Anjar</b>, a limited company incorporated under the Companies Act 1956, having its registered office at Land Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1 u0026 588, Survey no. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, Welspun City, Village- Versamedi, Ta- Anjar, Dist- Kutch-Gujarat-370110 with the GPCB ID: 18108 (Hereinafter referred to as "WIL", which expression, unless repugnant to the context or meaning thereof shall be deemed to include its successors and permitted assigns)</p> <p style="text-align: center;">And</p> <p><b>WELSPUN Metals LTD</b>, a limited company incorporated under the Companies Act 1956, having its registered office at Land Survey No.650, Village- Versamedi, Ta- Anjar, Dist- Kutch-Gujarat-370110 with GPCB ID: 59424 (Hereinafter referred to as "WML", which expression, unless repugnant to the context or meaning thereof shall be deemed to include its successors and permitted assigns)</p> <p>Whereas,</p> <p>WIL is in the business of trading and manufacturing Home Textiles at its plant located at Welspun City, Village Versamedi, Anjar, District Kutch, Gujarat. WIL having an STP with capacity of 30 MLD, to treat the Municipal Sewage through Biological Oxidation Plant &amp; UF &amp; RO System of having the capacity to recycle &amp; Reuse 23 MLD of treated wastewater for process applications..</p> <p>Welspun Metals Ltd. has been requested WIL to supply 7.5 MLD of Treated Domestic Sewage of Municipality after Biological, UF &amp; RO process for meeting the production requirements at WML Unit.</p> <div style="display: flex; justify-content: space-between;">   </div> <p><b>Welspun India Limited</b> Welspun House, 5th Floor, Kamala City, Senapati Bapat Marg, Lower Panel (West), Mumbai 400 011, India. T : +91 22 6613 6000 / 2490 8000 F : +91 22 2490 8020 / 2490 8021 E-mail : companysecretary_wil@welspun.com Website : www.welspunindia.com Registered Address: Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat 370 110, India T : +91 2836 661111 F : +91 2836 279 010 Works : Survey No. 76, Village Morai, Vapi, District Vahad, Gujarat 396 191, India T : +91 260 2433437 F : +91 260 22432086 Corporate Identity Number: L1710GJ1985PLC033271</p> </div> <p style="text-align: center;"><b><u>Copy of MOU between M/s WML &amp; M/s WIL for Water Management</u></b></p>
6	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	<b>Point noted and being complied.</b>

7	Tyre washing facilities shall be provided at the entrance of the plant gates.	<p><b>Point noted and complied.</b></p> <p>However, Continuous water sprinkling at coal storage yard area and internal plant road to reduce the dust emission during vehicle movement.</p>
8	CO2 injection shall be provided in GCP of SMS to reduce pH in circulating water to ensure optimal recycling of treated water for converter gas cleaning.	<p><b>Point noted.</b></p>
9	The project proponent shall practice rainwater harvesting to maximum possible extent.	<p><b>Complied.</b></p> <p>We have made an artificial pond for the Rainwater Harvesting. Rainwater is being collected in the same for the utilization.</p> <p>We have created two large rain water harvesting lagoons with a <b>capacity to store 3000 million Liters of rain water. The lagoon is spread at an area of 27 acres having depth of 18 meters.</b> Drainage network is created in all areas to collect the rain water from the roof tops and it is diverted into the lagoon. This water used for gardening and process activities after primary treatment.</p>





*Photographs of Rain Harvesting Pond*



Satellite view of Rain Harvesting Pond

10	Treated water from ETP of COBP shall not be used for coke quenching.	<b>Point noted.</b>
11	Water meters shall be provided at the inlet to all unit processes in the steel plants.	<b>Complied.</b>  Water meters have been installed to all unit processes areas and same data also submitted to GPCB on monthly basis through GPCB XGN E-Patruk system.
12	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.	<b>Point noted and complied.</b>  However, our manufacturing facilities are already achieved Zero Fresh Water Consumption and also in practice for the rain water harvesting.
<b>IV</b>	<b>Noise Monitoring and Prevention</b>	
I.	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	<b>Complied.</b>  Noise Level Monitoring conducted on regular intervals through third party (Accredited by NABL & GPCB approved) agency and same report also submitted to Regional Office, MoEF&CC (IRO-Gandhinagar) along with Six-Monthly EC Compliance report.


		<div style="text-align: right;">  </div> <p><b>E-mail (Soft Copy)</b>  <b>WCL-MD/ECCR/H1-FY'26/2025-26/20</b> <span style="float: right;"><b>Date: 19/11/2025</b></span></p> <p><b>To,</b>  <b>The Deputy Director General of Forests (C),</b>  <b>Integrated Regional Office (IRO),</b>  <b>Ministry of Environment, Forest and Climate Change,</b>  Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.  E-mail: iro.gandhingar-mefcc@gov.in</p> <p><b>Sub.: Half Yearly Compliance to Environmental Clearance of Welspun Corp Ltd. (Metallics Division)</b>  <b>Ref:</b> Environmental Clearance F.No. J-11011/136/2015-IA-II (I) dated 22/03/2021.</p> <p>Respected Sir/Ma'am,</p> <p>With reference to above subject, please find herewith the point wise <b>Six-Monthly Compliance Report (April'2025 to September'2025)</b> of environment clearance in respect of <b>Welspun Corp Ltd.- Metallics Division</b> Located at Anjar, District-Kutch, Gujarat.</p> <p>As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&amp;CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).</p> <p>This is for your kind information and record, please.</p> <p>Thanking you,  Yours faithfully,  <b>For Welspun Corp Ltd. – Metallics Division</b></p> <div style="text-align: center;">  </div> <p><b>Dr. Rameshkumar K.T.</b>  <b>(Vice President &amp; Group Environment Head)</b></p> <p><b>Encl:</b> As above</p> <p><b>Cc to:</b></p> <ol style="list-style-type: none"> <li>(1) <b>The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10-A, Gandhinagar-382010. Email: ms-gpcb@gujarat.gov.in</b></li> <li>(2) <b>The Regional Director (West Zone), Central Pollution Control Board, Parivash Bhawan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara, Gujarat-390023. E-mail: westzonepcb@yahoo.com</b></li> </ol> <p><b>Welspun Corp Limited (Metallics Division)</b>  Welspun House, 5th Floor, Kamla City, Senapati Bapat Marg, Lower Panel (W), Mumbai 400013, India  T: +91 22 6613 6000 / 2490 8000   F: +91 22 2490 8820  E-mail: company.secretary_wcl@welspun.com   Website: www.welspuncorp.com  Registered Address: Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat-370110, India</p> <p style="text-align: center;"><b><u>Copy of Six-Monthly EC compliance report submitted to MoEF&amp;CC</u></b></p>
<b>V.</b>	<b>Energy Conservation measures</b>	

1 The project proponent shall provide TRTs to recover energy from top gases of Blast Furnaces.

**Complied.**

We have already installed a Top pressure Recovery Turbine (TRTs) to recover energy from top gases of Blast Furnaces.

Approximately ~ 28 MW power generation from the installed TRTs system and its energy conservation and resulted to reduce in CO<sub>2</sub> emissions.



**Photos of Installed TRT at M/s Welspun Metallics Limited**

2 Coke Dry Quenching (CDQ) shall be provided for coke quenching for the coke oven plant.


**Point noted.**

3 Waste heat shall be recovered from Sinter Plants coolers and Sinter Machines.

**Complied.**

Waste heat is being recovers from sinter plant cooler & Machines and are being sent to coke oven plant for coke drying..



4	Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.	<b>Point noted and are being complied.</b>
5	Use hot charging of slabs and billets/blooms as far as possible.	<b>Point noted and will be complied.</b>
6	Waste heat recovery systems shall be provided in all units where the flue gas or process gas exceeds 300°C.	<b>Complied.</b> We have already installed waste heat recovery boiler attached to coke oven plant and same heat utilizing for the power generation by our sister unit M/s WCPGL.
7	Explore feasibility to install WHRS at Waste Gases from BF stoves; Sinter Machine; Sinter Cooler, and all reheating furnaces and if feasible shall be installed.	<b>Complied.</b> We have taken adequate steps to reducing carbon foot print and utilizing waste heat, waste gases from BF stoves, coolers and sent to our sister Unit (M/s Welspun DI Pipes Limited) for reducing fuel consumption.
8	Restrict Gas flaring to < 1%.	<b>Point noted and being complied.</b>
9	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;	<b>Complied.</b> We have initiated for the power generation from Renewable Energy Sources. We have installed wind mill & solar plant other than our project area due to adequate space concern.  We (M/s Welspun Metallics Limited) have installed <b>Wind Mill with capacity of 3.30 MW &amp; Solar Plant with capacity of 3.60 MW</b> located at Vill: Ranpur (RNP-138), Babra, Dist: Amreli and same generating Units adjustment by PGVCL (Paschim Gujarat Vij Company Limited).  Please refer statement evidence by PGVCL as under regarding Power generation from our Wind Mill & Solar Power plant which are located at Ranpur, Babra (Dist: Amreli), Gujarat.

		 <p>ADO/REV/HT/WF/33362/23/ 11-6095 Date:- 3 NOV 2023</p> <p>To: M/S WELSPUN METALLICS LTD. WELSPUN CITY, AT: VARSAMEDI, TA: ANJAR</p> <p>Sub:- Adjustment of Units Generated by Wind-Solar 66 KV HEM URJA HYBRID &amp; SOLAR 66 KV SANATHALI(HEM) S/S against Energy used at your HT Unit for the month of Jun-23 To SEP-23 for HT Con No 33362</p> <p>Ref- 1)SLDC,VadodaraCertificateNo.SLDC/Comm./WEA/2023-24/JUN/REV1/474, DT.08.08.23 2)SLDC,VadodaraCertificateNo.SLDC/Comm./WEA/2023-24/JUL/REV0/513, DT.17.08.23 3)SLDC,VadodaraCertificateNo.SLDC/Comm./WEA/2023-24/AUG/REV0/703, DT.16.09.23 4)SLDC,VadodaraCertificateNo.SLDC/Comm./WEA/2023-24/SEP/REV0/912, DT.14.10.23 5)F-Guj-SLDC-22/SCH/SEA/2023-24/08.3/22116 6)F-Guj-SLDC-22/SCH/SEA/2023-24/07.3/22117 7)F-Guj-SLDC-22/SCH/SEA/2023-24/08.3/2371 8)F-Guj-SLDC-22/SCH/SEA/2023-24/09.3/2426</p> <p>Dear Sir,</p> <p>The statement of details of Units Generated at 66 KV HEM URJA HYBRID Wind Mill And SOLAR 66 KV SANATHALI(HEM) S/S solar adjustment thereof for the month of Jun-23 To SEP-23 Banking account of Units is enclosed herewith for your further necessary action and to update your account and reconcile the same.</p> <p>This is your kind information please.</p> <p>Executive Engineer PGVCL, DO, ANJAR</p> <p>Enclosed :- As above</p> <p>[Type text]</p>
10	Provide LED lights in their offices and residential areas.	<p><b>Complied.</b></p> <p>The company has provided LED lights in the Plant, offices and residential areas.</p>

11	Ensure installation of regenerative type burners on all reheating furnaces.	<b>Noted.</b>
<b>VI.</b>	<b>Waste Management</b>	
1	An attrition grinding unit to improve the bulk density of BF granulated slag from 1.0 to 1.5 Kg/l shall be installed to use slag as river sand in construction industry.	<b>Point noted.</b>
2	Tar Sludge and waste oil shall be blended with coal charged in coke ovens.	<b>Point noted and complied.</b>
3	Carbon recovery plant to recover the elemental carbon present in GCP slurries for use in Sinter plant shall be installed.	<b>Point noted and being Practiced.</b>
4	Waste recycling Plant shall be installed to recover scrap, metallic and flux for recycling to sinter plant and SMS.	<b>Point noted.</b> SMS plant is not installed yet and will be complied after installation & commissioning of SMS plant.
5	Used refractories shall be recycled as far as possible.	<b>Point noted and will be complied.</b>

6	<p>SMS slag after metal recovery in waste recycling facility shall be conditioned and used for road making, railway track ballast and other applications. The project proponent shall install a waste recycling facility to recover metallic and flux for recycle to sinter plant.</p> <p>The project proponent shall establish linkage for 100% reuse of rejects from Waste Recycling Plant.</p>	<p><b>Point Noted.</b></p> <p>SMS plant is not installed yet and will be complied after installation &amp; commissioning of SMS plant.</p>
7	<p>100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.</p>	<p><b>Point noted and complied.</b></p>
8	<p>Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.</p>	<p><b>Noted.</b></p>
9	<p>Kitchen waste shall be composted or converted to biogas for further use.</p>	<p><b>Point noted and will be complied.</b></p>
<b>VII.</b>	<b>Green Belt</b>	
1	<p>The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programmed for reduction of the same including carbon sequestration by trees.</p>	<p><b>Point noted and shall be complied.</b></p> <p>We are in continual process for the green belt development inside the plant premises and surrounding area of plant.</p>
<b>VIII.</b>	<b>Public hearing and Human health issues</b>	
1	<p>Emergency preparedness plan based on the Hazard identification and Risk Assessment</p>	<p><b>Complied.</b></p>


	(HIRA) and Disaster Management Plan shall be implemented.	
2	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	<b>Complied.</b> We are regularly providing Personal Protection Equipment (PPE) including job specific PPEs for all employees as per norms of the Factory Act.
3	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	<b>Complied.</b> Occupation health check-up and Periodical medical checkup in our regular practice and same records also maintained by our medical team.
<b>IX.</b>	<b>Corporate Environment Responsibility</b>	
1	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No.22-5/2017-IA.III dated 30/09/2020.	<b>Point noted and being complied.</b>
2	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental ' policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest / wildlife norms/ conditions.  The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this	<b>Complied.</b> The company have a well laid IMS & Environmental Policy with signed by Chief Executive Officer (CEO).

	<p>regard shall be submitted to the MoEF &amp; CC as a part of six-monthly report.</p>	<div data-bbox="970 198 1852 1247" style="border: 1px solid black; padding: 10px;">  <h3 style="text-align: center;">Integrated Management System Policy</h3> <p>We at Welspun Corp Limited -Metallics Division, aim to maintain our leadership position by embedding the highest standard of Quality in manufacturing and dispatch of hot metal to Welspun DI pipe Ltd, Welspun Corp Limited -steel division and pig iron to domestic and international market using process and risk based approach.</p> <p>We are committed to:</p> <ul style="list-style-type: none"> <li>• Deliver quality of products complying with the requirements of applicable National standards/ specifications;</li> <li>• Continually improve the effectiveness of Integrated Management System;</li> <li>• Understand and consistently satisfy the needs and expectations of our customers including applicable statutory and regulatory requirements;</li> <li>• Have transparency to our customer and their representatives towards our IMS process and practices;</li> <li>• Prevent Environmental Pollution across the life cycle perspective of all our activities, products and services;</li> <li>• Prevent Occupational hazards, ill health and injury at our work place;</li> <li>• Implementation of environment friendly measure in our scope of work.</li> <li>• Committed to consultation and participation of workers and where they exist, workers' representatives.</li> <li>• Reduce- reuse and recycle (R-R-R) of waste.</li> <li>• Ensure that the integrity of Integrated Management System is maintained when changes to the IMS are planned &amp; implemented.</li> <li>• Build awareness, provide and maintain safe, healthy and environment friendly work place for employees and other stakeholders in all operating processes.</li> </ul> <p>In line with this policy, Welspun Corp Limited -Metallics Division establishes IMS for each processes, which are appropriate and supporting the purpose, context and strategic direction of the organization.</p> <ul style="list-style-type: none"> <li>• Communicate and practice this policy extensively throughout our global operations within the organization.</li> <li>• Make the policy available to all the relevant stakeholders.</li> <li>• Undertake to keep this policy reviewed and updated to ensure that it remains relevant to the context of our diverse business operation.</li> </ul> <div style="text-align: right; margin-top: 20px;">         Nitin Agarwal        CEO - Steel Business     </div> <div style="margin-top: 20px;"> <p><b>Date:</b> 22.11.2024 <b>Rev:</b>01</p> <p><small>Welspun Corp Limited (Metallics Division)        Welspun House, 5th Floor, Kamola City, Simgarhi Bapat Marg, Lower Panel (W), Mumbai 400013, India        T: +91 22 8622 8000 / 2450 8000   F: +91 22 2490 8000        E-mail: companysecretary_wcl@welspun.com   Website: www.welspuncorp.com        Registered Address: Welspun City, Village Vansomedh, Taluka Anjar, District Kutch, Gujarat 370210. India T: +91 28 3668 2232   F: +91 28 3629 9000        Corporate Identity Number: L27300GJ1995PLC025909</small></p> </div> </div> <p style="text-align: center;"><b><u>Copy of IMS &amp; Environment Management Policy signed by CEO</u></b></p>
3	<p>A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the</p>	<p><b>Complied.</b></p> <p>A separate Environment Management Cell has been set up, with qualified personnel under the control of senior Executive, who is directly reporting the head of the plant and Managing Director.</p>

	<p>control of senior Executive, who will directly to the head of the organization.</p>	<p>Organization chart for the Environment Management Cell as under.</p> <div data-bbox="1031 264 1799 691" data-label="Diagram"> <pre> graph BT     MD[Managing Director] --&gt; GEH[Group Environment Head]     GEH --&gt; SHE[Section Head - Environment]     SHE -.-&gt; UH[Unit Head]     SHE --&gt; EO1[Environment Officer]     SHE --&gt; EO2[Environment Officer]     EO1 --&gt; TPEMT[Third Party Environment Monitoring Team]     EO2 --&gt; TPEMT     </pre> </div> <p><b>Fig. Environment Management Cell</b></p>
<p><b>X.</b></p>	<p><b>Miscellaneous</b></p>	
<p>1</p>	<p>The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.</p>	<p><b>Complied.</b></p> <p>We have already Published the EC copy in newspaper and also displayed on company website.</p>

		<p><b>Welspun Metallics Limited (WML)</b>  <b>Village: Versamadi, Taluka: Anjar,</b>  <b>District: Kutch, Gujarat</b></p> <p>This is to inform that M/s Welspun Metallics Ltd., located at Village: Versamadi, Taluka: Anjar, District: Kutch, Gujarat has been accorded Environmental Clearance vide proposal no. IA/GJ/IND/190966/2021 dated 06/01/2021 &amp; EC granted on 22 March 2021 for establishing the proposed Integrated Steel plant at Survey No.644/1, 641, 611/2, 617/1, 617, 618, District-Kutch, Gujarat by Expert Appraisal Committee – Industry 1 (EAC)/MoEF &amp; CC and copy of Environmental Clearance letter is available with the State Pollution Control Board/Environmental Dept., and may also be seen on the website of EAC at  <a href="http://environmentclearance.nic.in">http://environmentclearance.nic.in</a></p>
2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	<p><b>Complied.</b></p> <p>The copies of the EC have been submitted to all relevant offices of the government.</p>
3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	<p><b>Complied.</b></p> <p>M/s WCL-MD (Welspun Corp Limited - Metallics Division) is uploading the status of compliance of stipulated environment clearance conditions, including results of monitored data on the company website and updating the same on half yearly basis.</p> <p>Screenshots is as under for the latest half-yearly EC Compliance uploaded along with monitoring report in-respect to Welspun Metallics Ltd.</p>

		<div data-bbox="1066 207 1780 873" style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; color: red; font-weight: bold;">Your (Half Yearly Compliance Report) has been Submitted with following details</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;"><b>Proposal No</b></td> <td>IA/GJ/IND/190966/2021</td> </tr> <tr> <td><b>Compliance ID</b></td> <td>126516793</td> </tr> <tr> <td><b>Compliance Number(For Tracking)</b></td> <td>EC/M/COMPLIANCE/126516793/2025</td> </tr> <tr> <td><b>Reporting Year</b></td> <td>2025</td> </tr> <tr> <td><b>Reporting Period</b></td> <td>01 Dec(01 Apr - 30 Sep)</td> </tr> <tr> <td><b>Submission Date</b></td> <td>19-11-2025</td> </tr> <tr> <td><b>RO/SRO Name</b></td> <td>Dr G Trinadh Kumar</td> </tr> <tr> <td><b>RO/SRO Email</b></td> <td>agmu174.ifs@nic.in</td> </tr> <tr> <td><b>State</b></td> <td>GUJARAT</td> </tr> <tr> <td><b>RO/SRO Office Address</b></td> <td>Integrated Regional Offices, Gandhi Nagar</td> </tr> </table> <p style="font-size: small; color: red; margin-top: 5px;"><b>Note:-</b> SMS and E-Mail has been sent to Dr G Trinadh Kumar, GUJARAT with Notification to Project Proponent.</p> </div> <p style="text-align: center; color: blue; font-weight: bold; margin-top: 10px;"><u>Screenshots of EC Compliance report uploaded on company website</u></p>	<b>Proposal No</b>	IA/GJ/IND/190966/2021	<b>Compliance ID</b>	126516793	<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/126516793/2025	<b>Reporting Year</b>	2025	<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)	<b>Submission Date</b>	19-11-2025	<b>RO/SRO Name</b>	Dr G Trinadh Kumar	<b>RO/SRO Email</b>	agmu174.ifs@nic.in	<b>State</b>	GUJARAT	<b>RO/SRO Office Address</b>	Integrated Regional Offices, Gandhi Nagar
<b>Proposal No</b>	IA/GJ/IND/190966/2021																					
<b>Compliance ID</b>	126516793																					
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/126516793/2025																					
<b>Reporting Year</b>	2025																					
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)																					
<b>Submission Date</b>	19-11-2025																					
<b>RO/SRO Name</b>	Dr G Trinadh Kumar																					
<b>RO/SRO Email</b>	agmu174.ifs@nic.in																					
<b>State</b>	GUJARAT																					
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Gandhi Nagar																					
4	The project proponent shall monitor the criteria pollutants level namely; PM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	<p><b>Complied.</b></p> <p>We have displayed the Environmental Parameters at our main gate through LED display board on regular intervals and also submitted all Environmental parameters values along with Six-Monthly EC Compliance Report and same also displayed in disclosure to the public and uploaded on website of the company.</p>																				

		 <p style="text-align: center;"><i>Photos of LED display board for real time data of Environmental Parameters</i></p>
5	<p>The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.</p>	<p><b>Complied.</b></p> <p>We have submitted Six-Monthly EC Compliance report along with environmental monitoring parameters to Regional Office – IRO, MoEF&amp;CC and GPCB &amp; CPCB through E-Mail as per the statutory requirement.</p>

	 <p><b>Six Monthly Compliance Report (April'25-September'25) of EC letter for Welspun Corp Limited - Metallics Division (WCL-MD)</b></p> <p>From Environment ESG &lt;Environment_ESG@welspun.com&gt;  Date Wed 11/19/2025 11:40 AM  To iro.gandhingar-mefcc@gov.in &lt;iro.gandhingar-mefcc@gov.in&gt;  Cc ec-rdw.qpcb@gov.in &lt;ec-rdw.qpcb@gov.in&gt;; westzoneqpcb@yahoo.com &lt;westzoneqpcb@yahoo.com&gt;; ms-gpcb@gujarat.gov.in &lt;ms-gpcb@gujarat.gov.in&gt;  Bcc Ramesh Kumar Kt &lt;rameshkumar_kt@welspun.com&gt;; Aditya Shaleen &lt;Aditya_Shaleen@welspun.com&gt;; Anjali Thwari &lt;Anjali_Thwari@welspun.com&gt;; Ashishkumar Patat &lt;Ashishkumar_Patat@welspun.com&gt;; Sanjay Gupta &lt;Sanjay_Gupta2@welspun.com&gt;; Kamal Brahmabhatt &lt;kamal_brahmbhatt@welspun.com&gt;; Akhil Pillai &lt;Akhil_Pillai1@welspun.com&gt;</p> <p>1 attachment (16 MB)  WCL_MD_ECCR_H1-FY26.pdf</p> <p>Respected Sir,</p> <p>Please find attached the pointwise <b>Six-monthly (April'2025 to September'2025) compliance report of EC letter</b> in respect of our <b>Welspun Corp Ltd. (Metallics Division)</b> Unit located at Welspun City, Village: Versha Medl, Taluka: Anjar, Dist.: Kutch (Gujarat) for your information and record please.</p> <p>The Compliance report is being submitted in the form of soft copy via e-mail w.r.t. MoEF&amp;CC notification dated 26<sup>th</sup> Nov,2018 as no hard copy is required in this regard.</p> <p>Hope you will find the above in order, please.</p> <hr/> <p>Thanking you.  Yours faithfully,  <b>For Welspun Corp Ltd. (Metallics Division)</b></p> <p>Thanks &amp; Regards,  Dr. Rameshkumar K. T  Vice President &amp; Head Environment  Pipe, Steel &amp; Sinter -Welspun Corp Ltd  M: +91 9099002099   D: +91 28 36664222    Welspun City, Village VershaMedl, Taluka Anjar, District Kutch, Gujarat 370 110, India.  T: +91 22 6613 6000   F: +91 22 2490 8020   <a href="http://www.welspuncorp.com">www.welspuncorp.com</a></p>	 <p><b>E-mail (Soft Copy)</b>  WCL-MD/ECCR/H1-FY'26/2025-26/20 <span style="float: right;">Date: 19/11/2025</span></p> <p>To,  The Deputy Director General of Forests (C),  Integrated Regional Office (IRO),  Ministry of Environment, Forest and Climate Change,  Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.  E-mail: iro.gandhingar-mefcc@gov.in</p> <p><b>Sub: Half Yearly Compliance to Environmental Clearance of Welspun Corp Ltd. (Metallics Division)</b>  Ref: Environmental Clearance F.No. J-11011/136/2015-IA-II (I) dated 22/03/2021.</p> <p>Respected Sir/Ma'am,</p> <p>With reference to above subject, please find herewith the point wise <b>Six-Monthly Compliance Report (April'2025 to September'2025)</b> of environment clearance in respect of <b>Welspun Corp Ltd.- Metallics Division</b> Located at Anjar, District-Kutch, Gujarat.</p> <p>As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&amp;CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).</p> <p>This is for your kind information and record, please.</p> <p>Thanking you,  Yours faithfully,  <b>For Welspun Corp Ltd. - Metallics Division</b></p>   <p><b>Dr. Rameshkumar K.T.</b>  (Vice President &amp; Group Environment Head)</p> <p>End: As above</p> <p>Cc to:  (1) <b>The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10-A, Gandhinagar-382010. Email: ms-gpcb@gujarat.gov.in</b>  (2) <b>The Regional Director (West Zone), Central Pollution Control Board, Parivash Bhavan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara, Gujarat-390023. E-mail: westzoneqpcb@yahoo.com</b></p> <p><b>Welspun Corp Limited (Metallics Division)</b>  Welspun House, 101 Park, Kandola City, Gandhinagar, Lower Phase, Mumbai 400013, India  T: +91 22 6613 6000 / 2490 8000   F: +91 22 2490 8020  E-mail: company secretary_wcl@welspun.com   Website: www.welspuncorp.com  Registered Address: Welspun City, Village VershaMedl, Taluka Anjar, District Kutch, Gujarat-370110, India</p>
6	<p>The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State pollution control Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.</p>	<p><b>Complied.</b></p> <p>M/s Welspun Metallics Limited (WML) has submitted the Environmental Statement for the financial year 2024–25 (ending on 31st March 2025) in Form-V to the Gujarat Pollution Control Board (GPCB), in accordance with the Environment (Protection) Rules, 1986. A copy of the submitted report has also been uploaded on the GPCB XGN Portal as per statutory requirements.</p>

**Copy of submitted Six-Monthly EC Compliance Report to Statutory Authorities**

7	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	<b>Complied.</b> Welspun Metallics Ltd. (WML) has commissioned of its state-of-the-art Blast Furnace and Sinter Plant during 2022. Coke oven Plant & Air separation unit has been commissioned.
8	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	<b>Point Noted and being complied.</b>
9	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	<b>Point noted and will be complied.</b> We will not carry out any expansion or modification in the existing plant without prior approval from MoEF&CC and other concerned statutory authorities.
10	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	<b>Noted.</b>
11	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	<b>Noted.</b>
12	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	<b>Noted.</b>
13	The Regional Office of this Ministry shall monitor compliance of the stipulated	<b>Point noted and complied.</b>

	conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	We will extend full co-operation with the officers from Statutory Authorities during visit/data/information/monitoring reports.
14	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	<b>Noted.</b>

\*\*\*\*

# Annex-1



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 261/03/2025-26

Date: 31/03/2026

### SUMMARY OF STACK EMISSION ANALYSIS RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Stack Attached to Blast Furnace (Stove Stack)						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits of PM *	mg/Nm3	30.0	30.0	30.0	30.0	30.0	30.0	4.2	6.23	4.7
02	Average Concentration of PM	mg/Nm3	4.35	6.23	4.5	4.6	4.2	4.5			
03	Permissible Limits of SO <sub>2</sub> *	mg/Nm3	200.0	200.0	200.0	200.0	200.0	200.0	39.2	71.9	51.5
04	Average Concentration of SO <sub>2</sub>	mg/Nm3	71.9	67.2	48.2	42.3	39.2	40.1			
05	Permissible Limits of NO <sub>x</sub> *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	41.2	93.7	61.2
06	Average Concentration of NO <sub>2</sub>	mg/Nm3	93.7	86.1	41.2	48.1	49.6	48.6			

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



*R.H. Zee*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaienvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 262/03/2025-26

Date: 31/03/2026

### SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallica Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Stack Attached to Blast Furnace (Stock Stack)						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits of PM *	mg/Nm <sup>3</sup>	30.0	30.0	30.0	30.0	30.0	30.0	11.3	28.12	20.1
02	Average Concentration of PM	mg/Nm <sup>3</sup>	17.28	11.32	28.12	19.56	21.6	22.6			

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



*R.H. Zuber*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 263/03/2025-26

Date: 31/03/2026

### SUMMARY OF STACK EMISSION ANALYSIS RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Stack Attached to Blast Furnace (Cast House)						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits of PM *	mg/Nm3	30.0	30.0	30.0	30.0	30.0	30.0	2.1	3.51	2.5
02	Average Concentration of PM	mg/Nm3	2.35	3.51	2.4	2.4	2.1	2.15			
03	Permissible Limits of SO <sub>2</sub> *	mg/Nm3	200.0	200.0	200.0	200.0	200.0	200.0	7	9.2	8.3
04	Average Concentration of SO <sub>2</sub>	mg/Nm3	8.7	9.2	9.0	8.0	7.8	7.0			
05	Permissible Limits of NO <sub>x</sub> *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	5	6.8	6.1
06	Average Concentration of NO <sub>2</sub>	mg/Nm3	5.0	6.4	6.5	6.1	5.8	6.8			

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 264/03/2025-26

Date: 31/03/2026

### SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Stack Attached to Coke Oven Plant						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits of PM *	mg/Nm3	30.0	30.0	30.0	30.0	30.0	30.0	19.1	25.3	22.5
02	Average Concentration of PM	mg/Nm3	25.3	21.97	22.1	19.1	22.3	24.3			
03	Permissible Limits of SO <sub>2</sub> *	mg/Nm3	200.0	200.0	200.0	200.0	200.0	200.0	5	11.9	8.8
04	Average Concentration of SO <sub>2</sub>	mg/Nm3	5	7.6	6.5	11.9	10.5	11.5			
05	Permissible Limits of NO <sub>x</sub> *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	3.1	26.6	15.2
06	Average Concentration of NO <sub>2</sub>	mg/Nm3	3.1	8.1	4.55	23.1	25.6	26.6			

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 265/03/2025-26

Date: 31/03/2026

### SUMMARY OF STACK EMISSION ANALYSIS RESULTS

Period : Half Yearly\_ F.Y 2025-26


**Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)**

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Stack Attached to Sinter Plant						Minimum	Maximum	Annual Average
			Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26			
01	Permissible Limits of PM *	mg/Nm <sup>3</sup>	30.0	30.0	30.0	30.0	30.0	30.0	17.6	27.1	23.7
02	Average Concentration of PM	mg/Nm <sup>3</sup>	23.9	24.6	17.6	27.1	25.6	23.6			

S. No.	Particulars	Unit	Stack Attached to Sinter (De-dusting System)						Minimum	Maximum	Annual Average
			Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26			
01	Permissible Limits of PM *	mg/Nm <sup>3</sup>	30.0	30.0	30.0	30.0	30.0	30.0	5.9	8.3	7.3
02	Average Concentration of PM	mg/Nm <sup>3</sup>	7.6	8.3	8.3	5.9	6.4	7.4			

\* Permissible limits as per the GPCB Consent



# Annex-2



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 471/03/2025-26

Date: 31/03/2026

## SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly\_ F.Y 2025-26

**Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)**

**Address** : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. BF Area						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	64.8	71.9	67.5
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	64.8	64.9	66.3	67.1	70.1	71.9			
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	50.3	55.6	53.2
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	51	50.3	52.8	54.8	54.8	55.6			

Royal Environment Auditing & Consultancy Service, Rajkot



*A.H. Z...*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 472/03/2025-26

Date: 31/03/2026

### SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly\_ F.Y 2025-26

**Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)**


**Address** : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Sinter Plant						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	62.1	72.4	65.6
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	62.1	63.1	62.8	64.9	68.4	72.4			
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	47.2	67.5	53.4
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	48.6	47.2	49.3	51.3	56.3	67.5			

Royal Environment Auditing & Consultancy Service, Rajkot



*R.H. Zaveri*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 473/03/2025-26

Date: 31/03/2026

### SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly\_ F.Y 2025-26

**Name of company : Welspun Corp Limited - Metalics Division (GPCB ID-59424)**

**Address** : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Coke Oven Unit						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	64.3	73.6	68.4
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	65.9	64.3	65.9	69.4	71.3	73.6			
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	50.9	58.1	53.9
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	53.5	51.6	52.3	50.9	58.1	56.9			

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 474/03/2025-26

Date: 31/03/2026

### SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly\_ F.Y 2025-26

**Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)**

**Address** : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Oxygen Plant						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	62.4	72.8	64.8
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	62.9	63.2	64.1	62.4	63.5	72.8			
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	48.1	51	49.4
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	49.3	48.9	51	49.2	48.1	49.7			

Royal Environment Auditing & Consultancy Service, Rajkot



*R.H. Zelen*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

PLOT No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 475/03/2025-26

Date: 31/03/2026

### SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly\_ F.Y 2025-26

Name of company : **Welspun Corp Limited - Metallics Division (GPCB ID-59424)**

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Admin Office						Minimum	Maximum	Annual Average
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	60.2	67.7	62.5
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	60.2	61.9	63	61.7	60.5	67.7			
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	43.7	50.2	47.8
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	49.7	50.2	49.9	47.5	45.6	43.7			

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst

# Annex-3



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 311/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)


Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. BF Area						Minimum	Maximum	Annual Average	Standard limit (Annually)**
			Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	27.2	40.0
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	20.3	26.7	24.8	28.3	30.9	31.9	20.3	31.9		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	52.1	60.0
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	51.2	53.2	51.4	50.9	52.3	53.3	50.9	53.3		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	16.5	50.0
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	14.6	15.3	16.2	18.5	19.6	14.6	14.6	19.6		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	22.4	40.0
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	20.6	23.4	22.9	20.1	23.1	24.1	20.1	24.1		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*R.H. Zalee*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 312/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Sinter Plant						Minimum	Maximum	Annual Average	Standard Limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	29.8	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	23.4	28.6	27.4	30.9	33.6	34.6	23.4	34.6		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	55.2	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	55.6	56.9	54.8	53.1	55.9	54.9	53.1	56.9		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	20.8	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	18.7	18.7	19.1	22.3	21.6	24.6	18.7	24.6		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	25.3	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	19.9	26.9	25.1	24.9	28.6	26.6	19.9	28.6		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 313/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Coke Oven Unit						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	30.3	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	21.1	31.4	29.6	32.2	35.1	32.1	21.1	35.1		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	53.8	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	49.7	51.7	56.2	51.9	58.1	55.1	49.7	58.1		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	20.5	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	13.0	19.4	20.3	19.7	23.9	26.9	13	26.9		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	24.7	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	17.4	22.4	27.8	26.1	29.7	24.7	17.4	29.7		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.



Royal Environment Auditing & Consultancy Service, Rajkot

Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 314/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Oxygen Plant .						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	25.8	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	24.9	28.4	27	24.0	26.1	24.1	24	28.4		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	51.7	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	53.4	55.7	54.8	51.8	49.1	45.1	45.1	55.7		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	16.9	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	17.6	19.2	19.1	16.2	15.1	14.1	14.1	19.2		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	24.0	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	20.3	24.6	23.5	24.6	25.1	26.1	20.3	26.1		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*P.H. Saha*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 315/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Anmin Office						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	24.5	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	19.5	24.5	25.6	26.9	24.3	26.3	19.5	26.9		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	49.4	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	48.2	49.2	52.5	50.3	48.6	47.6	47.6	52.5		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	16.0	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	13.5	16.2	17.7	14.3	16.5	17.5	13.5	17.7		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	22.4	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	23.4	22.1	20.8	19.7	22.1	26.1	19.7	26.1		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 316/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Stock House						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	30.1	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	21.3	30.5	28.2	31.8	33.9	34.9	21.3	34.9		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	54.2	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	45.6	51.6	56.3	58.1	57.4	56.4	45.6	58.1		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	20.8	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	14.9	15.8	19.8	22.8	24.6	26.6	14.9	26.6		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	24.5	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	19.0	20.5	26.2	25.2	28.6	27.6	19	28.6		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 317/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Coal/Coke yard						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	30.7	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	25.8	27.4	31.2	29.7	33.6	36.6	25.8	36.6		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	56.5	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	51.7	56.9	57.4	59.2	58.4	55.4	51.7	59.2		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	20.5	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	17.2	19.6	20.8	18.5	21.3	25.3	17.2	25.3		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	25.9	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	22.8	25.3	27.2	25.8	27.6	26.6	22.8	27.6		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 318/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Canteen (Bramhasthan).						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	24.2	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	22.6	20.9	25.9	24.6	26.1	25.1	20.9	26.1		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	52.6	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	54.9	53.4	52.9	50.1	49.6	54.6	49.6	54.9		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	16.7	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	16.8	17.4	16.3	14.3	16.8	18.8	14.3	18.8		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	22.8	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	23.6	20.3	24.9	21.9	20.1	26.1	20.1	26.1		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 319/03/2025-26

Date: 31/03/2026

### SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly\_ F.Y 2025-26

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

S. No.	Particulars	Unit	Location : Nr. Health Center						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26				
01	Permissible Limits of PM <sub>2.5</sub> *	µg/m <sup>3</sup>	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	24.1	40
02	Average Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	18.4	22.4	26.3	27.3	24.1	26.1	18.4	27.3		
03	Permissible Limits of PM <sub>10</sub> *	µg/m <sup>3</sup>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	50.2	60
04	Average Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	47.6	49.2	50	48.9	51.3	54.3	47.6	54.3		
05	Permissible Limits of SO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	16.3	50
06	Average Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	14.1	16.2	15.7	16.1	18.7	16.7	14.1	18.7		
07	Permissible Limits of NO <sub>2</sub> *	µg/m <sup>3</sup>	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	21.6	40
08	Average Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	20.5	19.8	21.3	19.7	22.6	25.6	19.7	25.6		

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*[Signature]*  
Analyst

# Annex-4



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 579/02/2025-26

Date: 28/02/2026

## ANALYSIS RESULT OF FUGITIVE EMISSION

**Name of company : Welspun Corp Limited - Metallics Division**

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

Date of Sampling : 22/02/2026

Sample Collected by : Royal Environment

Sr. No.	Area	Monitoring Location	Permissible Limit**	SPM Level ( $\mu\text{g}/\text{m}^3$ )
01	BF - Plant	Cast House	3000	1480
02	BF - Plant	Stock House	3000	1590
03	Sinter Plant	Sinter Plant Area	3000	1658
04	Coke Oven Plant	Battery Area	3000	1520
05	Oxygen Plant	Oxygen Plant Area	3000	1460

Instruments Used : HVS APM 430, RDS-AAS 217, Calibration done on.: 07/01/2026

\*\* Permissible Limits are as per MoEF Notification 31st March 2012.

Royal Environment Auditing & Consultancy Service



*[Signature]*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 279/11/2025-26

Date: 01/12/2025

### ANALYSIS RESULT OF FUGITIVE EMISSION

**Name of company : Welspun Corp Limited - Metallics Division**

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,  
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.  
Village: Varsamedi, Welspun City, Tal.: Anjar.  
Dist.: Kutch - 370 110.

Date of Sampling : 22/11/2025

Sample Collected by : Royal Environment

Sr. No.	Area	Monitoring Location	Permissible Limit**	SPM Level ( $\mu\text{g}/\text{m}^3$ )
01	BF - Plant	Cast House	3000	1523
02	BF - Plant	Stock House	3000	1694
03	Sinter Plant	Sinter Plant Area	3000	1628
04	Coke Oven Plant	Battery Area	3000	1472
05	Oxygen Plant	Oxygen Plant Area	3000	1374

Instruments Used : HVS APM 430, RDS-AAS 217, Calibration done on : 08/01/2025

\*\* Permissible Limits are as per MoEF Notification 31st March 2012.

Royal Environment Auditing & Consultancy Service

Analyst