

Date: 25.11.2024

Τo,

The Deputy Director General of Forests (C), Integrated Regional Office (IRO), Ministry of Environment, Forest and Climate Change, Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010. E-mail: iro.gandhingr-mefcc@gov.in

Subject : Half Yearly Compliance to Environmental Clearance of Welspun Metallics Ltd.

Ref. : Environmental Clearance F.No. J-11011/136/2015-IA-II (I) dated 22/03/2021.

Respected Sir/Ma'am,

With reference to above subject, please find herewith the point wise Six Monthly Compliance Report (April'2024 to Sept'2024) of environment clearance in respect of Welspun Metallics Ltd. Located at Anjar, District-Kutch, Gujarat.

As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).

This is for your kind information and record, please.

Thanking you,

Yours faithfully, For Welspun Metallics Ltd.

Dr. Rameshkumar K.T (Vice President & Group Environment Head)

Encl: As above

CC to :

- The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10-A, Gandhinagar-382010. E-mail: ms-gpcb@gujarat.gov.in
- (2) The Regional Director (West Zone), Central Pollution Control Board, Parivesh Bhawan, Aatmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara, Gujarat-390023. E-mail: westzonecpcb@yahoo.com

Welspun Metallics Limited

7th Floor, Welspun House, Kamala Mills Compound, Lower Parel (West), Mumbai-400013, India. Tel: +91 22 6613 6000 /2490 8000, F: +91 22 2490 8020

E-mail: companysecretary_wml@welspun.com Website: www.welspun.com **Registered Address**: "Welspun City", Survey No.618/P,619/P,620/1,623 to 631/P, 632/P, 673 & 890. Village-Versamedi, Taluka- Anjar- 370 110, Dist. Kutch (Gujarat) India T: 02826 662222 Corporate Identity Number: U27100GJ2020PLC115168

Half Yearly Environment Clearance Compliance Report for M/s. Welspun Metallics Limited (WML) located at Village: Versamedi, Tehsil: Anjar, District: Kutch, Gujarat. (EC F No. J-11011/136/2015-IA-II(I) dated 22nd March 2021)

Sr. No.				Co	nditions				Compliance
pec	ific Condit	ion							
1	Sr. No.	Name of facility	Exiting Units		Proposed units		Total (Existing +		
			configuration	Production MTPA	configuration	Production MTPA	configuration	Production MTPA	
	1.	Coke Oven & By products Recovery Plant (COBP)	2 x 58 No. Ovens	1.37			2 x 58 No. Ovens	1.37	
	2.	Sinter plant	1x496 m ²	5.28			1x496 m ²	5.28	
	3.	Blast Furnace with matching pig casting facility (Along with Pig casting Machine of Capacity)	1x 4300 m ³	3.34			1x 4300 m ³	3.34	Point noted.
	4.	Steel Melt Shop	BOF-2 x 165 T LF- 2 x 165 T VD- 1x 165 T	3.1	(Un proposed) BOF-1x 165 T LF- 1 x 165 T	(-)1.55	BOF- 1x 165 T LF- 1 x 165 T VD- 1x 165 T	1.55	
	5	Continuous slab casting	1x1 Strand	1.6			1x1 Strand	1.6 MTPA Slab	
	6	Continuous Billet casting	1x 6 Stand	1.4	(Un proposed) (1 x 6 stand)	(-)1.4	-	0.0	

	7	Rolling Mill Plate & Coil Mill	1 unit	1.37	1 unit	(-)1.37	-	0.0	
	8	Captive Power Plant	Gas based	200 MW			Gas based	200 MW	
	9	Lime/dolo Plant	2 x 600 TPD	0.34	(Un proposed) 1 x 600 TPD	(-) 0.17	1 x 600 TPD	0.17	
	10	Cement grinding Plant	1 unit	1.5	1 unit	1.5	1 unit	1.5	
	11	DI Pipe Plant (Including Induction Furnaces, Convertor, Centrifugal Casting Machine, Annealing Furnace, Finishing Line.)	-	-	2 unit	0.5 (2x 0.25)	2 unit	0.5	
	12	Foundry Shop for Metal Fitting and other casting using Heating and Melting Furnace (Induction Furnace) and Sand Moulding Facility	_	-	1 Unit	0.1 MTPA	1 Unit	0.1 MTPA	
2		sal for part transfer of 0.							Noted .
	meeting of the Re -constituted Expert Appraisal Committee (Industry -I) held on 18-19 th January , 2021 wherein the committee formed sub-committee. The Sub- committee their report after examination of the following;							ommittee formed	
Ι	"NOC" form M/s. Welspun Metallics Limited								
II	" Undertak	ing " from M/s. Welspu	n DI Pipe Limite	d (WDIPL)					1
III		ant layout with area and			nd WDIPL]
IV	EC compli	ance responsibility matr	ix between WMI	and WDIPL					

Sr No.	Item	Total Capacity as per EC recommended upper para 7 (ii)	Facilities/ Utilities after amendment in EC and subsequent partial transfer of DI Pipe Plant from EC of Parent Company (WML) to New Company (WDI) Parent Company (WML)	Compliance status
A	Title of the Project	Installation of 3.0 MTPA Integrated Steel Plant including 1.5 MTPA Cement Plant and 200MW CPP by M/s Welspun Metallics Ltd., located at Village Versamedi, Tehsil Anjar, District Kutch, Gujarat	Installation of 3.0 MTPA Integrated Steel Plant including 1.5 MTPA Cement Plant and 200MW CPP by by M/s Welspun Metallics Ltd., located at Village Versamedi, Tehsil Anjar, District Kutch, Gujarat	
В	Location	Village Versamedi, Tehsil Anjar, District Kutch, Gujarat Latitude- 23° 6'23"N to 23° 7'53"N Longitude-70° 4'3"E to 70° 5'56"E	Village Versamedi, Tehsil Anjar, District Kutch, Gujarat Latitude- 23° 6'23"N to 23° 7'53"N Longitude-70° 4'3"E to 70° 5'56"E	Noted .
С	Units/Facilities			
1.	Coke Ovens & By- products Recovery Plant (COBP)	2 X 58 No. Ovens -1.37 MTPA Gross Coke	2 X 58 No. Ovens -1.37 MTPA Gross Coke	Welspun Metallics Ltd (WML) has installed the coke oven plant of Capacity 0.25 MTPA.
2.	Sinter Plant	1 x 496 sq m -5.28 MTPA	1 x 496 sq m -5.28 MTPA	Welspun Metallics Ltd (WML) has installed the Sinter Plant of capacity 0.72MTPA.
3.	Blast Furnace	1 x 4300 m3- 3.34 MTPA Hot Metal	1 x 4300 m3- 3.34 MTPA Hot Metal	Welspun Metallics Ltd (WML) has installed the Blast Furnace of capacity 0.5 MTPA.
4.	Steel Melt Shop	BOF - 2 x 165 T LF - 2 x 165 T VD - 1 x 165 T 1.55 MTPA	BOF - 1 x 165 T LF - 1 x 165 T VD - 1 x 165 T 1.55 MTPA	Noted.
5.	Continuous Casting	Slab caster –1 x 1 Strand 1.6 MTPA	Slab caster – 1 x 1 Strand 1.6 MTPA	Noted.
6.	DI Pipe Plant (Including Induction Furnaces, Convertor, Centrifugal Casting Machine, Annealing Furnace, Finishing Line.)	2 X 0.25 MTPA-0.5 MTPA	-	DI Pipe Plant (Including Induction Furnaces, Convertor, Centrifugal Casting Machine, Annealing Furnace, and Finishing Line.) has already been commissioned & started Production.
7.	Foundry Shop for Metal Fitting and other casting using Heating and Melting Furnace (Induction Furnace) and Sand Moulding Facility	0.1 MTPA	0.1 MTPA	Noted.

8.	Lime/dolo Calcining	2 x 600 TPD	1 x 600 TPD	Noted.
	Plant 1 x 600 TPD	0.17 MTPA	0.17 MTPA	
9.	Power Plant	2 X 100 MW (Gas based) 165 MW BF-	2 X 100 MW (Gas based) 165 MW BF-TRT, CDQ	Noted.
		TRT, CDQ & Sinter Cooler 35 MW	& Sinter Cooler 35 MW	
10.	Cement Grinding unit	1.5 MTPA	1.5 MTPA	Noted.
D	Process Description	 Production of coke in Coke Ovens Production of Sinter in Sinter plant Production of Steel through BF-BOF route, with Blast Furnace having hot metal production capacity of 3.34 MTPA followed by 1.6 MTPA slab casting Power generation through waste heat recovery. Cement Grinding unit based on BF Slag Production of DI Pipes using Blast furnace Hot metal from WML followed by desulphurization (if required) and scrap charging Superheating of molten metal in induction furnace, Magnesium treatment in convertor; Centrifugally casting of pipes using molten metal in CCMs; Heat treatment in annealing furnace to give ductility to the casted pipes. Cement lining, zinc and bitumen coatings & stampings 	 Production of coke in Coke Ovens Production of Sinter in Sinter plant Production of Steel through BF-BOF route, with Blast Furnace having hot metal production capacity of 3.34 MTPA followed by 1.6 MTPA slab casting Power generation through waste heat recovery. Cement Grinding unit based on BF Slag 	Noted.
E	Land Requirement	231.58 ha (77.2 ha -33.3% Greenbelt)	207.08 ha (68.33 ha -33.3% Greenbelt)	Noted.
F	Raw Material	 Iron Ore (Fines) – 4.08 MTPA Iron ore (Lump) – 1.91 MTPA Coking Coal – 2.01 MTPA Non Coking Coal – 0.09 MTPA PCI Coal – 0.64 MTPA Limestone – 1.22 MTPA 	 Iron Ore (Fines) – 4.08 MTPA Iron ore (Lump) – 1.88 MTPA Coking Coal – 2.01 MTPA Non Coking Coal – 0.09 MTPA PCI Coal – 0.64 MTPA Limestone – 0.92 MTPA 	Noted.

G	Water Requirement Power Requirement	 Dolomite – 0.51 MTPA Steel scrap-0.08 MTPA Zinc wire-2600 TPA Fe-si-16800 TPS Mg-6600 TPA Calcined Lime-600 TPA 47232 m³/day (1755 m3/hr) 211 MW 	 Dolomite – 0.41 MTPA Calcined lime-600 TPAS 37224 m³/day 195 MW 	Noted.
I	Fuel Requirement	 Coke Oven gas (COG) – 48127 Nm³/hr BF Gas (BFG) – 587155 Nm³/hr BOF Gas (BOFG) – 28310 Nm³/hr Propane – 20 TPD Fuel Oil – 600 TPD 	 Coke Oven gas (COG) – 48127 Nm³/hr BF Gas (BFG) – 587155 Nm³/hr BOF Gas (BOFG) – 14155 Nm³/hr Propane – 20 TPD 	Noted.
J	Pollutants	PM –273.1Kg/hr SO2 –551.8 Kg/hr NOx –869.3 Kg/hr	PM – 258.9 Kg/hr SO2 – 547 Kg/hr NOx – 862 Kg/hr	Noted.
<u>К</u> 1	Pollution Mitigation Mea Air Pollution Control	 Sures Dry fogging and bag filter based DE system in material handling Charging and pushing Emission control in coke ovens Electrostatic Precipitator (ESP) based process gas cleaning in Sinter plant and CPP ESP based DE systems in BF Cast house, stock house and SMS Bag filter based DE system low NOx oxy-fuel burners in Annealing furnaces 	 Dry fogging and bag filter based DE system in material handling Charging and pushing Emission control in coke ovens low NOx stage combustion burners Electrostatic Precipitator (ESP) based process gas cleaning in Sinter plant and CPP ESP based DE systems in BF Cast house, stock house and SMS 	WML has installed the Dry Fogging system in material handling. Electrostatic Precipitator (ESP) based process gas cleaning and Bag Filter based DE system has already been installed. <i>Please refer Annexure-3 as an Ambient Air</i> <i>Quality Monitoring report by third party NABL</i> <i>accredited agency.</i>
2	Noise Pollution Control	 Plugging leakages in high- pressure gas/air pipelines. Reducing vibration of high 	 Plugging leakages in high-pressure gas/air pipelines. Reducing vibration of high speed rotating 	Point noted and are being complied.

 speed rotating machines by regular monitoring of vibration and taking necessary steps. Design of absorber system for the shift office and pulpit operator's cabin. Noise absorber systems in pump houses. Noise level at 1m from equipment will be limited to 85 dB (A). The fans and ductwork will be designed for minimum vibration. All the equipment in different units will be designed/operated in such a way that the noise level shall not exceed 85 dB (A). Periodical monitoring of work zone noise and outside plant premises. Un-manned high noise zone will be-marked as "High Noise Zone". In shops where measures are not feasible, attempts shall be made to provide operators with sound-proof enclosure to operate the system. Workers exposed to noise level will be provided with protection devices like earmuffs and will be advised to use them regularly, while at work. 	 machines by regular monitoring of vibration and taking necessary steps. Design of absorber system for the shift office and pulpit operator's cabin. Noise absorber systems in pump houses. Noise level at 1m from equipment will be limited to 85 dB (A). The fans and ductwork will be designed for minimum vibration. All the equipment in different units will be designed/operated in such a way that the noise level shall not exceed 85 dB (A). Periodical monitoring of work zone noise and outside plant premises. Un-manned high noise zone will be marked as "High Noise Zone". In shops where measures are not feasible, attempts shall be made to provide operators with sound-proof enclosure to operate the system. Workers exposed to noise level will be provided with protection devices like earnuffs and will be advised to use them regularly, while at work. Workers exposed to noisy work place shall be provided with rotational duties. All workers will be regularly checked medically for any noise related health problem and if detected, they will be 	We have regular monitored Noise level Monitoring in plant premises through third party NABL accredited agency. Please refer Annexure-4 as Noise Level Monitoring Report by NABL accredited agency.
--	--	---

<u>, , , , , , , , , , , , , , , , , , , </u>		
Zero Liquid Discharge outside plant boundary Effluent generated from coke ovens would be separately treated in Biological Oxidation and Dephenolization (BOD) treatment unit for removal of phenolic compounds and cyanide. Cooling tower blow downs and treated effluent from BOD plant of coke ovens would be taken to the CETP for further treatment and reuse as make-up water. Treatment of plant sanitary waste water including canteen effluent in a sewage treatment plant for separation of floating oil and reduction of BOD level. ETP shall be provided for DI plant	Zero Liquid Discharge outside plant boundary. Effluent generated from coke ovens would be separately treated in Biological Oxidation and Dephenolization (BOD) treatment unit for removal of phenolic compounds and cyanide. Cooling tower blow downs and treated effluent from BOD plant of coke ovens would be taken to the CETP for further treatment and reuse as make-up water. Treatment of plant sanitary waste water including canteen effluent in a sewage treatment plant for separation of floating oil and Reduction of BOD level.	 WML is a Zero Liquid Discharge plant. WML will treat the wastewater in our Common CETP of WIL. Hazardous waste generated are being collected and disposed through authorized recycler Registered in Gujarat Pollution Control Board.
handling of hazardous waste generated in DI plant.		
All non-hazardous solid wastes shall be utilized in-house in Sinter Plant/BOF. BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for road construction. Coal tar sludge and BOD sludge would be recycled for coke making by mixing with the coal charge. All other hazardous wastes shall be disposed in secured landfill/ handed over to authorized dealers for disposal as per statutory norms	All non-hazardous solid wastes shall be utilized in- house in Sinter Plant/BOF. BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for road construction. Coal tar sludge and BOD sludge would be recycled for coke making by mixing with the coal charge. All other hazardous wastes shall be disposed in secured landfill/ handed over to authorized dealers for disposal as per statutory norms.	All non-hazardous solid wastes are being utilized in-house in Sinter Plant.BF Slag are being sold to cement manufacturers Industries.All hazardous wastes are being handed over to authorized dealers for disposal as per statutory norms.
	 boundary Effluent generated from coke ovens would be separately treated in Biological Dxidation and Dephenolization (BOD) reatment unit for removal of phenolic compounds and cyanide. Cooling tower blow downs and treated effluent from BOD plant of coke ovens would be taken to the CETP for further reatment and reuse as make-up water. Treatment of plant sanitary waste water ncluding canteen effluent in a sewage reatment plant for separation of floating bil and reduction of BOD level. ETP shall be provided for DI plant exclusively with the provision of safe nandling of hazardous waste generated in DI plant. All non-hazardous solid wastes shall be utilized in-house in Sinter Plant/BOF. BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for road construction. Coal tar sludge and BOD sludge would be recycled for coke making by mixing with the coal charge. All other hazardous wastes shall be disposed in secured landfill/ handed over to authorized dealers for disposal 	nedically for any noise related health roblem and if detected, they will be provided with alternative duty. Zero Liquid Discharge outside plant boundary Effluent generated from coke overs would be separately treated in Biological Didation and Dephenolization (BOD) reatment unit for removal of phenolic compounds and cyanide. Cooling tower blow downs and treated ffluent from BOD plant of coke overs would be taken to the CETP for further reatment of plant sanitary waste water reatment of BOD level. ETP shall be provided for DI plant exclusively with the provision of safe nanding of hazardous waste generated in Di plant. All non-hazardous solid wastes shall be tilized in-house in Sinter Plant/BOF. BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for coke making by mixing with the coal charge. All other hazardous wastes shall be tilopsed in secured landfill/ handed wer to authorized dealers for disposal is per statutory norms

Specif	ic Condition	
1	CEMS shall be provided on all process stacks and the signal shall be received	We have already installed CEMS on all process stacks. The signal is being
	CEMS shall be provided on all process stacks and the signal shall be received in plant control room for central control of APCDs installed in the plant	We have already installed CEMS on all process stacks. The signal is being received in the plant control room for central control of APCDs installed in the plant. The CEMS has been connected to Gujarat Pollution Control Board & connection to Central Pollution Control board is under progress
2 3 4	Ventilation system for odour control in bitumen coating area shall be included. Zn dust monitoring in AAQ in DI plant shall. He carried out. ETP shall be provided for DI plant exclusively with the provision of	Not applicable, DI plant is not part of this project.
5	safe handling of hazardous waste generated in DI Plant PM level from the stacks shall be less than 30 mg/Nm3 100 % use / recycle of solid waste generated in DI plant shall be ensured.	We are maintaining PM level less than 30 mg/Nm3 from the all process stack. Not applicable, DI plant is not part of this project.
0	100 /0 use / recycle of solid waste generated in Di plant shan be ensured.	Not applicable, Di plant is not part of this project.
7	Tree density in Green belt shall be 2500 trees per ha. WDI Plant shall have 36.6 % green belt as committed by PP	WML is in the process to develop green belt in and around the plant area.

8	Both plants shall have their independent green belts.	Point noted and	d will be complied		
9	Validity of split ECs shall be from Feb 2017.	Point noted.			
10	More efficient bags such as PTFE bags shall be used in the filter bag house and designed for 150% of normal design air flow.		bags such as PTFE b 50% of normal desigr		ed in the filter bag house and
11	PP shall use ultralow NOx burner with three stage combustion, flue gas recirculation and auto combustion control system.	Point noted.			
Gener	ral condition				
Ι	Statutory compliance				
	The Environment Clearance(EC) granted to the project/activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislation, etc., as may be applicable to the project.		d are being complied.		
II	Air quality monitoring and preservation				
	system at process stacks to monitor stack emission as well as Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Air Quality Stat The CEMS has Pollution Contro	ion (CAAQS) for mo	nitoring AAQ pa	arameters.
		Welspun Mettalics Ltd Anjar Ouck Range 1 Day 3 Days 7 Days 30 Days	From Dulle * To Dulle * 1 11/2/2024, 5:13 PM 11/2/2024, 5:14 PM Prequency 15 Minutes *	Station Al Stations ~ Jable Veev () Fetch	Image: Constraint of the second se
		Quick Range	11/21/2024, 5:13 PM 11/22/2024, 5:14 PM Frequency 15 Minutes *	Stations - Al Stations - able Vevr - Fickch	Work Flow III III III IIII IIII IIII Reports C Search Industry types Femau and non femour metal A Search Industries
		Average Report Sinter_Dedusting_Stack - 15 Min - Average	11/21/2024, 5:13 PM 11/22/2024, 5:14 PM Frequency 15 Minutes *	2 2264/2106	Veron Filew III III

2	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	
3	The cameras shall be installed at suitable location for 24*7 recording of battery emissions on the both sides of coke oven batteries and videos shall be preserved for at least one-month recordings.	
4		Sampling facility at process stacks has been provided as per CPCB guidelines for manual monitoring of emissions.
		<image/>
5	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards	
		Please refer Annexure-1 as third party Stack Emission Monitoring reports and refer Annexure-2 as Fugitive emission report by third party NABL accredited agency.

6	The project proponent shall provide leakage detection and mechanized bag	<image/> <image/> <caption></caption>
7	cleaning facilities for better maintenance of bags. Secondary emission control system shall be provided at SMS Converters.	Point noted and will be complied.
8	Sufficient number of mobile or stationery vacuum cleaners shall be provided to	Point noted and will be compled.
0	clean plant roads, shop floors, roofs, regularly.	We have deployed vaccum cleaning truck for the road cleaning at plant main gate
		and also internal paved road at plant premises.
		<complex-block></complex-block>
9	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other	
	fines collected in the pollution control devices and vacuum cleaning devices in	
	the process after briquetting/ agglomeration.	and vacuum cleaning devices in the Sinter Plant.
10	The project proponent use leak proof trucks/dumpers carrying coal and other	M/s Welspun Metallics Ltd (WML) is using leak proof trucks/dumpers carrying

	raw materials and cover them with tarpaulin	coal & other raw materials and cover them with tarpaulin.
11	Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility).	Point noted and will be complied.
12	Land-based APC system shall be installed to control coke pushing emissions.	Point noted and will be complied.
13	Monitor CO, HC and 02 in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.	
14	Vapor absorption system shall be provided in place of vapour compression system for cooling of coke oven gas in case of recovery type coke ovens.	Point noted.
15	In case concentrated ammonia liquor is incinerated, adopt high temperature incineration to destroy Dioxins and Furans. Suitable NOx control facility shall be provided to meet the prescribed standards.	emission control.
16	The coke oven gas shall be subjected to desulphurization if the Sulphur content in the coal exceeds 1%.	
17	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.	Point noted.
18	Design the ventilation system for adequate air changes, as per. prevailing norms for all. tunnels, motor houses, Oil Cellars	Point noted.
19	The project proponent shall install Dry Gas Cleaning Plant with bag filter for Blast Furnace and SMS converter	M/s Welspun Metallics Ltd has installed dry Gas Cleaning Plant for Blast Furnace with bag filter.
20	Dry quenching (CDQ) system shall be installed along with power generation facility from waste heat recovery from hot coke.	Waste Heat Recovery Boiler has been installed & Power being generated.
III	Water Quality monitoring and preservation	
1	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 315t March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	WML is a Zero Liquid Discharge Plant.
2	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	We are using fresh water from our sister company WIL.

3	The project proponent shall provide the ETP for coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time as amended from time to time;	pond for the water coming from quenching tower & reusing the water from settling
4	Adhere to 'Zero Liquid Discharge'	Noted and agreed to complied.
5	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	
6	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	
7	Tyre washing facilities shall be provided at the entrance of the plant gates.	Point noted and Shall be complied.
	CO2 injection shall be provided in GCP of SMS to reduce pH in circulating water to ensure optimal recycling of treated water for converter gas cleaning.	
9	The project proponent shall practice rainwater harvesting to maximum possible extent.	Point noted and rain water are being stored to our Lagoon (Pond).
10	Treated water from ETP of COBP shall not be used for coke quenching.	Point noted and will be complied.
	Water meters shall be provided at the inlet to all unit processes in the steel plants.	
12	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.	1
IV.	Noise monitoring and prevention	
1		

V.	Energy Conservation measures	
1	The project proponent shall provide TRTs to recover energy from top gases of Blast Furnaces.	Point noted and will be complied.
2	Coke Dry Quenching (CDQ) shall be provided for coke quenching for the coke oven plant.	Point noted.
3	Waste heat shall be recovered from Sinter Plants coolers and Sinter Machines.	Waste heat are being recovers from sinter plant cooler & Machines and are being sent to coke oven plant for coke drying.
4	Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.	Point noted and are being complied.
5	Use hot charging of slabs and billets/blooms as far as possible.	Point noted and will be complied.
6	Waste heat recovery systems shall be provided in all units where the flue gas or process gas exceeds 300°C.	boiler attached to coke oven plant.
7	Explore feasibility to install WHRS at Waste Gases from BF stoves; Sinter Machine; Sinter Cooler, and all reheating furnaces and if feasible shall be installed.	
8	Restrict Gas flaring to < 1%.	Point noted and will be complied.
9	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;	
10	Provide LED lights in their offices and residential areas.	The company has provided LED lights in the Plant, offices and residential areas.
11	Ensure installation of regenerative type burners on all reheating furnaces.	Noted.
VI.	Waste management	
1	An attrition grinding unit to improve the bulk density of BF granulated slag from 1.0 to 1.5 Kg/l shall be installed to use slag as river sand in construction industry.	
2	Tar Sludge and waste oil shall be blended with coal charged in coke ovens.	Point noted and will be complied.
3	Carbon recovery plant to recover the elemental carbon present in GCP slurries for use in Sinter plant shall be installed.	Point noted and being Practiced.
4	Waste recycling Plant shall be installed to recover scrap, metallic and flux for recycling to sinter plant and SMS.	
5	Used refractories shall be recycled as far as possible.	Point noted and will be complied.
6	SMS slag after metal recovery in waste recycling facility shall be conditioned and used for road making, railway track ballast and other applications. The project proponent shall install a waste recycling facility to recover metallic and	commissioning of SMS plant.

	flux for recycle to sinter plant. The project proponent shall establish linkage for	
	100% reuse of rejects from Waste Recycling Plant.	
7	100% utilization of fly ash shall be ensured. All the fly ash shall be provided to	
	cement and brick manufacturers for further utilization and Memorandum	
	of Understanding in this regard shall be submitted to the Ministry's Regional	
	Office.	
8	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle	Noted.
	spilled oil. Oil collection trays shall be provided under coils on saddles in cold	
	rolled coil storage area.	
9	Kitchen waste shall be composted or converted to biogas for further use.	Point noted and will be complied.
VII.	Green Belt	
1	The project proponent shall prepare GHG emissions inventory for the plant and	Point noted and shall be complied.
	shall submit the programme for reduction of the same including carbon	
	sequestration by trees.	
VIII.	Public hearing and Human health issues	
1	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Point noted and will be complied.
2	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	We are regularly providing Personal Protection Equipment (PPE) for all employees as per norms of the Factory Act.
	Occupational health surveillance of the workers shall be done on a regular	Point noted and will be complied.
_	basis and records maintained.	1
IX.	Corporate Environment Responsibility	
1	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No.22-65/2017-IA.III dated 30/09/2020.	
2	The company shall have a well laid down environmental policy duly approve	
	by the Board of Directors. The environmental 'policy should prescribe	
	for standard operating procedures to have proper checks and balances and to	
	bring into focus any infringements/deviation/violation of the environmental/	
	forest / wildlife norms / conditions. The company shall have defined system	
	of reporting infringements / deviation / violation of the environmental /	
	forest / wildlife norms / conditions and / or shareholders / stake holders. The	
	copy Of the board resolution in this regard shall be submitted to the MoEF &	
	CC as a part of six-monthly report.	

3	Executive, who will directly to the head of the organization.	Complied. A separate Environment Management Cell has been set up, with qualified personnel under the control of senior Executive, who is directly reporting the head of the plant. Organization chart for the Environment Management Cell as under. Managing Director Group Environment Head Unit Head Section Head -Environment Officer Third Party Environment Monitoring Team <u>Fig. Environment Management Cell</u>
X.	Miscellaneous The project proponent shall make public the environmental clearance granted	Complied
	for their project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	We have already Published the EC in two local newspapers
2		The copies of the EC have been submitted to all relevant offices of the government.
3		M/s WML is uploading the status of compliance of stipulated environment clearance conditions, including results of monitored data on the company website and updating the same on half yearly basis. Screenshots as under for the latest half-yearly EC Compliance monitoring report in-respect to Welspun Metallics Ltd.

		← → C 25 welspuncorp.com/company-disclosures.php
		Welspun [®] CORP HOME ABOUT US
		 Scrutinizers Report of E-voting of 29th Annual General Meeting of the Company held through Video Conferencing on September 26, 2024
		 Business Responsibility and Sustainability Report (BRSR) 2023-24
		 Board Approves Upgradation of HFIW Pipes manufacturing capability in USA
		Half Yearly compliance report Oct. 2023 to March 2024(WML)
		 Half Yearly compliance report Oct. 2023 to March 2024(WCL- SD)
		Screenshots of EC Compliance report uploaded on company website
4	The project proponent shall monitor the criteria pollutants level namely; PM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	
		Varshamedi, Gujarat, India 438Q+8M, Varshamedi, Gujarat 370110, India Lat 23.115397° Long 70.087975°
		Photos of LED display board for real time data of Environmental Parameters

5	The project proponent shall submit six- monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	
6		<image/> <image/> <text><text><text><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text>
7	The project proponent shall inform the Regional Office as well as the	Screenshot of submitted copy of Form-V report Welspun Metallics Ltd. (WML) has commissioned of its state-of-the-art Blast
	Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project	Furnace and Sinter plant on 21/07/2022.
8	The project proponent shall abide by all the commitments and	Point noted and are being complied.
	recommendations made in the EIA/EMP report, commitment made during	
	Public Hearing and also that during their presentation to the Expert Appraisal	
	Committee.	

	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	
10	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the	
	provisions of Environment (Protection) Act, 1986.	
	The Ministry may revoke or suspend the clearance, if implementation of any of	Noted.
	the above conditions is not satisfactory.	
12	The Ministry reserves the right to stipulate additional conditions if found	Noted.
	necessary. The Company in a time bound manner shall implement these	
	conditions.	
13	The Regional Office of this Ministry shall monitor compliance of the	Point noted and will be complied.
	stipulated conditions. The project authorities should extend full cooperation to	
	the officer (s) of the Regional Office by furnishing the requisite data /	
	information/monitoring reports.	
14	Any appeal against this EC shall lie with the National Green Tribunal, if	Noted.
	preferred, within a period of 30 days as prescribed under Section 16 of the	
	National Green Tribunal Act, 2010.	







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref No.: 211/04/2024-25

Date: 30/04/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Mettalics Limited, (ID-59424)

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist : Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 1	Stack No. 2
01	Stack Attached to	142		Blast Furnace (Stove Stack)	Blast Furnace (Stock House)
02	Date of Sampling	*		23/04/2024	23/04/2024
03	Time of Sampling			10:15	11:00
04	Air Pollution Control Measures	800	1773)	8 🛤	73
05	Stack Height	Meter		60	70
06	Stack Temperature	°C		137	63
07	Ambient Temperature	°C		32	32
08	Average Velocity of Flue Gases	M/Sec	्रे स् र	76	6.9
09	Isokinetic flow rate for P.M. Sampling	LPM	1	20	23
10	Р.М.	mg/Nm ³	30 ·	27.3	18.6
11	SO ₂	mg/Nm ³	200	24.3	17.5
12	NO _x	mg/Nm ³	150	26.8	15.9

Instruments Used Ecotech stack monitoring kit ESS - 100, Calibration Done On : 18/01/2024







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360'005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No : 212/04/2024-25

Date: 30/04/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Mettalics Limited, (ID-59424)

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 3	Stack No. 6
01	Stack Attached to	8 775 -1		Blast Furnace (Cast House)	Coke Oven Plant
02	Date of Sampling			23/04/2024	23/04/2024
03	Time of Sampling	1202		11: 45	15:00
04	Air Pollution Control Measures		<u>172</u>		Chargin & Pushing ECS
05	Stack Height	Meter		68	-57
06	Stack Temperature	°C		62	113
07	Ambient Temperature	°Ç		. 31	31
08	Average Velocity of Flue Gases	M/Sec.	#	8.5	7.8
09	Isokinetic flow rate for P.M. Sampling	LPM		24	21
10	P.M.	mg/Nm ³	30	25.8	26.9
11	SO ₂	mg/Nm ³	200	13.8	14.9
12	NO _x	mg/Nm ³	150	24.3	27.6

Instruments Used Ecotech stack monitoring kit ESS - 100,-Calibration Done On : 18/01/2024

Royal Environment Auditing & Consultancy Service



Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 213/04/2024-25

Date: 30/04/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Mettalics Limited, (ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 4	Stack No. 5
01	Stack Attached to	<u></u>		Sinter Plant	Sinter (De-dusting system)
02	Date of Sampling	·		24/04/2024	24/04/2024
03	Time of Sampling			10:45	11:30
04	Air Pollution Control Measures	-	_	Common ESP	Bag Filter
05	Stack Height	Meter	-	70	50
06	Stack Temperature	°C	-	132	119
07	Ambient Temperature	° C -	¹⁰⁺	31	31
08	Average Velocity of Flue Gases	M/Sec.		8.2	7.2
09	Isokinetic flow rate for P.M. Sampling	LPM		21	23
10	Р.М.	mg/Nm ³	30 Co.	26.3	27.3

Instruments Used : Ecotech stack monitoring kit ESS - 100, Calibration Done On. : 18/01/2024 * Permissible limits as per GPCB CC&A







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 311/05/2024-25

Date: 31/05/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626 Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 1	Stack No. 2
01	Stack Attached to			Blast Furnace (Stove Stack)	Blast Furnace (Stock House)
02	Date of Sampling		а —	13/05/2024	13/05/2024
03	Time of Sampling			10:45	11:30
04	Air Pollution Control Measures			1	 69
05	Stack Height	Meter		60	70
06	Stack Temperature	°C		132	66
07	Ambient Temperature	°C	·	33	34
08	Average Velocity of Flue Gases	M/Sec.		84	7.5
09	Isokinetic flow rate for P.M. Sampling	LPM	5 77 5	21	22
10	Р.М.	mg/Nm ³	30	26.7	22.5
11	SO ₂	mg/Nm ³	200 2 00	25.4	19.5
12	NO _x	mg/Nm ³	150 ot	27.3	27.5

Calibration Done On : 18/01/2024



Royal Environment Auditing & Consultancy Service

B

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 312/05/2024-25

Date: 31/05/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address

Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
Víllage: Varsamedi, Welspun City, Tal.: Anjar.
Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 3	Stack No. 6
01	Stack Attached to			Blast Furnace (Cast House)	Coke Oven Plant
02	Date of Sampling		1.000	13/05/2024	13/05/2024
03	Time of Sampling		0.000	14:00	15:00
04	Air Pollution Control Measures		0444	, E	Chargin & Pushing ECS
05	Stack Height	Meter		68	57
06	Stack Temperature	°C		65	117
07	Ambient Temperature	°.C	() (34	34
08	Average Velocity of Flue Gases	M/Sec.	-	8.9	8.1
. 09	Isokinetic flow rate for P.M. Sampling	LPM		20	23
10	Р.М.	mg/Nm ³	30	26.7	26.1
11	SO ₂	mg/Nm ³	200	15.3	14.2
12	NO _x	mg/Nm ³	150	23.7	24.8

Instruments Used Ecotech stack monitoring kit ESS - 100, Calibration Done On : 18/01/2024 Permissible limits as per GPCB CC&A







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 313/05/2024-25

Date: 31/05/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address

Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
Village: Varsamedi, Welspun City, Tal.: Anjar.
Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 4	Stack No. 5
01	Stack Attached to		-	Sinter Plant	Sinter (De-dusting system)
02	Date of Sampling	17775	5	14/05/2024	14/05/2024
03	Time of Sampling			11:00	11:45
04	Air Pollution Control Measures	9 44 00 1		Common ESP	Bag Filter
05	Stack Height	Meter		70	50
06	Stack Temperature	°C		135	120
07	Ambient Temperature	°C		33	33
08	Average Velocity of Flue Gases	M/Sec.	-	7.6	7.8
09	Isokinetic flow rate for P.M. Sampling	LPM	Π.	22	25
10	Р.М.	mg/Nm ³	30	23.8	25.1

Raikal

Instruments Used : Ecotech stack monitoring kit ESS - 100, Calibration Done On. : 18/01/2024

* Permissible limits as per GPCB CC&A







Ref. No.: 411/06/2024-25

Date: 29/06/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 1	Stack No. 2
01	Stack Attached to			Blast Furnace (Stove Stack)	Blast Furnace (Stock House)
02	Date of Sampling		اعتنا	07/06/2024	07/06/2024
03	Time of Sampling			10:00	11:15
04	Air Pollution Control Measures				
05	Stack Height	Meter		60	70
06	Stack Temperature	°C	-	122	70
07	Ambient Temperature	°C		31	31
08	Average Velocity of Flue Gases	M/Sec.		76	8.1
09	Isokinetic flow rate for P.M. Sampling	LPM		22	23
10	Р.М.	mg/Nm ³	30	25.3	21.9
11	SO2	mg/Nm ³	200	23.4	20.2
12	NO _x	mg/Nm ³	150	24.3	25.2

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On : 18/01/2024









Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 412/06/2024-25

Date: 29/06/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110,

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 3	Stack No. 6
01	Stack Attached to			Blast Furnace (Cast House)	Coke Oven Plant
02	Date of Sampling			07/06/2024	07/06/2024
03	Time of Sampling	STARK.	<u></u>	12:00	14:00
04	Air Pollution Control Measures	021120			Chargin & Pushing ECS
05	Stack Height	Meter		70	56
06	Stack Temperature	°C		63	112
07	Ambient Temperature	°C		32	33
08	Average Velocity of Flue Gases	M/Sec.		78	7.2
09	Isokinetic flow rate for P.M. Sampling	LPM		21	20
10	Р.М.	mg/Nm ³	30	24.3	25.7
11	SO2	mg/Nm ³	200	16.7	15.8
12	NO _x	mg/Nm ³	150	22.3	21.5

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On : 18/01/2024



* Permissible limits as per GPCB CC&A





Ref. No.: 413/06/2024-25

Date: 29/06/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 4	Stack No. 5
01	Stack Attached to	-442		Sinter Plant	Sinter (De-dusting system)
02	Date of Sampling	(3 117 -1	8777.0	08/06/2024	08/06/2024
03	Time of Sampling			10:30	11:30
04	Air Pollution Control Measures	12221	8 22 0	Common ESP	Bag Filter
05	Stack Height	Meter	8777.J	70	50
06	Stack Temperature	°C		132	123
07	Ambient Temperature	°C	3	31	31
08	Average Velocity of Flue Gases	M/Sec.		7.3	8.2
09	Isokinetic flow rate for P.M. Sampling	LPM		19	22
10	P.M.	mg/Nm ³	30	24.1	23.8

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On : 18/01/2024



* Permissible limits as per GPCB CC&A

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 511/07/2024-25

Date: 31/07/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 1	Stack No. 2
01	Stack Attached to			Blast Furnace (Stove Stack)	Blast Furnace (Stock House)
02	Date of Sampling			23/07/2024	23/07/2024
03	Time of Sampling			10:30	11:15
04	Air Pollution Control Measures				
05	Stack Height	Meter		65	70
06	Stack Temperature	°C		120	72
07	Ambient Temperature	°C		28	28
08	Average Velocity of Flue Gases	M/Sec.		7.1	7.6
09	Isokinetic flow rate for P.M. Sampling	LPM		20	19
10	Р.М.	mg/Nm ³	30	24.3	22.3
11	SO ₂	mg/Nm ³	200	22.4	20.7
12	NO _x	mg/Nm ³	150	21.6	23.7

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On. : 18/01/2024

Rajkot

* Permissible limits as per GPCB CC&A

Analyst





Ref. No.: 512/07/2024-25

Date: 31/07/2024

REPORT OF STACK EMISSION ANALYSIS

Name of compan	y : Welspun Corp Limited - Metallics Division
Address	: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
	614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
	Village: Varsamedi, Welspun City, Tal.: Anjar.
	Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 3	Stack No. 6
01	Stack Attached to	-		Blast Furnace (Cast House)	Coke Oven Plant
02	Date of Sampling			23/07/2024	23/07/2024
03	Time of Sampling			12:00	13:45
04	Air Pollution Control Measures				Chargin & Pushing ECS
05	Stack Height	Meter		70	56
06	Stack Temperature	°C		65	112
07	Ambient Temperature	°C		28	28
08	Average Velocity of Flue Gases	M/Sec.		7.2	8.3
09	Isokinetic flow rate for P.M. Sampling	LPM		23	21
10	P.M.	mg/Nm ³	30	22.7	22.7
11	SO ₂	mg/Nm ³	200	16.7	16.8
12	NO _x	mg/Nm ³	150	22.3	22.9

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On. : 18/01/2024



* Permissible limits as per GPCB CC&A

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 413/06/2024-25

Date: 31/07/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 4	Stack No. 5
01	Stack Attached to			Sinter Plant	Sinter (De-dusting system)
02	Date of Sampling			23/07/2024	
03	Time of Sampling			14:45	
04	Air Pollution Control Measures			Common ESP	Bag Filter
05	Stack Height	Meter		70	50
06	Stack Temperature	°C		128	NOT
07	Ambient Temperature	°C		29	RUNNING
08	Average Velocity of Flue Gases	M/Sec.		6.5	DURING
09	Isokinetic flow rate for P.M. Sampling	LPM		17	VISIT
10	Р.М.	mg/Nm ³	ting & 30	22.7	

Instruments Used : Ecotech stack monitoring kit ESS - 100, Calibration Done On. : 18/01/2024

Rajkot

* Permissible limits as per GPCB CC&A

halyst

A





Ref. No.: 611/08/2024-25

Date: 31/08/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626 Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 1	Stack No. 2
01	Stack Attached to			Blast Furnace (Stove Stack)	Blast Furnace (Stock House)
02	Date of Sampling			22/08/2024	22/08/2024
03	Time of Sampling			10:00	10:45
04	Air Pollution Control Measures	1 <u></u>		-	
05	Stack Height	Meter	1.000	65	70
06	Stack Temperature	°C		125	68
07	Ambient Temperature	°C	-	29	29
08	Average Velocity of Flue Gases	M/Sec.		7.5	8.1
09	Isokinetic flow rate for P.M. Sampling	LPM		18	21
10	Р.М.	mg/Nm ³	30	21.5	20.7
11	SO ₂	mg/Nm ³	200	23.5	23.9
12	NO _x	mg/Nm ³	150	24.8	25.4
13	со	% (v/v)	Max. 1	0.82	0.27

Rajkot

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On 18/01/2024

Royal Environment Auditing & Consultancy Service





Ref. No : 612/08/2024-25

Date: 31/08/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 3	Stack No. 6
01	Stack Attached to			Blast Furnace (Cast House)	Coke Oven Plant
02	Date of Sampling		12777	22/08/2024	22/08/2024
03	Time of Sampling			11: 45	14:00
04	Air Pollution Control Measures	. 222	-	1	Chargin & Pushing ECS
05	Stack Height	Meter		70	56
06	Stack Temperature	°C		68	118
07	Ambient Temperature	°C		29	29
08	Average Velocity of Flue Gases	M/Sec.	-	7.5	8_1
09	Isokinetic flow rate for P.M. Sampling	LPM		24	19
10	Р.М.	mg/Nm ³	30	21.9	22.5
11	SO ₂	mg/Nm ³	200	15.7	17.2
12	NO _x	mg/Nm ³	150	23.9	24.1
13	со	% (v/v)	Max. 1	0.45	0.90

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On 18/01/2024

Royal Environment Auditing & Consultancy Service

Rajkot





Ref. No.: 613/08/2024-25

Date: 31/08/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 4	Stack No. 5
01	Stack Attached to	0000		Sinter Plant (ESP STACK)	Sinter (De-dusting system
02	Date of Sampling	(23/08/2024	23/08/2025
03	Time of Sampling			11:00	11:45
04	Air Pollution Control Measures	-		Common ESP	Bag Filter
05	Stack Height	Meter		70	50
06	Stack Temperature	°C	<u>63.</u> 2	124	120
07	Ambient Temperature	°C		30	29
08	Average Velocity of Flue Gases	M/Sec.	1.707-6	7 5	7.2
09	Isokinetic flow rate for P.M. Sampling	LPM	(19	20
10	P.M.	mg/Nm ³	30	23.5	21.5

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On : 18/01/2024

Royal Environment Additing & Consultancy Service



alyst





Ref. No.: 711/09/2024-25

Date: 30/09/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 1	Stack No. 2
01	Stack Attached to			Blast Furnace (Stove Stack)	Blast Furnace (Stock House)
02	Date of Sampling			14/09/2024	14/09/2024
03	Time of Sampling	1.5576	0.000	10:30	11:15
04	Air Pollution Control Measures			-	12
05	Stack Height	Meter		65	70
06	Stack Temperature	°C	(112)	122	65
07	Ambient Temperature	°C		30	30
08	Average Velocity of Flue Gases	M/Sec.		7.4	8.3
09	Isokinetic flow rate for P.M. Sampling	LPM		19	20
10	Р.М.	mg/Nm ³	30	22.7	21.8
11	SO ₂	mg/Nm ³	200	24.5	22.3
12	NO _x	mg/Nm ³	150	25.3	23.8
13	со	% (v/v)	Max. 1	0.76	0.26

Instruments Used Ecotech stack monitoring kit ESS - 100,

Calibration Done On 18/01/2024

* Permissible limits as per GPCB CC&A

Royal Environment Auditing & Consultancy Service

Analyst





Ref. No.: 712/09/2024-25

Date: 30/09/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 3	Stack No. 6
01	Stack Attached to		-	Blast Furnace (Cast House)	Coke Oven Plant
02	Date of Sampling			14/09/2024	14/09/2024
03	Time of Sampling		24440	12: 00	14:00
04	Air Pollution Control Measures	8220	5-100	225	Chargin & Pushing ECS
05	Stack Height	Meter		70	56
06	Stack Temperature	°C		69	113
07	Ambient Temperature	°C		30	30
08	Average Velocity of Flue Gases	M/Sec.	1111	7 2	8.7
09	Isokinetic flow rate for P.M. Sampling	LPM		23	20
10	Р.М.	mg/Nm ³	30	22.1	20.7
11	SO₂	mg/Nm ³	200	16.8	18.1
12	NO _x	mg/Nm ³	150	21.4	23.2
13	со	% (v/v)	Max. 1	0.42	0.68

Instruments Used Ecotech stack monitoring kit ESS - 100,

Calibration Done On 18/01/2024



* Permissible limits as per GPCB CC&A







Ref. No.: 713/09/2024-25

Date: 30/09/2024

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 4	Stack No. 5
01	Stack Attached to	••••		Sinter Plant (ESP STACK)	Sinter (De-dusting system)
02	Date of Sampling	-	-	16/09/2024	16/09/2024
03	Time of Sampling	-		11:00	11:45
04	Air Pollution Control Measures			Common ESP	Bag Filter
05	Stack Height	Meter		70	50
06	Stack Temperature	°C		128	123
07	Ambient Temperature	°C	222	30	30
08	Average Velocity of Flue Gases	M/Sec.		7.3	7.5
09	Isokinetic flow rate for P.M. Sampling	LPM		20	18
10	P.M.	mg/Nm ³	30	21.7	22.8

Instruments Used : Ecotech stack monitoring kit ESS - 100,

Calibration Done On 18/01/2024



* Permissible limits as per GPCB CC&A









Plot No. 19 & 20, B/s. The North Star Nest School, Mascom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No. : 319/05/2024-25

Date: 31/05/2024

ANALYSIS RESULT OF FUGITIVE EMISSION.

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Date of Sampling : 13/05/2024

Sample Collected by : Royal Environment

Sr. No.	Area Monitoring Location		Permissible Limit**	SPM Level (µg/Nm ³)	
Monitor	ing is carried out during	£7	a	11:30 to 12:00 AM	
01	BF - Plant	Cast House	3000	1876	
02	BF - Plant	Stock House	3000	1763	
03	Sinter Plant	Sinter Plant Area	3000	1786	
04	Coke Oven Plant	Battery Area	3000	1921	
05	Oxygen Plant	Oxygen Plant Area	3000	1732	

Rajket

Instruments Used : HVS APM 430, RDS-AAS 217, Calibration done on .: 14/01/2024

** Permissible Limits are as per MoEF Notification 31st March 2012.







Ref. No. : 619/08/2024-25

Date: 31/08/2024

ANALYSIS RESULT OF FUGITIVE EMISSION

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Date of Sampling : 23/08/2024

Sample Collected by : Royal Environment

Sr. No.	Area	Monitoring Location	Permissible Limit**	SPM Level (µg/Nm ³)	
Aonitor	ring is carried out during	3		11:30 to 12:00 AM	
01	BF - Plant	Cast House	3000	1825	
02	BF - Plant	Stock House	3000	1752	
03	Sinter Plant	Sinter Plant Area	3000	1739	
04	Coke Oven Plant	Battery Area	3000	1958	
05	Oxygen Plant	Oxygen Plant Area	3000	1768	

Instruments Used : HVS APM 430, RDS-AAS 217, Calibration done on.: 14/01/2024

** Permissible Limits are as per MoEF Notification 31st March 2012

Royal Environment Auditing & Consultancy Service



Analyst







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

*Permissible Limits are as per NAAQ Standard 16th November 2009.

Analyst

Ref. No.: 215/04/2024-25

Date: 30/04/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Mettalics Limited, (ID-59424)

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 1	Location No. 2	Location No. 3
01.	Location of Sampling	* 		Nr. BF Area	Nr. Sinter Plant	Nr. Coke Oven Unit
02.	Date of sampling		-	23/04/2024	23/04/2024	23/04/2024
03.	Time of sampling	Hr.	<u></u> 6	09_00	09.15	09.30
04.	Dominant Wind Direction (From))	-	NW	NW	NW
05.	Wind Speed	Km./Hr.	-	3 to 15	3 to 15	' 3 to 15
06.	Ambient Temperature	۰C		29.0	29.0	29.0
07.	Average flow rate during sampling	m ³ /minute	4	1.14	1.13	1.17
08.	Average flow rate for Gas sampling	ĹPM		0.2	0.2	0.2
09.	PM 2.5	µg/m ³	60	34.2	32.6	35.7
10.	PM 10	µg/m ³	100	56.3	54.9	57.9
11	Measured Concentration of SO ₂	µg/m ³	80	12.3	11.4	13.2
12.	Measured Concentration of NO ₂	µg/m ³	80 11418	22.1	23.1	23.1

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On : : 13/01/2024

Royal Environment Auditing & Consultancy Service





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 214/04/2024-25

Date: 30/04/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Mettalics Limited, (ID-59424)

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist : Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 4	Location No. 5	Location No. 6
01.	Location of Sampling			Nr. Oxygen Plant	Nr. Admin Office	Nr. Stock House
02.	Date of sampling		2	23/04/2024	23/04/2024	23/04/2024
03.	Time of sampling	Hr.	100	09.45	10.00	10.15
04_	Dominant Wind Direction (From)			NW	NW	NW
05	Wind Speed	Km./Hr.	0 75	3 to 15	- 3 to 17	3 to 17
06	Ambient Temperature	۰C		30.0	30.0	30.0
07.	Average flow rate during sampling	.m ³ /minute		1.15	1 12	1.19
08:	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	PM 2.5	µg/m ³	60	26.8	30.1	28.7
10.	РМ 10	µg/m³	100	54.6	55.3	55.7
11.	Measured Concentration of SO ₂	µg/m³	80	14.5	14.2	13.2
12.	Measured Concentration of NO ₂	µg/m³	80 000	22.3	31.8	23.5

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler Calibration Done On 13/01/2024 *Permissible Limit

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.:216/04/2024-25

Date: 30/04/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Mettalics Limited,(ID-59424)

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	🖘 Unit	Permissible Limits	Location No. 7	Location No. 8	Location No. 9
01.	Location of Sampling			 Nr. Coal/ Coke Yard 	Nr. Canteen (Bramhasthan)	Nr. Health Center
02	Date of sampling	51. 	करा २	24/04/2024	24/04/2024	24/04/2024
03.	Time of sampling	Hr.		09 : 00	9.20	09.40
04.	Dominant Wind Direction (From)		5 77-5	NE	SW	SW
05.	Wind Speed	Km./Hr.		3 to 17	3 to 17	3 to 17
06.	Ambient Temperature	°C		28.0	28.0	28.0
07.	Average flow rate during sampling	m ³ /minute	-	1.13	1.15	1.12
08.	Average flow rate for Gas sampling	LPM	-	0.2	0.2	0.2
09.	PM 2.5	µg/m ³	60 -	26.5	24.8	23.7
10.	PM 10	µg/m³	100	56.7	55.9	57.8
11.	Measured Concentration of SO ₂	µg/m³	80	- 13.5	12.6	13.4
12.	Measured Concentration of NO ₂	µg/m ³	80	24.3	22.3	24.8

Instrument used . Ecotech RDS (APM - 217 BL), Gaseous Sampling Kif AAS109 & PM 2.5 Sampler

Permissible Limits are as per NAAQ Standard 16th November 2009.

Royal Environment Auditing & Consultancy Service

Calibration Done On : 13/01/2024





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 314/05/2024-25

Date: 31/05/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
Village: Varsamedi, Welspun City, Tal.: Anjar.
Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 1	Location No. 2	Location No. 3
01.	Location of Sampling		940) 140	Nr. BF Area	Nr. Sinter Plant	Nr. Coke Oven Unit
02	Date of sampling			13/05/2024	13/05/2024	13/05/2024
03.	Time of sampling	Hr.		09.15	09.30	09_45
04	Dominant Wind Direction (From)		-	SW	SW	sw
05.	Wind Speed	Km./Hr	E	4 to 16	4 to 16	4 to 16
06.	Ambient Temperature	۰C	-	31.0	31.0	31.0
07.	Average flow rate during sampling	m ³ /minute		1.16	1.20	1.22
08	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	PM 2.5	µg/m³	60	35.7	33.6	34.8
10.	PM 10	µg/m³	100	57.8	55.6	56.7
11.	Measured Concentration of SO ₂	µg/m³	80 mg 6 c	13.5	12.6	13.7
12.	Measured Concentration of NO ₂	µg/m³	80	21.5	22.3	22.4

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler Calibration Done On : 13/01/2024 *Permissible Limits



Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 315/05/2024-25

Date: 31/05/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626 Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 4	Location No. 5	Location No. 6
01.	Location of Sampling			Nr. Oxygen Plant	Nr. Admin Office	Nr. Stock House
02.	Date of sampling			13/05/2024	13/05/2024	13/05/2024
03.	Time of sampling	Hr.	-	10.00	10.15	10.30
04.	Dominant Wind Direction (From)		-	SW	sw	SW
05.	Wind Speed	Km./Hr.		4 to 16	4 to 16	4 to 16
06.	Ambient Temperature	۰C	-	31.0	31.0	31.0
07.	Average flow rate during sampling	m ³ /minute		1.14	1.19	1.22
08.	Average flow rate for Gas sampling	LPM	-	0.2	0.2	0.2
09.	PM 2.5	µg/m³	60	27.8	28.5	27.5
10.	PM 10	µg/m³	100	55.6	54.3	56.7
11.	Measured Concentration of SO ₂	µg/m³	80	13.6	14.2 -	13.8
12.	Measured Concentration of NO ₂	µg/m ³	80	21.5	23.5	22.4

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS 109 & PM 2.5 Sampler

Calibration Done On : 13/01/2024

*Permissible Limits are as per NAAQ Standard 16th November 2009

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.:316/05/2024-25

Date: 31/05/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 7	Location No. 8	Location No. 9
01.	Location of Sampling		-	Nr. Coal/ Coke Yard	Nr. Canteen (Bramhasthan)	Nr. Health Center
02	Date of sampling		-	14/05/2024	14/05/2024	14/05/2024
03.	Time of sampling	Hr		09 : 10	9.25	09.45
04.	Dominant Wind Direction (From)		 0	NW	NW	NW
05	Wind Speed	Km./Hr.		3 to 16	3 to 16	3 to 16
06	Ambient Temperature	°C		30.0	30.0	30.0
07.	Average flow rate during sampling	m ³ /minute		1,13	1.14	1.16
08	Average flow rate for Gas sampling	ĽPM	a ia	0.2	0.2	·0.2
09.	PM 2.5	µg/m³	60	27.5	26.8	24.8
10.	PM 10	µg/m³	100	53.9	54.6	57.8
11.	Measured Concentration of SO ₂	µg/m³	80	13.5	14.2	13.9
12.	Measured Concentration of NO ₂	µg/m³	80 minu	22.4	23.5	21.9

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On .: 13/01/2024



Royal Environment Auditing & Consultancy Service







Ref. No.: 414/06/2024-25

Date: 29/06/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 1	Location No. 2	Location No. 3
01.	Location of Sampling		-	Nr. BF Area	Nr. Sinter Plant	Nr. Coke Oven Unit
02.	Date of sampling	9000)		07/06/2024	07/06/2024	07/06/2024
03	Time of sampling	Hr.		09.00	09.15	09.30
04.	Dominant Wind Direction (From)		-	NE	NE	NE
05.	Wind Speed	Km./Hr.	-	3 to 17	3 to 17	3 to 17
06	Ambient Temperature	۰c		29.0	29.0	29.0
07.	Average flow rate during sampling	m ³ /minute		1.12	1_19	1.13
08	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	PM 2.5	µg/m³	60	34.8	33.7	35.1
10.	PM 10	µg/m³	100	56.9	57.2	58.1
11.	Measured Concentration of SO ₂	µg/m³	80	14.2	12.1	12.9
12.	Measured Concentration of NO ₂	µg/m³	80	22.4	22.9	23.5

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On .: 13/01/2024

Royal Environment Auditing & Consultancy Service

Rajkot





Ref. No.: 415/06/2024-25

Date: 29/06/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 4	Location No. 5	Location No. 6
01.	Location of Sampling		127	Nr. Oxygen Plant	Nr. Admin Office	Nr. Stock House
02	Date of sampling	1212	122	07/06/2024	08/06/2024	07/06/2024
03	Time of sampling	Hr	-	09_45	09.15	09.30
04	Dominant Wind Direction (From)	7 <u>2166</u> 7		NE	NE	NE
05.	Wind Speed	Km./Hr.		3 to 17	4 to 18	4 to 18
06.	Ambient Temperature	۰C	-	30,0	30.0	30.0
07.	Average flow rate during sampling	m ³ /minute	-	1.17	1.19	1.13
08.	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	РМ 2.5	µg/m³	60	26.9	27.6	25.8
10.	PM 10	µg/m³	100	54.1	52.7	55.9
11.	Measured Concentration of SO ₂	µg/m³	80	11.6	12.4	12.7
12.	Measured Concentration of NO ₂	µg/m³	80	22.1	21.3	12.7

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On .: 13/01/2024

Royal Environment Auditing & Consultancy Service

Ra kot

Analyst





Ref. No.:416/06/2024-25

Date: 29/06/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626 Village: Varsamedi, Welspun City, Tal.: Anjar Dist.: Kutch - 370 110

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 7	Location No. 8	Location No. 9
01.	Location of Sampling		-	Nr. Coal/ Coke Yard	Nr. Canteen (Bramhasthan)	Nr. Health Center
02	Date of sampling			08/06/2024	08/06/2024	08/06/2024
03	Time of sampling	Hr.		09.45	10.00	10.15
04.	Dominant Wind Direction (From)		-	NE	NE	NE
05.	Wind Speed	Km./Hr.	20	4 to 18	4 to 18	4 to 18
06.	Ambient Temperature	°C	ni s	30.0	30.0	30.0
07.	Average flow rate during sampling	m ³ /minute	<u> </u>	1.19	1.13	1.17
08.	Average flow rate for Gas sampling	LPM		0.2	0.2	02
09.	PM 2.5	µg/m³	60	26.9	27.8	25.7
10.	PM 10	µg/m³	100	52.6	53.4	54.8
11.	Measured Concentration of SO ₂	µg/m³	80	14.3	15.2	13.7
12.	Measured Concentration of NO ₂	µg/m³	80	23.1	22.7	23.5

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On . : 13/01/2024

Royal Environment Additing & Consultancy Service

Rajkot





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 514/07/2024-25

Date: 31/07/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 1	Location No. 2	Location No. 3
01.	Location of Sampling			Nr. BF Area	Nr. Sinter Plant	Nr. Coke Oven Unit
02.	Date of sampling			23/07/2024	23/07/2024	23/07/2024
03.	Time of sampling	Hr.	**	09.30	09.45	10.00
04.	Dominant Wind Direction (From)			SW	SW	SW
05.	Wind Speed	Km./Hr.		2 to 15	2 to 15	2 to 15
06.	Ambient Temperature	°C	-	29.0	29.0	29.0
07.	Average flow rate during sampling	m ³ /minute		1.15	1.20	1.16
08.	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	PM 2.5	µg/m³	60	35.7	32.6	33.7
10.	PM 10	µg/m³	100	58.6	56.9	56.2
11.	Measured Concentration of SO ₂	µg/m³	80	13.7	13.4	11.6
12.	Measured Concentration of NO ₂	µg/m³	80	23.4	21.7	24.9

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2:5 Sampler

Calibration Done On . : 13/01/2024

*Permissible Limits are as per NAAQ Standard 16th November 2009.

Rajkot







Ref. No.: 515/07/2024-25

Date: 31/07/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

 Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
 Village: Varsamedi, Welspun City, Tal.: Anjar.
 Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 4	Location No. 5	Location No. 6
01.	Location of Sampling			Nr. Oxygen Plant	Nr. Admin Office	Nr. Stock House
02.	Date of sampling			23/07/2024	24/07/2024	24/07/2024
03	Time of sampling	Hr.		10.15	08.30	08.45
04.	Dominant Wind Direction (From)			SW	SW	SW
05.	Wind Speed	Km./Hr.		2 to 15	3 to 16	3 to 16
06.	Ambient Temperature	°C		29.0	28.0	28.0
07.	Average flow rate during sampling	m ³ /minute		1.14	1.25	1.22
08.	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	РМ 2.5	µg/m³	60	22.4	23.8	24.3
10.	РМ 10	µg/m³	100	55.9	50.6	52.2
11.	Measured Concentration of SO ₂	µg/m³	80	11.3	13.7	13.8
12.	Measured Concentration of NO ₂	µg/m³	80	22.1	21.3	12.7

Rajkot

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On . : 13/01/2024

Royal Environment Auditing & Consultancy Service

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Mascom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.:516/07/2024-25

Date: 31/07/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 7	Location No. 8	Location No. 9
01.	Location of Sampling	*		Nr. Coal/ Coke Yard	Nr. Canteen (Bramhasthan)	Nr. Health Center
02.	Date of sampling			24/07/2024	24/07/2024	24/07/2024
03.	Time of sampling	Hr.		09.00	09.15	09.30
04.	Dominant Wind Direction (From)			SW	SW	SW
05.	Wind Speed	Km./Hr.		3 to 16	3 to 16	3 to 16
06.	Ambient Temperature	°C		28.0	28.0	28.0
07.	Average flow rate during sampling	m ³ /minute		1.23	1.19	1.10
08.	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	РМ 2.5	µg/m³	60	23.5	21.6	20.3
10.	РМ 10	µg/m³	100	51.8	50.7	48.6
11.	Measured Concentration of SO ₂	µg/m³	80	12.9	12.8	12.1
12.	Measured Concentration of NO ₂	μg/m ³	80	22.6	21.3	20.8

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On .: 13/01/2024

Royal Environment Auditing & Consultancy.Service

dltimPermissible Limits are as per NAAQ Standard 16th November 2009. Rajkot

0 Analyst





Ref No: 714/08/2024-25

Date: 31/08/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
 Village: Varsamedi, Welspun City, Tal.: Anjar.
 Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 1	Location No. 2	Location No. 3
01.	Location of Sampling	-	55	Nr. BF Area	Nr. Sinter Plant	Nr. Coke Oven Unit
02	Date of sampling			22/08/2024	22/08/2024	22/08/2024
03	Time of sampling	Hr.	-	09_15	09.30	09 45
04	Dominant Wind Direction (From)	3228	22	NE	NE	NE
05.	Wind Speed	Km./Hr		3 to 17	3 to 17	3 to 17
06	Ambient Temperature	°C	100	28.0	28.0	28.0
07.	Average flow rate during sampling	m ³ /minute	-	1.10	1 20	1.15
08	Average flow rate for Gas sampling	LPM	12	0.2	0.2	0 2
09.	PM 2.5	µg/m³	60	34.3	33.8	32.5
10.	РМ 10	µg/m³	100	52.4	53.7	54.5
11,	Measured Concentration of SO ₂	µg/m³	80	12.3	12.6	11.9
12.	Measured Concentration of NO ₂	µg/m³	80	24,5	23.1	22.9

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On : 13/01/2024

*Permissible Limits are as per NAAQ Standard 16th November 2009

Raikor

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref No. 615/08/2024-25

Date: 31/08/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
 Village: Varsamedi, Welspun City, Tal.: Anjar.
 Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 4	Location No. 5	Location No. 6
01.	Location of Sampling	() -	9	Nr. Oxygen Plant	Nr. Admin Office	Nr. Stock House
02	Date of sampling	87177		22/08/2024	22/08/2024	22/08/2024
03	Time of sampling	Hr.	-	10 00	10.15	10.30
04	Dominant Wind Direction (From)		-	NE	NE	NE
05	Wind Speed	Km /Hr,		3 to 17	3 to 17	3 to 17
06	Ambient Temperature	°C	377.3	28.0	28.0	28.0
07	Average flow rate during sampling	m ³ /minute	-	1,15	1 25	1 20
80	Average flow rate for Gas sampling	LPM	-	0.2	0,2	0.2
09.	PM 2.5	µg/m³	60	21.8	22.5	23.7
10.	PM 10	µg/m³	100	54.6	55.7	56.9
11.	Measured Concentration of SO ₂	µg/m³	80	12.4	11.6	11.3
12.	Measured Concentration of NO ₂	µg/m³	80	21.5	22.7	23.8

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On ____13/01/2024

Royal Environment Abditing & Consultancy Service





Ref. No :616/08/2024-25

Date: 31/08/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist : Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 7	Location No. 8	Location No. 9
01.	Location of Sampling			Nr. Coal/ Coke Yard	Nr. Canteen (Bramhasthan)	Nr. Health Center
02	Date of sampling		-	23/08/2024	23/08/2024	23/08/2024
03	Time of sampling	Hr	VE	09.30	09 45	10.00
04	Dominant Wind Direction (From)		11	NE	NE	NE
05	Wind Speed	Km./Hr.	13 85	4 to 18	4 to 18	4 to 18
06	Ambient Temperature	°C	5 9 8	29.0	29.0	29.0
07.	Average flow rate during sampling	m ³ /minute	9 4	1.12	1.16	1,19
08	Average flow rate for Gas sampling	LPM	1	0.2	0.2	02
09.	PM 2.5	µg/m³	60	22.7	23.6	21.5
10.	PM 10	µg/m³	100	52.4	51.8	50.7
11.	Measured Concentration of SO ₂	µg/m³	80	11.6	10.8	11.3
12.	Measured Concentration of NO ₂	µg/m³	80	21.7	22.5	22.5

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On : 13/01/2024

*Permissible Limits are as per NAAQ Standard 16th November 2009.







Ref. No.: 814/09/2024-25

Date: 30/09/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 1	Location No. 2	Location No. 3
01.	Location of Sampling	1000		Nr. BF Area	Nr. Sinter Plant	Nr. Coke Oven Unit
02.	Date of sampling		722	14/09/2024	14/09/2024	14/09/2024
03.	Time of sampling	Hr.	2.	09 00	09.15	09 30
04,	Dominant Wind Direction (From)	1111		SW	SW	sw
05	Wind Speed	Km /Hr.	()	4 to 18	4 to 18	4 to 18
06.	Ambient Temperature	۰C	2.=	27.0	27.0	27.0
07.	Average flow rate during sampling	m ³ /minute	8 	1,15	1_18	1.13
08.	Average flow rate for Gas sampling	LPM	585	0.2	0.2	0.2
09.	PM 2.5	µg/m³	60	28.7	30.5	31.7
10.	PM 10	µg/m³	100	53.6	50.5	51.8
11.	Measured Concentration of SO ₂	µg/m³	80	13.2	14.5	12.6
12.	Measured Concentration of NO ₂	µg/m³	80	22.4	21.3	22.7

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On : 13/01/2024







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No.: 715/09/2024-25

Date: 30/09/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626 Village: Varsamedi, Welspun City, Tal.: Anjar Dist.: Kutch - 370 110

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 4	Location No. 5	Location No. 6
01.	Location of Sampling		-	Nr. Oxygen Plant	Nr. Admin Office	Nr. Stock House
02	Date of sampling	5.000		14/09/2024	14/09/2024	14/09/2024
03	Time of sampling	Hr.	i	09.45	10.00	10_15
04.	Dominant Wind Direction (From)		10 1	sw	SW	sw
05.	Wind Speed	Km./Hr.		4 to 18	4 to 18	4 to 18
06.	Ambient Temperature	°C	127	27.0	27.0	28 0
07.	Average flow rate during sampling	m ³ /minute	-	1_19	1.12	1.15
08.	Average flow rate for Gas sampling	LPM		0.2	0.2	0.2
09.	PM 2.5	µg/m³	60	22.7	21.9	22.6
10.	PM 10	µg/m³	100	55.7	53.6	54.8
11.	Measured Concentration of SO ₂	µg/m³	80	13.1	12.8	12.6
12.	Measured Concentration of NO ₂	µg/m³	80	21.9	22.3	21.7

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On : 13/01/2024

Royal Environment Auditing & Consultancy Service





Ref. No.:716/09/2024-25

Date: 30/09/2024

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limits	Location No. 7	Location No. 8	Location No. 9
01.	Location of Sampling			Nr. Coal/ Coke Yard	Nr. Canteen (Bramhasthan)	Nr. Health Center
02.	Date of sampling	•1 19 <u>99</u>	122	16/09/2024	16/09/2024	16/09/2024
03.	Time of sampling	Hr.	:	10.00	10.15	10.30
04.	Dominant Wind Direction (From)		0.00	SE	SE	SE
05	Wind Speed	Km./Hr.	355	5 to 17	5 to 17	5 to 17
06.	Ambient Temperature	°C		30.0	30.0	30.0
07.	Average flow rate during sampling	m ³ /minute	1	1 16	1 19	1.21
08.	Average flow rate for Gas sampling	LPM	-	0.2	0.2	0.2
09.	PM 2.5	µg/m³	60	21.8	22.4	20.9
10.	PM 10	µg/m³	100	50.3	51.4	52.7
11.	Measured Concentration of SO ₂	µg/m³	80	10.7	11.2	11.8
12.	Measured Concentration of NO ₂	µg/m ³	80	20.4	21.3	20.8

Instrument used : Ecotech RDS (APM - 217 BL), Gaseous Sampling Kit AAS109 & PM 2.5 Sampler

Calibration Done On : 13/01/2024

*Permissible Limits are as per NAAQ Standard 16th November 2009,









Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No. : 217/04/2024-25

Date: 30/04/2024

Annexure-

AMBIENT NOISE LEVEL MONITORING REPORTS

Name of company : Welspun Mettalics Limited, (ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618; 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626 Village: Varsamedi, Welspun City, Tal.: Anjar

Dist.: Kutch - 370 110.

Date of Sampling : 23/04/2024

Sample Collected by : Royal Environment

Sr. No.	Location of Sampling	Permissible Limits dB(A) Day Time	Results in dB(A) (Day Time) 6:00 AM - 10:00 PM	Permissible Limits dB(A) Night Time	Results in dB(A) (Night Time) 10:00 PM - 6:00 AM	
Monitoring is carried out during			01:30 - 02:30 PM		01:30 - 02:30 AM	
01.	Nr. BF Area	75	72.6	70	56.7	
02,	Nr. Sinter Plant	75	74.1	70	54.9	
03.	Nr. Coke Oven Unit	75	73.9	70	55.3	
04.	Nr. Oxygen Plant	75	71.5	70	57.8	
05.	Nr. Admin Office	75	69.9	70	59.3	

	CPCB Standards								
Area	Category of Area / Zone	Lim	it in dB(A) Ļeq.						
Code	Category of Area / Zone	Day Time	Night Time						
А	Industrial Area	75.0	70.0						
в	Commercial Area	65.0	55.0						
С	Residential Area	, 55.0 sound & c	45.0						
D	Silence Zone	50.0	40.0						

Instruments used : Sound level meter, Model : SL-4030 (Lutron), Calibration Done on 01/01/2024







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No. : 317/05/2024-25

Date: 31/05/2024

AMBIENT NOISE LEVEL MONITORING REPORTS

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626 Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Date of Sampling : 13/05/2024			Sample Collecte	d by : Royal Environmer	
Sr. No.	Location of Sampling	Permissible Limits dB(A) Day Time	Results in dB(A) (Day Time) 6:00 AM - 10:00 PM	Permissible Limits dB(A) Night Time	Results in dB(A) (Night Time) 10:00 PM - 6:00 AM
Monitoring is carried out during		01:30 - 02:30 PM			01:30 - 02:30 AM
01.	Nr. BF Area	75	72.1	70	59.3
02.	Nr. Sinter Plant	75	72.3	70	57.6
03.	Nr. Coke Oven Unit	75	71.6	70	54.3
04.	Nr. Oxygen Plant	75	70.8	70	57.3
05	Nr. Admin Office	75	71.5	70	56.8

	CPCB Standards					
Area	Category of Area / Zone	Limit in dB(A) Leq.				
Code	Sategory of Area / Lone	Day Time	Night Time			
А	Industrial Area	75 0	70.0			
В	Commercial Area	65.0	55 Q			
С	Residential Area	55.0	45 0			
D	Silence Zone	50,0	40.0			

Instruments used : Sound level meter, Model : SL-4030 (Lutron), Calibration Done on : 01/01/2024

Royal Environment Auditing & Consultancy Service

Analyst





Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail +royalenvironment@live.com = admin@royalconsultancy.com

Ref. No. : 318/05/2024-25

Date: 31/05/2024

WORK ZONE NOISE LEVEL MEASUREMENT

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist : Kutch - 370 110

Date of Sampling : 13/05/2024

Readings Taken by : Royal Environment

Sr.No.	Location of Sampling	Permissible Limits for 8:00 Hrs.	Results in dB(A)
Monitoring is	carried out during		02:30 to 3:30 PM
BF Plant			
01	Cast House	85	78.5
02	РСМ	85	76.3
03	Stock House	85	79.5
04	GCP	- 85	81.6
05	Stoves	85	76.3
06	Blower	85	77.9
07	PCI	85	78.5
Sinter Plant			
08	Proportionate Building	85	77.3
09	Waste Gas Fan	85	75.8
10	Sinter Machine	85	77.9
- 11	Screen House	85	74.5
12	Crushing House	85	76 5
Coke Oven Pla	ant		8 ¹
13	WHRB	85	80.3
14	ID Fan Area	85	- 76.2
15	Stamping Unit	85	73 5
16	Cutter Building	85	75.7
17	Coke Dryer Building	85	70 1
Dxygen Plant	<i>U</i>	· · · · ·	
18	Control Room	85	69.8
19	Compressor Area	85	72.5
20	Cooling Area	85	73.4

Instruments used : Sound level meter, Model SL-4030 (Lutron), Calibration Done on 01/01/2024



Royal Environment Auditing & Consultancy Service







Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005. Ph.: +91 9099919954 = E-mail : royalenvironment@live.com = admin@royalconsultancy.com

Ref. No. : 517/07/2024-25

Date: 31/07/2024

AMBIENT NOISE LEVEL MONITORING REPORTS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Date of S	ampling : 23/07/2024			Sample Collecte	d by : Royal Environment
Sr. No.	Location of Sampling	Permissible Limits dB(A) Day Time	Results in dB(A) (Day Time) 6:00 AM - 10:00 PM	Permissible Limits dB(A) Night Time	Results in dB(A) (Night Time) 10:00 PM - 6:00 AM
Monito	ring is carried out during		01:30 - 02:30 PM		01:30 - 02:30 AM
01.	Nr. BF Area	75	72.1	70	52.6
02.	Nr. Sinter Plant	75	73.5	70	53.7
03.	Nr. Coke Oven Unit	75	70.5	70	51.7
04.	Nr. Oxygen Plant	75	69.3	70	52.6
05.	Nr. Admin Office	75	67.8	70	53.5

CPCB Standards					
Area Code	Category of Area / Zone	Limit in	dB(A) Leq.		
		Day Time	Night Time		
А	Industrial Area	75.0	70.0		
В	Commercial Area	65.0	55.0		
С	Residential Area	55.0	45.0		
D	Silence Zone	50.0	40.0		

Instruments used : Sound level meter, Model : VSLM-932 (Vaibhav), Calibration Done on : 17/05/2024

Royal Environment Auditing & Consultancy Service



Analyst





Ref. No. : 617/08/2024-25

Date: 31/08/2024

AMBIENT NOISE LEVEL MONITORING REPORTS

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Date of Sampling : 23/08/2024			Sample Collected by : Royal Environm		
Sr. No.	Location of Sampling	Permissible Limits dB(A) Day Time	Results in dB(A) (Day Time) 6:00 AM - 10:00 PM	Permissibłe Limits dB(A) Night Time	Results in dB(A) (Night Time) 10:00 PM - 6:00 AM
Monito	ring is carried out during		01:30 - 02:30 PM	ginting	01:30 - 02:30 AM
01_	Nr. BF Area	75	73.5	70	51.9
02.	Nr. Sinter Plant	75	72.4	70	52.3
03	Nr. Coke Oven Unit	75	69.8	70	53.8
04.	Nr. Oxygen Plant	75	71.2	70	56.7
05	Nr. Admin Office	75	66.8	70	54.5

_	CPCB Standards					
Area	Category of Area / Zone	Limit in d	IB(A) Leq.			
Code		Day Time	Night Time			
А	Industrial Area	75.0	70.0			
В	Commercial Area	65.0	55.0			
С	Residential Area	55 0	45.0			
D	Silence Zone	50.0	40.0			

Rafkot

Instruments used : Sound level meter, Model : VSLM-932 (Vaibhav), Calibration Done on : 17/05/2024

Royal Environment Additing & Consultancy Service







Ref No.: 618/08/2024-25

Date: 31/08/2024

WORK ZONE NOISE LEVEL MEASUREMENT

Name of company : Welspun Corp Limited - Metallics Division

Address

: Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar Dist.: Kutch - 370 110

Date of Sampling : 23/08/2024

Readings Taken by : Royal Environment

Sr.No.	Location of Sampling	Permissible Limits for 8:00 Hrs.	Results in dB(A)
Monitoring is	carried out during		02:30 to 3:30 PM
BF Plant			
01	Cast House	85	79.4
02	РСМ	85	77.3
03	Stock House	85	80.1
04	GCP	85	76.5
05	Stoves	85	77.2
06	Blower	85	78 3
07	PCI	85	80.1
Sinter Plant			
08	Proportionate Building	85	80.5
09	Waste Gas Fan	85	76.5
10	Sinter Machine	85	78 3
11	Screen House	85	78.3
12	Crushing House	85	77.2
oke Oven Pl	ant		
13	WHRB	85	76.3
14	ID Fan Area	85	75.1
15	Stamping Unit	85	78.3
16	Cutter Building	85	76.2
17	Coke Dryer Building	85	73 2
oxygen Plant			
18	Control Room	85	70.1
19	Compressor Area	85	69.8
20	Cooling Area	85	71.8

Instruments used : Sound level meter, Model : VSLM-932 (Vaibhav), Calibration Done on : 17/05/2024

Ratkot





Ref. No : 717/09/2024-25

Date: 30/09/2024

AMBIENT NOISE LEVEL MONITORING REPORTS

Name of company : Welspun Corp Limited - Metallics Division

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626. Village: Varsamedi, Welspun City, Tal.: Anjar. Dist.: Kutch - 370 110.

Date of Sampling : 16/09/2024			Sample Collecte	d by : Royal Environmer
Location of Sampling	Permissible Limits dB(A) Day Time	Results in dB(A) (Day Time) 6:00 AM - 10:00 PM	Permissible Limits dB(A) Night Time	Results in dB(A) (Night Time) 10:00 PM - 6:00 AM
oring is carried out during	01:30 - 02:30 PM			01:30 - 02:30 AM
Nr. BF Area	75	71.5	70	52.7
Nr. Sinter Plant	75	70.3	70	53 8
Nr. Coke Oven Unit	75	68 2	70	54.5
Nr. Oxygen Plant	75	69 5	70	55.5
Nr. Admin Office	75	68.4	70	53.6
	Location of Sampling oring is carried out during Nr. BF Area Nr. Sinter Plant Nr. Coke Oven Unit Nr. Oxygen Plant	Location of SamplingPermissible Limits dB(A) Day Timeoring is carried out duringNr. BF Area75Nr. Sinter Plant75Nr. Coke Oven Unit75Nr. Oxygen Plant75	Location of SamplingPermissible Limits dB(A) Day TimeResults in dB(A) (Day Time) 6:00 AM - 10:00 PMoring is carried out during01:30 - 02:30 PMNr. BF Area7571.5Nr. Sinter Plant7570.3Nr. Coke Oven Unit7568.2Nr. Oxygen Plant7569.5	Location of SamplingPermissible Limits dB(A) Day TimeResults in dB(A) (Day Time) 6:00 AM - 10:00 PMPermissible Limits dB(A) Night Timeoring is carried out duringNr. BF Area7571.570Nr. BF Area7571.570Nr. Sinter Plant7568.270Nr. Oxygen Plant7569.570

CPCB Standards				
Area	Category of Area / Zone	Limit in d	dB(A) Leq.	
Code		Day Time	Night Time	
А	Industrial Area	75 0	70.0	
в	Commercial Area	65 0	55.0	
С	Residential Area	55.0	45.0	
D	Silence Zone	50 0	40 0	

Instruments used : Sound level meter, Model : VSLM-932 (Vaibhav), Calibration Done on : 17/05/2024



