

WCL-SD/ECCR/H2-FY'25/2025-26/21

To,

**The Deputy Director General of Forests (C),  
Integrated Regional Office (IRO),  
Ministry of Environment, Forest and Climate Change (MoEF&CC),  
Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.  
E-mail: iro.gandhingr-mefcc@gov.in**

**Sub.: Half Yearly Compliance to Environmental Clearance of Welspun Corp Ltd. (Steel Division).**

**Ref:** WCL-EC Amendment, SEIAA/GUJ/EC/3(a) & 1(d)/1067/2023, date: 21.08.2023 (Earlier WCL-EC, SEIAA/GUJ/EC/5(f)/2338/2022, date: 15.10.2022 & WSL - EC, SEIAA/GUJ/EC/3(a) & 1(d)/83/2011, date: 30.05.2011)

Respected Sir/Ma'am,

With reference to above subject, please find herewith the point wise **Six-Monthly Compliance Report (October'2024 to March'2025)** of environment clearance in respect of **Welspun Corp Ltd. (Steel Division)** Located at Welspun City, Village-Versamedi, Taluka-Anjar, District-Kutch, Gujarat.

As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).

This is for your kind information and record, please.

Thanking you,

Yours faithfully,

**For Welspun Corp Ltd. (Steel Division)**

  
**Dr. Rameshkumar K.T.**  
**(Vice President & Group Environment Head)**



**Encl:** As above

**CC to:**

- (1) **The Member Secretary**, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10-A, **Gandhinagar-382010**. Email: [ms-gpcb@gujarat.gov.in](mailto:ms-gpcb@gujarat.gov.in)
- (2) **The Regional Director (West Zone)**, Central Pollution Control Board, Parivesh Bhawan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, **Vadodara, Gujarat-390023**.  
E-mail: [westzonepcb@yahoo.com](mailto:westzonepcb@yahoo.com)
- (3) **SEIAA-Gujarat**, Gujarat Pollution Control Board, "Paryavaran Bhavan", Sec-10A, **Gandhinagar-382010**.  
E-mail: [seiaaguj@yahoo.com](mailto:seiaaguj@yahoo.com)

**Welspun Corp Limited (Steel Division)**

Welspun House, 5th Floor, Kamala City, Senapati Bapat Marg, Lower Parel (W), Mumbai 400013. India

T: +91 22 6613 6000 / 2490 8000 | F: +91 22 2490 8020.

E-mail: [companysecretary\\_wcl@welspun.com](mailto:companysecretary_wcl@welspun.com) | Website: [www.welspuncorp.com](http://www.welspuncorp.com)

Registered Address: Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat 370110. India

T: +91 28 3666 2222 | F: +91 28 3627 9060.

Corporate Identity Number: L27100GJ1995PLC025609

# Environment Clearance Compliance Status Report of Welspun Corp Ltd. (Steel Division)

**(Period: October'2024 – March'2025)**



**Unit: Welspun Corp Ltd. (Steel Division)**



Survey No. 650,652,653,655 Village: Versamedi,  
Taluka: Anjar, District: Kutch, Gujarat-370110.

**Half Yearly Environment Clearance Compliance Report For M/s Welspun Corp Ltd.**  
**located at Survey No. 650, 652, 653, 655 Village: Versamedi, Taluka: Anjar, Kutch-370110 (Gujarat).**  
**WCL-EC Amendment, SEIAA/GUJ/EC/3(a) & 1(d)/1067/2023, date: 21.08.2023 (Earlier WCL-EC, SEIAA/GUJ/EC/5(f)/2338/2022, date: 15.10.2022 & WSL-EC, SEIAA/GUJ/EC/3(a) & 1(d)/83/2011, date: 30.05.2011)**


| S.No. | Environment Clearance - Condition                                                                                                                                                                                                                                                                                                            | Compliance Status                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------|-----------------|---------------|----|----------|--------|-------|----|----------|--------|-------|----|----------|--------|-------|----|----------|--------|-------|----|----------|--------|-------|----|------------|--------|-------|
| A     | SPECIFIC CONDITIONS:                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 1     | Total Production of Sponge Iron for captive consumption and for sale shall not increase for existing 1,44,000 MT/ Annum, in any case.                                                                                                                                                                                                        | Complied.<br><br>Sponge Iron Production is 1,43,999 MT during Current Financial Year 2024-25 and it's within limits.<br><br>However, we have also submitted application (Proposal No. IA/GJ/IND1/519097/2025 dated 20/01/2025) for the 20% increasing in DRI production (1,44,000 MTPA to 1,72,800 MTPA) at MoEF&CC under 7(ii) paras as per the OM by MoEF&CC dated 11 <sup>th</sup> April'2024.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| A-1   | WATER:                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 2     | Fresh water requirement shall not exceed 2869 KL/day after the proposed expansion and shall be met only through water supply from Gujarat Water Infrastructure Ltd. (GWIL). No ground water shall be tapped for the project requirements. Water meter shall be installed at the all-water intake points and its records shall be maintained. | The water supply is fulfilled by our sister Unit M/s WLL. No ground water is being tapped for the project requirement. We have maintained the logbook for water consumption within the premises.<br><br>The details of water consumption for the compliance period (October'2024 to March'2025) is given below. <table><tr><th>S.No.</th><th>Month</th><th>Industrial (KL)</th><th>Domestic (KL)</th></tr><tr><td>1.</td><td>Oct-2024</td><td>18,600</td><td>7,129</td></tr><tr><td>2.</td><td>Nov-2024</td><td>21,784</td><td>4,902</td></tr><tr><td>3.</td><td>Dec-2024</td><td>21,240</td><td>5,598</td></tr><tr><td>4.</td><td>Jan-2025</td><td>17,858</td><td>6,802</td></tr><tr><td>5.</td><td>Feb-2025</td><td>18,127</td><td>6,187</td></tr><tr><td>6.</td><td>March-2025</td><td>14,142</td><td>6,349</td></tr></table><br><br>However, water consumption during the Current Financial year 2024-25 is 806 KLD and its within limit as mentioned in EC Condition.<br><br>Water meter is installed at all water intake points and maintained daily/monthly records. same data also submitted at Monthly E-Patruk through GPCB XGN portal. | S.No.         | Month | Industrial (KL) | Domestic (KL) | 1. | Oct-2024 | 18,600 | 7,129 | 2. | Nov-2024 | 21,784 | 4,902 | 3. | Dec-2024 | 21,240 | 5,598 | 4. | Jan-2025 | 17,858 | 6,802 | 5. | Feb-2025 | 18,127 | 6,187 | 6. | March-2025 | 14,142 | 6,349 |
| S.No. | Month                                                                                                                                                                                                                                                                                                                                        | Industrial (KL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Domestic (KL) |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 1.    | Oct-2024                                                                                                                                                                                                                                                                                                                                     | 18,600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 7,129         |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 2.    | Nov-2024                                                                                                                                                                                                                                                                                                                                     | 21,784                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4,902         |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 3.    | Dec-2024                                                                                                                                                                                                                                                                                                                                     | 21,240                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 5,598         |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 4.    | Jan-2025                                                                                                                                                                                                                                                                                                                                     | 17,858                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 6,802         |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 5.    | Feb-2025                                                                                                                                                                                                                                                                                                                                     | 18,127                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 6,187         |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 6.    | March-2025                                                                                                                                                                                                                                                                                                                                   | 14,142                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 6,349         |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 3     | The industrial effluent generation (from DM Plant Regeneration, Boiler Blow-down & cooling tower blow down) shall not exceed 179 KL/day after the proposed expansion.                                                                                                                                                                        | The Industrial effluent generation of water is within the prescribed limit. Mostly industrial effluent reuse in process for cooling purpose.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |
| 4     | The industrial effluent after its pH correction shall be completely reused in sponge iron kiln cooling, green belt development, sprinkling on roads etc. There shall be no discharge of industrial effluent outside the factory premises in any cases.                                                                                       | We are re-using wastewater for Cooling of Kiln's Cooler, Dust suppression, sprinkling, gardening purpose to minimize fresh water consumption.<br><br>We have maintained and adhere with Zero Liquid Discharge (ZLD) norms.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |       |                 |               |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |          |        |       |    |            |        |       |



|   |                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |                                                                                                                                                                                                                                                                                                                      | We are carrying out regular monitoring on monthly basis by third party i.e. (Recognized auditor by GPCB no. GPCB/EA-151712/& MoEF Accredited (EPA-1986) Laboratory NABL approved Lab)                                                                                                                                                                                                                                                                                                                                                                      |
| 5 | Domestic Wastewater shall be disposed of through septic tank-soak pit.                                                                                                                                                                                                                                               | The domestic wastewater is being disposed through a septic tank.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 6 | Rainwater harvesting of surface as well as rooftop runoff shall be undertaken, and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface runoff, pre- treatment must be done to remove suspended matter. | <p>We have made an artificial pond for the Rainwater Harvesting. Rainwater is being collected in the same for the utilization.</p> <p>We have created two large rain water harvesting lagoons with a <b>capacity to store 3000 million Liters of rain water.</b> <b>The lagoon is spread at an area of 27 acres having depth of 18 meters.</b> Drainage network is created in all areas to collect the rain water from the roof tops and it is diverted into the lagoon. This water used for gardening and process activities after primary treatment.</p> |





Photographs of Rain Water Harvesting Pond



Satellite view of Rain Water Harvesting Pond



| <b>A-2 AIR:</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7               | Imported coal-125 MT/day & Coal-char 56 MT/day shall be used as fuel in the proposed AFBC Boiler (30 TPH).                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Noted and being complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 8               | FO-3.5 KL/Day & Gasifier Gas shall be used as a fuel in the Reheating Furnace. (03 Nos.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Noted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 9               | The AFBC Boiler shall be operated only when existing sponge iron kiln is not in operation (i.e. WHRB plant non operation phase) and hence total power generation shall not increase from existing 12 MW level in any case.                                                                                                                                                                                                                                                                                                                                                      | Noted & being Complied.<br>We ensure that, total power generation not increased from the existing 12 MW level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 10              | Height of stack attached to induction Furnace (02 nos.) and Reheating Furnace (03 nos.) shall be at least 30 M and height of stack attached to AFBC Boiler shall be at least 47.24 M.                                                                                                                                                                                                                                                                                                                                                                                           | Complied.<br>We have maintained the adequate stack heights for both stacks (Induction Furnace & Reheating Furnace).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 11              | Bag Filters shall be provided as air pollution control system for induction Furnace (02 nos.) and Reheating Furnace (03 nos.). These bag filter shall be operated efficiently to achieve the norms prescribed by the GPCB at stack outlets.                                                                                                                                                                                                                                                                                                                                     | <p>Bag Filters have been provided as air pollution control system for Controlling Emission to achieve the norms prescribed by the GPCB at stack outlets.</p> <p>We have also conducted stack monitoring by third party NABL accredited lab on regular intervals and results are found within standards limit and same are also submitted with Six-Monthly EC Compliance Report.</p> <p><a href="#">Please refer Annexure-1 as a third-party stack monitoring report by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</a></p> <div data-bbox="792 1033 1166 1474" data-label="Image"> <p>Geotagged photograph showing a worker in safety gear performing stack monitoring using a probe on an industrial stack. The image includes a Google Maps overlay with coordinates: Kachhhi, Gujarat, India, Unhammed Road, Gujarat 370110, India, Lat N 23° 6' 35.7228" Long E 70° 5' 7.7532", GMT +05:30, 32 m.</p> </div> <div data-bbox="1182 1033 1563 1474" data-label="Image"> <p>Geotagged photograph showing a worker in safety gear performing stack monitoring using a probe on an industrial stack. The image includes a Google Maps overlay with coordinates: Kachhhi, Gujarat, India, Gujarat 370110, India, Lat N 23° 6' 46.4724" Long E 70° 5' 9.5136", GMT +05:30, 35 m.</p> </div> <p><a href="#">Geotagged photographs of Stack Monitoring</a></p> |
| 12              | High efficiency Electrostatic Precipitators (ESP) with efficiency not less than 99.9% shall be provided as air pollution control system for the AFBC Boiler. The ESP shall be operated efficiently to ensure that particulate matter emission does not exceed the GPCB norms. The control system shall be designed and integrated in plant DCS in such a way that if emission from ESP exceed the specified standard utilization of boiler capacity shall be reduced so that flue gas emission from the stack meets with the specified norms of boiler shall shut down totally. | <p>High efficiency Electrostatic Precipitators (ESP) has been provided and efficiently operated to maintain GPCB norms.</p> <p><a href="#">Please refer Annexure-1 as third-party stack monitoring reports of ESP by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</a></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13                                                                                                                                                                                                                                                                                                         | There shall be one extra field in the ESP to ensure that even though one field goes out of order, the efficiency of the ESP is not affected. In case of failure of two or more fields of the ESP, the unit shall immediately shut down the power plant.                                                                                                                                                                                                                                                                                                                        | Complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 14                                                                                                                                                                                                                                                                                                         | Online Monitoring System shall be installed on the boiler stack. This online monitoring system shall be interlocked with plant DCS system in such a manner that if concentration of particulate matter in flue gas emission exceeds the stipulated standard, utilization of boiler capacity shall reduce accordingly in order to bring down the particulate matter concentration below the stipulated standard. An arrangement shall also be done for reflecting the online monitoring results on the company's server which can be assessable by the GPCB on real time basis. | Complied.<br><br>Online Monitoring System (OCEMS) is provided at boiler stacks. Same real time monitoring data are also transferring to GPCB & CPCB servers.                                                                                                                                                                                                                                                                                                                                                    |
| <div>   </div> <p align="center"><b><u>Screenshot of Real Time Online CEMS data transfer to CPCB RTDMS &amp; GPCB Servers</u></b></p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 15                                                                                                                                                                                                                                                                                                         | The Company shall prepare schedule carry regular preventive Maintenance of mechanical and electrical parts of ESPs and assign responsibility of preventive maintenance to the senior officer of the company.                                                                                                                                                                                                                                                                                                                                                                   | We are maintaining performance of all installed APCDs with regular maintenance to efficient working.                                                                                                                                                                                                                                                                                                                                                                                                            |
| 16                                                                                                                                                                                                                                                                                                         | The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission.                                                                                                                                                                                                                                                           | Point noted and are being complied.<br><br>Fugitive emissions are being monitored in the work zone area on regular intervals by third party (Accredited by NABL & GPCB approved). All results are found satisfactory and same report also submitted with Six-Monthly EC Compliance report submit to MoEF&CC, GPCB & CPCB authorities.<br><br><a href="#">Please refer Annexure-2 as a third-party fugitive monitoring report by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</a> |
| a.                                                                                                                                                                                                                                                                                                         | Enclosure shall be provided at coal loading and unloading operation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Complied.<br><br>Efficient enclosure provided at coal loading and unloading operations and also adequate storage facility provided for the coal materials under covered shed.                                                                                                                                                                                                                                                                                                                                   |



|  |  |                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |  | <p>We have fixed the curtain at both side of entry and exit gate of coal storage yard. This will minimize the impact of dust emission during vehicle loading/unloading. In addition to this, they have also installed the dry fogg/mist spray system at the coal unloading ground hopper to reduce dust emission.</p> <p>We have also covered the truck with Tarpaulin sheet during the Transportation.</p> |
|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



Fully Covered shed facility for the Coal handling & Storage, Fogg spray system and covered trucks

|    |                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b. | <p>Water shall be sprayed on coal stock piles periodically to retain some moisture in top layer and also while compacting to reduce the fugitive emission.</p> | <p>Water Sprinkler System have been installed at Coal Storage area and water being sprayed on coal stock piles periodically to retain some moisture in top layer.</p> <p>We have provided water sprinkler facility at raw materials &amp; coal storage yard areas and also water sprinkler provided at the Material Conveying Belts to reduce the dust emissions.</p> <p>In addition to this, we have also deployed water tanker for the water sprinkling in plant internal roads and storage yard areas on regular intervals to reduce fugitive emissions.</p> |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|




Geo-tagged photographs of water sprinkler system at coal storage area, other open storage area and material conveying belts and also deployed water tanker

|    |                                                     |                                                                                                                                                                                    |
|----|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| c. | <p>All transfer points shall be fully enclosed.</p> | <p>All transfer points are fully enclosed &amp; covered with GI sheet.</p> <p>All transfer tower and conveyor belts are also covered with canopy for the reduce dust emission.</p> |
|----|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



**Geotagged photographs of Covered all transfer point and covered conveyor belt systems**

- |    |                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| d. | Accumulated dust on the ground and other surface shall be removed/swept regularly and water the area after sweeping,               | Accumulated dust on ground is being swept on a regular basis to maintain good housekeeping and water is being sprinkled after sweeping.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| e. | Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular movement. | <p>Complied &amp; following measures taken to reduce dust emission during vehicular movement.</p> <ol style="list-style-type: none"> <li>1. Point Noted &amp; we have provided the paved &amp; concreted wide road inside the plant premises to reduce emission during vehicle movement.</li> <li>2. In addition to this, water sprinkling facility provide for the wetting of roads and also deployed dedicated water tankers nearby storage yards areas &amp; inside the plant premises. which resulted to decrease in fugitive emission during the vehicles movement.</li> <li>3. Maintaining good housekeeping through vacuum cleaning truck for internal plant roads and main roads.</li> <li>4. Materials are covered during transportation inside the plant premises to reduce dust emissions.</li> <li>5. Vehicle speed also maintained within 20 Km/h to reduce the dust emission during vehicle movements.</li> </ol> |



**Geotagged photographs of Water tanker & Vacuums cleaning truck to reduce dust emission during vehicle movement**





|                                                                                          |                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| f.                                                                                       | Air born coal dust shall be controlled with water sprinklers at suitable locations in the plant.                                                                                                                                                                                                                          | Water Sprinkler System are installed to control fugitive dust emission inside the plant premises.<br>In addition to this, we have deployed dedicated water tanker to reduce dust suppression.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|          |                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <a href="#">Geo-tagged photographs of water sprinkling facility for dust suppression</a> |                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| g.                                                                                       | Coal shall be transported through covered trucks only whereas fly ash shall be transported through closed trucks only.                                                                                                                                                                                                    | <p>Noted &amp; are being complied.<br/>Mostly materials transportation trucks are covered with tarpaulin.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <a href="#">Photo of material covered truck</a>                                          |                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 17                                                                                       | Third party performance Evaluation of the air pollution control system including ESP shall be carried out at least once in a year to check its performance and efficiency through a reputed institute like NPC, LD Collage of Engineering or such other institute of similar repute, and its records shall be maintained. | <p>Third party performance evolution of the air pollution control system including ESP are being carried out by M/s Royal Environment Consultancy Services on regular intervals and its records are being maintained and report also submitted to MoEF&amp;CC, GPCB &amp; CPCB authorities along with Six-Monthly EC Compliance reports.</p> <p>In addition to this, GPCB approved Sch-I Auditing agency is also conducted Environmental Monitoring under EAS (Environment Audit Scheme) on quarterly basis and same monitoring reports are also submitted with Final Environment Audit Report to GPCB, Head Office.</p> <p><a href="#">Please refer Annexure-1 as third-party stack monitoring reports by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</a></p> |
| 18                                                                                       | Ambient air quality monitoring shall be carried out every month at three stations at 180 degree and its records shall be maintained and furnished to the SEIAA & GPCB from time to time. If at any stage, any pollution is found to exceed the prescribe limit,                                                           | Ambient air quality monitoring is being carried out every month at various locations (04 locations) through third party (Accredited by NABL and MoEF&CC approved) & same records are being maintained and also submitted to MoEF&CC, CPCB & GPCB along with Six-Monthly EC Compliance report.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



|  |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>necessary additional control measures shall be provided immediately.</p> | <p>However, we have provided adequate measures to maintain better Ambient Air Quality inside the plant premises and third party AAQ monitoring reports are also found within prescribed limits.</p> <p>The locations of ambient air quality monitoring stations are decided in consultation with the Gujarat Pollution Control Board on the basis that one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.</p> <p>Please refer Annexure-3 as a Third party AAQM reports by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</p> <div></div> <p>Geo-tagged photographs of Third party AAQ Monitoring</p> |
|--|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|




**A-3 HAZARDOUS / SOLID WASTE:**

|    |                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 19 | <p>The company shall strictly comply with the rules and regulations with regards to handling and disposal of hazardous waste in accordance with the hazardous waste rules 2008, as may be amended from time to time. Authorization from the GPCB shall be obtained for collection/treatment/storage/disposal of hazardous wastes.</p> | <p>We are following the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016 &amp; their subsequent amendments.</p> <p>We have obtained consolidated Consent &amp; Authorization (CC&amp;A) from Gujarat Pollution Control Board (GPCB) for collection /treatment / storage/disposal of hazardous wastes and Consent is valid up to 12.08.2025.</p> <div></div> <p>Screenshot of Valid Authorization copy obtained from GPCB</p> |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|    |                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 20 | Hazardous waste sludge shall be packed and stored in separate designated hazardous waste storage facility with impervious bottom and leachate collection facility, before its disposal.                                                                                                     | <p>Complied.</p> <p>unit has provided separate hazardous waste storage facilities designated for each hazardous waste with pucca bottom and leachate collection facility, before its disposal.</p> <p>Photographs of the same is given below:</p>                                                                                                                                                                                                                                                                                                                                                                                                           |
| 21 | The discarded containers/barrels /bags/liners/ shall be sold only to the register recycler after decontamination.                                                                                                                                                                           | <p>The discarded containers/barrels/bags/liners/ are being sold only to the register recycler by Gujarat Pollution Control Board (GPCB) through online manifest system with Form-10 at GPCB XGN Portal only.</p> <p>We have also submitted hazardous waste generation/disposal data during the submission of Annual Return (Form-IV) to statutory authorities and same copy also uploaded at XGN Portal in view of compliance in respect to Hazardous &amp; Other waste Management Rules'2016 &amp; their subsequent amendments.</p> <p>Latest Annual Return of Hazardous waste (Form-IV) submitted to statutory authorities for financial year 2024-2025 with our vide letter no. WCL-SD/(ID-18109)/ENV/HZW/2025-26/10 dated 10/04/2025.</p> |
| 22 | The used oil shall be sold to only to the registered recycler.                                                                                                                                                                                                                              | Used Oil are being sold to authorized registered recycler of Gujarat Pollution Control Board through online manifest system only.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 23 | Ash pond shall not be constructed for the storage of the fly ash and the fly ash shall be stored in closed RCC silos only. The unit shall strictly comply with Fly Ash Notification under EPA and it shall be ensured that there is 100 % utilization of ash to be generated from the unit. | <p>Complied.</p> <p>We have provided specific RCC fly ash storage area. Unit has disposed fly ash to brick manufacturing unit.</p> <p>Photographs of Fly ash storage area;</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |




|                    |                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 24                 | Slag shall be utilized in brick manufacturing or road construction or sold as aggregate for construction activity.                                                                                                                                                                                                                                     | Noted and are being Complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 25                 | Mill scale shall be completely reused in the process.                                                                                                                                                                                                                                                                                                  | Noted and are being Complied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>A-4 SAFETY:</b> |                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 26                 | Fire Protection system based on National Fire Protection Association (NFPA) approved guideline shall be provided. It shall consist of fire hydrant system all-round the plant area and storage yards, high velocity water spray system for transformers, automatic fire detection and alarm, manual fire alarm system, portable fire extinguisher etc. | <p>We have also prepared an On-site Emergency Plan and Emergency Evacuations Plan to mitigate any exigency and also conducted Mock drills on the regular intervals to comply with all safety measures as per NPFA.</p> <p>We have provided fire extinguishers throughout the plant area. Additionally, the unit maintains four fire tenders and emergency response teams at Welspun City to ensure immediate response to any fire-related emergencies. It has been ensured that, for quicker response, adequate number of Fire extinguishers like Foam, DCP and CO2 has also been kept with easy accessibility. A layout plan indicating the location and type of extinguishers is displayed for ease of understanding and for quicker response.</p> |



[Layout of Fire & Safety measures including Emergency Evacuation Plan and On-site Emergency Plan](#)

|    |                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                          |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 27 | Personal Protective Equipment shall be provided to workers and its usage shall be ensured and supervised.                                                                                                                                 | Personal Protective Equipment are being provided to workers and its uses are being insured & supervised. Safety Helmet & Safety shoes are mandatory for workers Other PPEs are being provided as per specific work place requirement.                                                                                    |
| 28 | First Aid Box and required antidotes for the chemicals used in the unit shall be made readily available in adequate quantity at all the times.                                                                                            | One Paramedical staff is deployed at First Aid Center. First Aid Box is available at each designated plant area.                                                                                                                                                                                                         |
| 29 | Hazardous materials storage shall be at an isolated designed location. Storage and use of hazardous chemicals shall be minimized to extent possible and all necessary precaution shall be taken to mitigate the risk generated out of it. | Complied.<br>Hazardous material stored at designed storage area and also disposal to registered recycler by GPCB through Online Manifest System at GPCB XGN only.                                                                                                                                                        |
| 30 | Storage of hazardous chemicals shall be multiple small capacity tanks/containers instead of on single large capacity tank of safety purpose.                                                                                              | Noted and complied.                                                                                                                                                                                                                                                                                                      |
| 31 | All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dykes walls shall be provided for the storage tanks. Close handling system for chemicals shall be provided.                                   | Noted.                                                                                                                                                                                                                                                                                                                   |
| 32 | All transporting routes within the factory premises shall paved roads to minimize splashes and spillages.                                                                                                                                 | All transporting routes within the factory premises have been paved roads to minimize splashes and spillages and also taken adequate measures to reduce dust emissions and spillages. In addition to this, we have deployed dedicated Vacuum Cleaning Truck for maintaining good housekeeping inside the plant premises. |



[Geo-tagged photographs of Paved Road & cleaning through Vacuum Cleaning Truck inside the plant premises](#)

|    |                                                                                                                                                          |                                                                                                                                                                                |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 33 | All efforts shall be made for atomization of molten metal handling and human exposure to the molten metal shall be avoided as far as possible.           | Noted and are being Complied.                                                                                                                                                  |
| 34 | Training shall be imparted to all the workers on safety and health aspects of molten metal handling heat stress etc. to avoid its impact on human being. | Regular training is being imparted to all the workers on safety, health & Environmental aspects of molten metal handling heat stress etc. to avoid its impact on human beings. |



|    |                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 35 | Occupational health surveillance of the worker shall be carried out on regular basis and records shall be maintained as per factories Act and Rules. Pre-employment and periodical post-employment medical examination for all workers shall be undertaken as per the statutory requirements. | Complied.<br>Occupational health surveillance carried out on regular basis and record shall be maintained as per the factory act & Rules.<br>Pre-employment and periodical medical reports are also submitted to statutory authorities along with Final Environmental Audit Report as prepared by Sch-I environmental auditor as allocated by GPCB. |
| 36 | At all the times, necessary tie up with the nearby doctor qualified / hospital for occupation health shall be made to ensure that the medical treatment is given within the shortest time in case of any adverse condition.                                                                   | Complied.<br>We have also deployed qualified doctor and occupational staff including ambulance in case of any emergency/ adverse condition occurs.                                                                                                                                                                                                  |
| 37 | Sufficient ventilation, exhausts shall be provided to maintain the temperature within the work area. Temperature indicators shall be provided at the vulnerable places in consultation with Directors of Safety and Health.                                                                   | Noted and are being Complied.                                                                                                                                                                                                                                                                                                                       |
| 38 | The project management shall strictly comply with the provisions made in Manufacture Storage and Impact of Hazardous Chemical Rules, 1989 as amended 2000 for handling of hazardous chemical.                                                                                                 | Noted.                                                                                                                                                                                                                                                                                                                                              |
| 39 | All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act & Rules.                                                                                                                                                                                                      | Transportation of generated hazardous waste through online manifest system only and same record also maintained and submitted in HZW annual return Form-IV.                                                                                                                                                                                         |
| 40 | The Project Management shall prepare a detailed Disaster Management Plan (DMP) for the project as per guideline from Directorate of Industrial Safety & Health.                                                                                                                               | Noted.                                                                                                                                                                                                                                                                                                                                              |

#### **A-5 NOISE:**

|    |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                               |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 41 | To minimize the noise pollution the following noise control measures shall be implemented.                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                               |
| a. | Selection of any new plant equipment shall be made with specification of the low noise levels.                                                                                                                                                                                                                                                                                                  | Complied.                                                                                                                                                                                                                                                     |
| b. | Manufactures / suppliers of major noise generating machines/equipment like air compressor, feeder pumps, turbine generators, etc. shall be instructed to make required design modification wherever possible before supply and installation to mitigate the noise generation and to comply with national / international regulatory norm with respect to noise generation for individual units. | Noted.<br>We have provided adequate measures to minimum impact of noise from the machineries/equipment's with regular maintenance, adequate enclosures and Conducting Noise Level Monitoring by third party on regular intervals to minimize Noise Pollution. |
| c. | Regular maintenance of machinery and vehicle shall be undertaken to reduce the noise impact.                                                                                                                                                                                                                                                                                                    | Noted and complied.<br>Regularly maintenance done for machinery and also in practice for the Vehicle entry inside the plant premises with Valid PUC only to reducing environmental impact.                                                                    |
| d. | Noise Suppression measures such as enclosures, buffers and /or protective measures shall be provided.                                                                                                                                                                                                                                                                                           | Noted and are being complied.<br>Adequate enclosure and measures also provided for noise protection.                                                                                                                                                          |
| e. | Employees shall be provided with ear protection measures like earplug or earmuffs.                                                                                                                                                                                                                                                                                                              | All mandatory and job specific PPEs provided to employee to health protection and also ensured to engineering control for minimize impact at environment also.                                                                                                |

|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| f.                                                    | Proper oiling, lubrication and preventive maintenance shall be carried out of the machineries and equipment's to reduce noise generation.                                                                                                                                                                                                                                                                                                                         | Noted and are being Complied.                                                                                                                                                                                                                                                                                                                           |
| g.                                                    | Construction equipment generating minimum noise and vibration shall be closed.                                                                                                                                                                                                                                                                                                                                                                                    | Noted and are being Complied.                                                                                                                                                                                                                                                                                                                           |
| h.                                                    | Ear plugs and muffs shall be made compulsory for the construction worker working near the noise generating activities/machine/equipment.                                                                                                                                                                                                                                                                                                                          | Ear plugs and muffs provided to workers as mandatory PPE's during construction phase to reduce the impact of noise.                                                                                                                                                                                                                                     |
| i.                                                    | Vehicle and construction equipment with internal combustion engines without proper silencer shall not be allowed to operate.                                                                                                                                                                                                                                                                                                                                      | Adequate and healthy vehicle allowed only with IC engines and proper silencer facility and having a valid PUC before entering at plant premises.                                                                                                                                                                                                        |
| j.                                                    | Construction equipment meeting the norms specified by EPA Act-1986 shall only be used.                                                                                                                                                                                                                                                                                                                                                                            | Noted and are being Complied.                                                                                                                                                                                                                                                                                                                           |
| k.                                                    | Noise control equipment and baffling shall be employed on generators especially when they are operated near the residential and sensitive areas.                                                                                                                                                                                                                                                                                                                  | Adequate enclosure/structure provided for the noise control and also conducting regular Noise Level Monitoring by third party (NABL accredited) and all results are found satisfactory.                                                                                                                                                                 |
| l.                                                    | Noise level shall be reduced by the use of adequate mufflers on all motorized equipment.                                                                                                                                                                                                                                                                                                                                                                          | Noted and complied.                                                                                                                                                                                                                                                                                                                                     |
| 42                                                    | The overall noise level in and around the plant area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencer, enclosures, vibration dampers etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under the Environment Protection Act and Rules. Workplace noise levels for workers shall be as per the Factory Act & Rules. | Noted and are being Complied.<br><br>Workplace Noise level monitoring performed on regular interval by third party NABL accredited agency.<br><br><a href="#">Please refer Annexure-4 as Noise Level Monitoring reports and Annexure-3 as a Third party AAQM reports by third party (NABL &amp; MoEF&amp;CC) accredited &amp; GPCB approved agency.</a> |
| <b>A-6 CLEANER PRODUCTION AND WASTE MINIMISATION:</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                         |
| 43                                                    | The unit shall undertake the cleaner production assessment study through a reputed institute/organization and shall form a CP team in the company. The recommendation thereof along with the compliance shall be furnished to the GPCB.                                                                                                                                                                                                                           | Noted.                                                                                                                                                                                                                                                                                                                                                  |
| 44                                                    | The Company shall undertake following waste minimization measures.                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                         |
| a.                                                    | Metering and control of quantities of actives ingredients to minimize waste.                                                                                                                                                                                                                                                                                                                                                                                      | Noted & are being Complied.                                                                                                                                                                                                                                                                                                                             |
| b.                                                    | Reuse of by-products from the process as raw materials or raw materials substitutes in other process.                                                                                                                                                                                                                                                                                                                                                             | We are reusing of by-products from the process as raw materials and also minimize the waste from the plant operations.                                                                                                                                                                                                                                  |
| c.                                                    | Use of automated and enclosed filling to minimize spillages.                                                                                                                                                                                                                                                                                                                                                                                                      | Complied.                                                                                                                                                                                                                                                                                                                                               |
| d.                                                    | Use of close system.                                                                                                                                                                                                                                                                                                                                                                                                                                              | Complied.<br>We have closed loop system for all processes (Raw material conveying, Storage yard, other processes covered with shed for minimum impact on environment.                                                                                                                                                                                   |




|  |  |                                                                                                                                                           |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |  |  <p style="text-align: center;"><b>Closed Conveyor Belt Systems</b></p> |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------|




|                                                                                        |                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| e. Dry cleaning / mopping of floor instead of floor washing.                           | Complied.                                                                                                                                                                                      |
| f. Use of high-pressure hoses for equipment cleaning to reduce waste water generation. | Complied and using a high-pressure hose for equipment cleaning, sprinklers system to reduce waste water generation.                                                                            |
| g. Regular preventive maintenance for avoiding leakage, spillage etc.                  | We are in practice to process control with preventive maintenance of all engineering control devices, APCDs, Conveyor Belts, etc. to avoid leakages and spillages during the plant operations. |

#### **A-7 GREEN BELT AND OTHER PLANTATION:**

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 45 | <p>The unit Shall develop green belt in at least 11.48 hectares area within premises as proposed. Green belt of average 15 M width comprising of rows of varying height tall trees with thick foliage shall be developed in the periphery of the factory premises.</p> <p>We have developed massive greenbelt inside the plant premises and also nearby factory premises boundaries.</p> <p>Welspun Corp limited (Steel Division) having approximately 232528.75 sqm. land area. Out of this approx. 60,700 sqm. (26.10%) land area is developed as greenbelt.</p> <p>In addition to this, we have done plantation under CSR activities surrounding the plant boundary premises greenbelt area developed with 9,09,992 sqm out of the total area of 9,43,256 sqm. Which is a 96.47 % greenbelt covered.</p> <p>Hence, Total Greenbelt covered with 41.16 % based on the plantation done inside plant premises and surrounding areas.</p> |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|







### Glimpses of the Greenbelt developed inside plant premises and nearby plant boundaries

- 46 Drip irrigation system shall be used green belt development. We have arranged the Water Tanker & Water Pipeline supply for green belt development.




Photo of Drip Irrigation system for green belt development

- 47 The unit shall also take up adequate plantation at suitable open land on road side and other open areas in nearby villages or schools in consultation We have already taken up for the adequate plantation at nearby areas at suitable open land on road side and other



|                                                                                                         |                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| with the Gram Panchayat / GPCB and submit an action plan for the same for next three years to the GPCB. | areas under CSR initiatives and also take care of plantation for the better survival rate.<br>we have done plantation under CSR activities surrounding the plant boundary premises greenbelt area developed with 9,09,992 sqm out of the total area of 9,43,256 sqm. Which is a 96.47 % greenbelt covered. |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



Greenbelt development at plant boundaries and nearby road side open areas

|                                                                                                                                                                                                                           |                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>B. GENERAL CONDITIONS:</b>                                                                                                                                                                                             |                                                                                                                                                          |
| 48 In the event of failures of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved. | Noted & shall be Complied.                                                                                                                               |
| 49 The company shall vigorously follow the recommendation mentioned in the Charter on Corporate Responsibility for Environment Protection (CREP) published by the CPCB.                                                   | Noted.<br>Please refer Annexure-5 for the CSR (Corporate Social Responsibility) activities along with their photographs during the period of F.Y 2024-25 |
| 50 All the issues raised in the public hearing shall be comprehensively addressed / complied with a time bound manner.                                                                                                    | Complied.                                                                                                                                                |
| 51 The project proponent shall adhere to their commitments made during the public hearing held on 17/09/2010 viz. to incur Rs.42 crore towards Socio-Economic development, preference to local employment etc.            | Complied.                                                                                                                                                |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 52                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A separate Environment Management Cell equipped with full-fledged laboratory facilities and qualified personal shall be set up to carry out the environment management and monitoring functions and a separates budget shall be allocated for this purpose. | <p>Complied.</p> <p>We have well-qualified persons in environment management cell for the environment protection purpose.</p> <div data-bbox="841 222 1533 636"> <pre> graph BT     MD[Managing Director] --&gt; GEH[Group Environment Head]     GEH --&gt; SHE[Section Head - Environment]     SHE --&gt; EO1[Environment Officer]     SHE --&gt; EO2[Environment Officer]     EO1 --&gt; TPEMT[Third Party Environment Monitoring Team]     EO2 --&gt; TPEMT     UH[Unit Head] -.-&gt; SHE           </pre> </div> <p><a href="#">Fig. Environment Management Cell structure at Anjar site</a></p> |
| 53                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | The funds earmarked for environment protection measures shall be maintained in a separate account and there shall not be any diversion of these funds for any other purpose. A year wise expenditure on environment safeguards shall be reported.           | <p>Complied.</p> <p>A separate fund earmarked for the environment protection measures and incurred amount during the financial year 2024-25 at Steel Vertical Unit - Anjar as under;</p>                                                                                                                                                                                                                                                                                                                                                                                                             |
| <p>➤ Unit is not spending money only for pollution control equipment it rather cares about various other issues directly or indirectly responsible affecting environment in the premises as well as around the industry. A very strong program of greenery and plantation in the plant premises and colony, rural development programs, regular environment parameters monitoring from external agencies etc. also involve lots of expenditures, which make the budget for such programs highly expensive.</p> <p>➤ We are taking care for the overall environmental management/protection measures. So far, we have-</p> <ul style="list-style-type: none"> <li>• Installed and implemented all the pollution control measures such as Bag house, Bag filters, ESPs at plant</li> <li>• Installed the online Continuous emission monitoring system (CEMS)/Continuous Ambient Air Quality monitoring system (CAAQMS).</li> <li>• Connectivity of online continuous emission data to CPCB/GPCB server.</li> <li>• Provided covered sheds for Materials storage yards.</li> <li>• Developed the rain water harvesting structures in Plant premises.</li> <li>• Provided paved roads inside plant area</li> <li>• Developing Greenbelt area etc.</li> <li>• Maintaining a Zero Fresh Water Consumption (Through 40 MLD STP Unit) &amp; Zero Liquid Discharge Facilities.</li> <li>• Installation of Energy Conservation technologies (TRT installation at our Sister Unit M/s WML).</li> <li>• Continuous Water Spraying through dedicated water tanker inside the plant premises to reduce dust emissions.</li> <li>• Road cleaning through dedicated Vacuum Cleaning Truck for maintain better housekeeping at Plant areas.</li> <li>• Bio-diversity study by GUIDE and it's management at Welspun City – Anjar.</li> <li>• Regular Environmental Monitoring by Third party agency (Accredited by MoEF&amp;CC, NABL and GPCB).</li> </ul> <p>➤ The annual budget is being earmarked to Environment Cell for environment management activities at Steel Vertical Units – Anjar site &amp; spent thereon. The details of expenditure incurred for the Steel Vertical Units (M/s Anjar TMT Steel Pvt. Ltd., M/s Welspun Corp Ltd.- Steel Division, M/s Welspun DI Pipes Ltd., M/s Welspun Corp Ltd. – Metallics Division) in environmental management activities during FY2024-25 as following:</p> |                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |




| <b>Expenditure incurred for Environment Protection during F.Y 2024-25 (Steel Vertical Units)</b> |                                                                   |                               |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------|
| <b>S.No.</b>                                                                                     | <b>Description</b>                                                | <b>Amount spent (in Lacs)</b> |
| 1.                                                                                               | Air Pollution (Control & Prevention)                              | 1589.61                       |
| 2.                                                                                               | Water Pollution (Control & Prevention) and Water Management       | 46.06                         |
| 3.                                                                                               | Waste Collection and Disposal                                     | 199.38                        |
| 4.                                                                                               | Water Conservation Initiatives                                    | 35.00                         |
| 5.                                                                                               | Energy Conservation Initiatives (TRT Installation)                | 1689.00                       |
| 6.                                                                                               | Environment Monitoring, Assessment Studies & Legal Statutory Fees | 65.47                         |
| 7.                                                                                               | Environment Awareness & Promotion                                 | 0.94                          |
| <b>Total Expenditures (in Lacs.)</b>                                                             |                                                                   | <b>3625.5</b>                 |



We done our sincere efforts to visualize the general Environmental Scenario. The investment by our plant on managing the environment reveals the awareness and responsibility of our company towards nature and community.

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                          |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 54 | Pucca flooring / impervious bottom shall be provided in the work areas, chemical storage areas and chemical handling area to minimize soil contamination.                                                                                                                                                                                                                                                                         | Complied.                                                                                                                                |
| 55 | Leakages from the pipes, pumps shall be minimal and if occurs shall be arrested promptly. During material transfer, spillages shall be avoided and garland drain be constructed.                                                                                                                                                                                                                                                  | Complied.                                                                                                                                |
| 56 | The project management shall also comply with all the recommendation made in the EIA/EMP report of the project and the undertaking submitted by the project Management.                                                                                                                                                                                                                                                           | Complied.                                                                                                                                |
| 57 | The applicant shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.                                                                                                                                                                                                                       | Noted & shall be Complied.                                                                                                               |
| 58 | No further expansion or modification in the plant shall be carried out without prior approval of the MoEF / SEIAA as the case may be. In case of deviations of alteration in the project proposal from those submitted to MOEF/SEIAA/SEAC for clearance, a fresh reference shall be made to the SEIAA/SEAC to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any. | Noted & shall be Complied.<br>We will take prior approval from the competent authorities in case of any expansion/modification occurred. |
| 59 | The project authorities shall earmark adequate funds to implement the condition stipulated by SEIAA as well as GPCB along with the implementation schedule for all the condition stipulated herein. The funds so provided shall not be diverted for any other purpose.                                                                                                                                                            | Complied.                                                                                                                                |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                             |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 60 | The applicant shall inform the public that the project has been accorded environmental clearance by SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the website of SEIAA/SEAC/GPCB. This shall be advertised within seven days from the date of clearance letter in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry. | Noted & complied.                                                                                                                                                                                                                                                           |
| 61 | It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each Calendar year.                                                                                                                                                                                                                                                                           | Noted & complied.<br>We have submitted half-yearly EC Compliance report condition wise in soft copy to concerned authority via E-mail within desired timeline.<br>Same Compliance report is also uploaded on our company website and also submitted at Parivesh 2.0 portal. |



### Submitted copy of EC Compliance report



### Screenshot of Compliance report upload on company website and Upload at Parivesh 2.0 Portal



|    |                                                                                                                                                                                                                                                                                                                                         |                            |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 62 | The Project authority shall also adhere to the stipulations made by the GPCB.                                                                                                                                                                                                                                                           | Noted & shall be Complied. |
| 63 | The project authorities shall inform the GPCB, regional office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.                                                                                                               | Complied.                  |
| 64 | The SEIAA may revoke or suspend the clearance, if implementation of any of the above condition is not found satisfactory.                                                                                                                                                                                                               | Noted.                     |
| 65 | The above conditions shall be enforced Inter-alia under the provisions of the Water (Prevention & Control of Pollution) act-1974, Air (Prevention & Control of Pollution) act-1981. The Environment protection Act, 1986, Hazardous Waste Rules-2008 and the Public Liability Insurance Act-1991 along with their amendments and rules. | Noted & shall be Complied. |

\*\*\*\*



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 211/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

| S. No. | Particulars                              | Unit               | Stack Attached to Kiln Exit 1&2 |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|------------------------------------------|--------------------|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                          | Month              | Apr-24                          | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *               | mg/Nm <sup>3</sup> | 100.0                           | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 54.7           |
| 02     | Average Concentration of PM              | mg/Nm <sup>3</sup> | 57.0                            | 59.0   | 61.0   | 61.0   | 63.0   | 65.0   | 62.0   | 67.0   | 55.0   | 35.2   | 36.4   | 34.3   | 34.3    | 67.0    |                |
| 03     | Permissible Limits of SO <sub>2</sub> *  | ppm                | 100.0                           | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 34.1           |
| 04     | Average Concentration of SO <sub>2</sub> | ppm                | 31.0                            | 29.0   | 27.0   | 26.0   | 27.0   | 29.0   | 30.0   | 23.0   | 54.0   | 37.0   | 47.1   | 49.3   | 23.0    | 54.0    |                |
| 05     | Permissible Limits of NO <sub>x</sub> *  | ppm                | 50.0                            | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0    | 50.0    | 27.0           |
| 06     | Average Concentration of NO <sub>2</sub> | ppm                | 23.0                            | 24.0   | 23.0   | 22.0   | 23.0   | 26.0   | 25.0   | 23.0   | 32.0   | 36.0   | 34.7   | 31.8   | 22.0    | 36.0    |                |

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 212/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

| S. No. | Particulars                              | Unit   | Stack Attached to Kiln Exit 3&4 |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|------------------------------------------|--------|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                          | Month  | Apr-24                          | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *               | mg/Nm3 | 100.0                           | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 50.4           |
| 02     | Average Concentration of PM              | mg/Nm3 | 53                              | 55     | 58     | 59     | 58     | 60     | 63     | 62     | 49     | 17.8   | 32.9   | 36.7   | 17.8    | 63      |                |
| 03     | Permissible Limits of SO <sub>2</sub> *  | ppm    | 100.0                           | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 27.7           |
| 04     | Average Concentration of SO <sub>2</sub> | ppm    | 29                              | 30     | 26     | 28     | 24     | 26     | 25     | 22     | 40     | 18     | 33.7   | 30.9   | 18      | 40      |                |
| 05     | Permissible Limits of NO <sub>x</sub> *  | ppm    | 50.0                            | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0   | 50.0    | 50.0    | 27.9           |
| 06     | Average Concentration of NO <sub>2</sub> | ppm    | 26                              | 25     | 27     | 25     | 22     | 23     | 28     | 27     | 34     | 32     | 35.2   | 30.6   | 22      | 35.2    |                |

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



*[Signature]*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 213/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

| S. No. | Particulars                 | Unit   | Stack Attached to Iron Ore Crusher Screen House |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                                          | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                                           | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 56.8           |
| 02     | Average Concentration of PM | mg/Nm3 | 57                                              | 59     | 62     | 64     | 67     | 69     | 70     | 67     | 69     | 35     | 31     | 32     | 31      | 70      |                |

| S. No. | Particulars                 | Unit   | Stack Attached to Coal Crusher Screen House |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|---------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                                      | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                                       | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 58.1           |
| 02     | Average Concentration of PM | mg/Nm3 | 59                                          | 63     | 65     | 62     | 63     | 65     | 68     | 70     | 72     | 37     | 37     | 36     | 36      | 72      |                |

\* Permissible limits as per the GPCB Consent

  
Royal Environment Auditing & Consultancy Service, Rajkot



  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 214/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address : Welspun City, Survey No 650,652, 653, 655  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                 | Unit   | Stack Attached to Stock House - 1 |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                            | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                             | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 56.9           |
| 02     | Average Concentration of PM | mg/Nm3 | 57                                | 61     | 63     | 65     | 63     | 65     | 66     | 69     | 72     | 33     | 35     | 34     | 33      | 72      |                |

| S. No. | Particulars                 | Unit   | Stack Attached to Stock House - 2 |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                            | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                             | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 56.2           |
| 02     | Average Concentration of PM | mg/Nm3 | 53                                | 55     | 59     | 61     | 66     | 68     | 65     | 71     | 65     | 39     | 37     | 35     | 35      | 71      |                |

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



*Gmit*  
Analyst





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref No. : 215/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                 | Unit   | Stack Attached to Coal Injector - 1 |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                              | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                               | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 52.4           |
| 02     | Average Concentration of PM | mg/Nm3 | 57                                  | 55     | 58     | 56     | 59     | 57     | 56     | 61     | 63     | 36     | 32     | 39     | 32      | 63      |                |

| S. No. | Particulars                 | Unit   | Stack Attached to Coal Injector - 2 |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                              | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                               | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 51.8           |
| 02     | Average Concentration of PM | mg/Nm3 | 56                                  | 58     | 57     | 55     | 60     | 59     | 60     | 59     | 57     | 32     | 35     | 33     | 32      | 60      |                |

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



*[Signature]*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 216/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

| S. No. | Particulars                 | Unit   | Stack Attached to Intermediate Bin |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                             | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                              | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 52.8           |
| 02     | Average Concentration of PM | mg/Nm3 | 54                                 | 61     | 60     | 53     | 57     | 61     | 64     | 62     | 60     | 37     | 34     | 31     | 31      | 64      |                |

| S. No. | Particulars                 | Unit   | Stack Attached to Raw Material Junction House |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-----------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                                        | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                                         | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 56.0           |
| 02     | Average Concentration of PM | mg/Nm3 | 57                                            | 60     | 57     | 59     | 61     | 63     | 68     | 73     | 71     | 35     | 33     | 35     | 33      | 73      |                |

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No : 217/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

| S. No. | Particulars                 | Unit   | Stack Attached to Production Separation |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-----------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                                  | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 150.0                                   | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0  | 150.0   | 150.0   | 55.6           |
| 02     | Average Concentration of PM | mg/Nm3 | 53                                      | 59     | 61     | 62     | 63     | 65     | 68     | 70     | 67     | 33     | 34     | 32     | 32      | 70      |                |

\* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot

  
Analyst





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 218/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                 | Unit   | Stack Attached to ET Furnance - SMS |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                              | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 100.0                               | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 55.3           |
| 02     | Average Concentration of PM | mg/Nm3 | 52                                  | 55     | 59     | 62     | 64     | 65     | 67     | 69     | 71     | 31     | 33     | 35     | 31      | 71      |                |

| S. No. | Particulars                 | Unit   | Stack Attached to IT Furnance - SMS |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                             | Month  | Apr-24                              | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits of PM *  | mg/Nm3 | 100.0                               | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 55.8           |
| 02     | Average Concentration of PM | mg/Nm3 | 57                                  | 56     | 60     | 65     | 62     | 64     | 70     | 72     | 68     | 30     | 31     | 34     | 30      | 72      |                |

\* Permissible limits as per the GPCB Consent

  
Royal Environment Auditing & Consultancy Service, Rajkot



  
Analyst

**Royal****Environment Auditing & Consultancy Service**Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com**Annexure-2**

Ref.No. : 310/03/2024-25

Date: 01/04/2025

**ANNUAL RESULTS OF FUGITIVE EMISSION MONITORING :  
(F.Y 2024-25)****Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)**Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| Sr.<br>No.     | Particulars        | SPM Level (ug/Nm <sup>3</sup> )                  |                                                |                                  |                                  |                                         |
|----------------|--------------------|--------------------------------------------------|------------------------------------------------|----------------------------------|----------------------------------|-----------------------------------------|
|                | Location           | Raw Material<br>Handling Area<br>(Transfer Area) | Raw Material<br>Handling Area<br>(Screen Area) | Crusher Area<br>(Crushing Point) | Crusher Area<br>(Transfer Point) | Raw Material Feed<br>Area (Feeder Area) |
|                | Permissible Limit* | 2000                                             | 2000                                           | 2000                             | 2000                             | 2000                                    |
| 01             | Apr-24             | 1249                                             | 1267                                           | 1375                             | 1457                             | 1265                                    |
| 02             | May-24             | 1276                                             | 1257                                           | 1357                             | 1357                             | 1275                                    |
| 03             | Jun-24             | 1286                                             | 1268                                           | 1345                             | 1392                             | 1296                                    |
| 04             | Jul-24             | 1293                                             | 1274                                           | 1325                             | 1368                             | 1309                                    |
| 05             | Aug-24             | 1286                                             | 1255                                           | 1365                             | 1395                             | 1385                                    |
| 06             | Sep-24             | 1275                                             | 1265                                           | 1375                             | 1324                             | 1293                                    |
| 07             | Oct-24             | 1165                                             | 1378                                           | 1364                             | 1321                             | 1298                                    |
| 08             | Nov-24             | 1196                                             | 1345                                           | 1248                             | 1369                             | 1242                                    |
| 09             | Dec-24             | 1234                                             | 1209                                           | 1139                             | 1423                             | 1321                                    |
| 10             | Jan-25             | 1278                                             | 1329                                           | 1426                             | 1382                             | 1176                                    |
| 11             | Feb-25             | 1166                                             | 1274                                           | 1326                             | 1273                             | 1239                                    |
| 12             | Mar-25             | 1209                                             | 1195                                           | 1078                             | 1024                             | 1329                                    |
| Minimum        |                    | 1165                                             | 1195                                           | 1078                             | 1024                             | 1176                                    |
| Maximum        |                    | 1293                                             | 1378                                           | 1426                             | 1457                             | 1385                                    |
| Annual Average |                    | 1243                                             | 1276                                           | 1310                             | 1340                             | 1286                                    |

\* Permissible Limits are as per MoEF Notification 31st March 2012 &amp; GPCB consent

Royal Environment Auditing and Consultancy Service



Reviewed By



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 311/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF FUGITIVE EMISSION MONITORING : (F.Y 2024-25)

**Name of company :** Welspun Corp Ltd - Steel Division (GPCB ID-18109)

**Address** Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| Sr. No.        | Particulars        | SPM Level (ug/Nm <sup>3</sup> )      |                                        |                                                   |                                        |                                                       |
|----------------|--------------------|--------------------------------------|----------------------------------------|---------------------------------------------------|----------------------------------------|-------------------------------------------------------|
|                | Location           | Raw Material Feed Area (mixing Area) | Cooler Discharge Area (Transfer Area ) | Product Processing Area (Product Separation Area) | Product Processing Area (Bagging Area) | Product Processing Area (Intermediate Stock Bin Area) |
|                | Permissible Limit* | 2000                                 | 2000                                   | 2000                                              | 2000                                   | 2000                                                  |
| 01             | Apr-24             | 1395                                 | 1547                                   | 1369                                              | 1467                                   | 1265                                                  |
| 02             | May-24             | 1325                                 | 1276                                   | 1329                                              | 1576                                   | 1329                                                  |
| 03             | Jun-24             | 1369                                 | 1294                                   | 1392                                              | 1524                                   | 1345                                                  |
| 04             | Jul-24             | 1324                                 | 1245                                   | 1329                                              | 1259                                   | 1429                                                  |
| 05             | Aug-24             | 1392                                 | 1272                                   | 1324                                              | 1224                                   | 1465                                                  |
| 06             | Sep-24             | 1364                                 | 1239                                   | 1345                                              | 1239                                   | 1339                                                  |
| 07             | Oct-24             | 1465                                 | 1316                                   | 1320                                              | 1298                                   | 1243                                                  |
| 08             | Nov-24             | 1486                                 | 1369                                   | 1352                                              | 1254                                   | 1347                                                  |
| 09             | Dec-24             | 1378                                 | 1232                                   | 1372                                              | 1357                                   | 1257                                                  |
| 10             | Jan-25             | 1236                                 | 1369                                   | 1248                                              | 1098                                   | 1139                                                  |
| 11             | Feb-25             | 1356                                 | 1079                                   | 1173                                              | 1065                                   | 1195                                                  |
| 12             | Mar-25             | 1289                                 | 1172                                   | 1324                                              | 1241                                   | 1239                                                  |
| Minimum        |                    | 1236                                 | 1079                                   | 1173                                              | 1065                                   | 1139                                                  |
| Maximum        |                    | 1486                                 | 1547                                   | 1392                                              | 1576                                   | 1465                                                  |
| Annual Average |                    | 1365                                 | 1284                                   | 1323                                              | 1300                                   | 1299                                                  |

\* Permissible Limits are as per MoEF Notification 31st March 2012 & GPCB consent

  
Royal Environment Auditing and Consultancy Service



  
Reviewed By





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 141/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit              | Location : Nr.Security Main Gate |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--------------------------------------------|-------------------|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
|        |                                            | Month             | Apr-24                           | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |                             |
| 01     | Permissible Limits of PM <sub>2.5</sub> *  | µg/m <sup>3</sup> | 60.0                             | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0    | 60.0    | 30.9           | 40.0                        |
| 02     | Average Concentration of PM <sub>2.5</sub> | µg/m <sup>3</sup> | 33                               | 35     | 34     | 32     | 34     | 35     | 36     | 34     | 37     | 21     | 19     | 21.1   | 19      | 37      |                |                             |
| 03     | Permissible Limits of PM <sub>10</sub> *   | µg/m <sup>3</sup> | 100.0                            | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 54.8           | 60.0                        |
| 04     | Average Concentration of PM <sub>10</sub>  | µg/m <sup>3</sup> | 57                               | 58     | 59     | 57     | 59     | 62     | 68     | 71     | 63     | 35     | 33     | 35.4   | 33      | 71      |                |                             |
| 05     | Permissible Limits of SO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                             | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 15.1           | 50.0                        |
| 06     | Average Concentration of SO <sub>2</sub>   | µg/m <sup>3</sup> | 14.3                             | 15.7   | 12.4   | 13.5   | 14.2   | 15.7   | 21.7   | 22.5   | 12.4   | 13.2   | 12.7   | 13.4   | 12.4    | 22.5    |                |                             |
| 07     | Permissible Limits of NO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                             | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 23.2           | 40.0                        |
| 08     | Average Concentration of NO <sub>2</sub>   | µg/m <sup>3</sup> | 23.5                             | 24.9   | 23.5   | 22.7   | 21.9   | 20.4   | 23.4   | 22.9   | 23.9   | 24.7   | 22.2   | 23.8   | 20.4    | 24.9    |                |                             |

\*Permissible Limits (24 hrs ) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 142/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)  
Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit              | Location : Nr.Weight Bridge Security point |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--------------------------------------------|-------------------|--------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
|        |                                            | Month             | Apr-24                                     | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |                             |
| 01     | Permissible Limits of PM <sub>2.5</sub> *  | µg/m <sup>3</sup> | 60.0                                       | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0    | 60.0    | 27.0           | 40.0                        |
| 02     | Average Concentration of PM <sub>2.5</sub> | µg/m <sup>3</sup> | 28                                         | 23     | 25     | 28     | 29     | 31     | 32     | 29     | 35     | 19.2   | 21.7   | 22.7   | 19.2    | 35      |                |                             |
| 03     | Permissible Limits of PM <sub>10</sub> *   | µg/m <sup>3</sup> | 100.0                                      | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 49.6           | 60.0                        |
| 04     | Average Concentration of PM <sub>10</sub>  | µg/m <sup>3</sup> | 53                                         | 54     | 57     | 55     | 53     | 55     | 56     | 57     | 54     | 32.1   | 33.1   | 35.4   | 32.1    | 57      |                |                             |
| 05     | Permissible Limits of SO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                                       | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 12.8           | 50.0                        |
| 06     | Average Concentration of SO <sub>2</sub>   | µg/m <sup>3</sup> | 13.4                                       | 14.2   | 12.4   | 11.8   | 12.7   | 11.4   | 12.7   | 14.1   | 12.9   | 13.2   | 12.7   | 11.6   | 11.4    | 14.2    |                |                             |
| 07     | Permissible Limits of NO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                                       | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 22.3           | 40.0                        |
| 08     | Average Concentration of NO <sub>2</sub>   | µg/m <sup>3</sup> | 23.1                                       | 24.5   | 21.5   | 20.4   | 21.6   | 22.7   | 21.5   | 22.4   | 23.4   | 22.1   | 21.4   | 22.7   | 20.4    | 24.5    |                |                             |

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 143/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address  
Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit              | Location : Nr.SMS Tringle Garden |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--------------------------------------------|-------------------|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
|        |                                            | Month             | Apr-24                           | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |                             |
| 01     | Permissible Limits of PM <sub>2.5</sub> *  | µg/m <sup>3</sup> | 60.0                             | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0    | 60.0    | 25.6           | 40.0                        |
| 02     | Average Concentration of PM <sub>2.5</sub> | µg/m <sup>3</sup> | 26                               | 27     | 24     | 25     | 27     | 29     | 30     | 31     | 29     | 18.9   | 19.4   | 20.6   | 18.9    | 31      |                |                             |
| 03     | Permissible Limits of PM <sub>10</sub> *   | µg/m <sup>3</sup> | 100.0                            | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 50.4           | 60.0                        |
| 04     | Average Concentration of PM <sub>10</sub>  | µg/m <sup>3</sup> | 57                               | 53     | 58     | 56     | 56     | 54     | 55     | 59     | 58     | 33.5   | 32.7   | 32.2   | 32.2    | 59      |                |                             |
| 05     | Permissible Limits of SO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                             | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 12.5           | 50.0                        |
| 06     | Average Concentration of SO <sub>2</sub>   | µg/m <sup>3</sup> | 14.5                             | 13.5   | 13.5   | 12.4   | 11.9   | 10.3   | 11.8   | 13.2   | 11.7   | 12.4   | 11.9   | 12.4   | 10.3    | 14.5    |                |                             |
| 07     | Permissible Limits of NO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                             | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 22.1           | 40.0                        |
| 08     | Average Concentration of NO <sub>2</sub>   | µg/m <sup>3</sup> | 22.4                             | 23.5   | 22.4   | 21.5   | 22.7   | 20.7   | 21.7   | 21.3   | 20.8   | 23.7   | 23.4   | 21.6   | 20.7    | 23.7    |                |                             |

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail: royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 144/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit              | Location : Nr.West Security Gate |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--------------------------------------------|-------------------|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
|        |                                            | Month             | Apr-24                           | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |                             |
| 01     | Permissible Limits of PM <sub>2.5</sub> *  | µg/m <sup>3</sup> | 60.0                             | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0    | 60.0    | 27.4           | 40.0                        |
| 02     | Average Concentration of PM <sub>2.5</sub> | µg/m <sup>3</sup> | 29                               | 26     | 27     | 26     | 28     | 30     | 31     | 33     | 32     | 22.4   | 21.8   | 22.9   | 21.8    | 33      |                |                             |
| 03     | Permissible Limits of PM <sub>10</sub> *   | µg/m <sup>3</sup> | 100.0                            | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 49.5           | 60.0                        |
| 04     | Average Concentration of PM <sub>10</sub>  | µg/m <sup>3</sup> | 53                               | 57     | 52     | 57     | 58     | 59     | 60     | 55     | 51     | 30.6   | 29.8   | 31.8   | 29.8    | 60      |                |                             |
| 05     | Permissible Limits of SO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                             | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 12.8           | 50.0                        |
| 06     | Average Concentration of SO <sub>2</sub>   | µg/m <sup>3</sup> | 13.5                             | 14.2   | 12.9   | 11.5   | 11.7   | 12.9   | 14.8   | 12.5   | 11.2   | 12.9   | 12.5   | 12.8   | 11.2    | 14.8    |                |                             |
| 07     | Permissible Limits of NO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                             | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 22.5           | 40.0                        |
| 08     | Average Concentration of NO <sub>2</sub>   | µg/m <sup>3</sup> | 22.9                             | 24.6   | 23.5   | 21.7   | 21.4   | 20.9   | 22.9   | 23.5   | 21.8   | 22.9   | 21.8   | 22.1   | 20.9    | 24.6    |                |                             |

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 145/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF NATIONAL AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address : Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit              | Location : Nr.Security Gate (Welspun Steel) |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--------------------------------------------|-------------------|---------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
|        |                                            | Month             | Apr-24                                      | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |                             |
| 01     | Permissible Limits of PM <sub>2.5</sub> *  | µg/m <sup>3</sup> | 60.0                                        | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0   | 60.0    | 60.0    | 26.2           | 40.0                        |
| 02     | Average Concentration of PM <sub>2.5</sub> | µg/m <sup>3</sup> | 24                                          | 26     | 23.5   | 25.9   | 24.4   | 28     | 28.1   | 37.5   | 35.7   | 19.6   | 20.3   | 21.4   | 19.6    | 37.5    |                |                             |
| 03     | Permissible Limits of PM <sub>10</sub> *   | µg/m <sup>3</sup> | 100.0                                       | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0  | 100.0   | 100.0   | 46.9           | 60.0                        |
| 04     | Average Concentration of PM <sub>10</sub>  | µg/m <sup>3</sup> | 45.7                                        | 48.3   | 45.4   | 46.4   | 43.7   | 51.3   | 51.2   | 63.7   | 64     | 34.5   | 34.1   | 34.3   | 34.1    | 64      |                |                             |
| 05     | Permissible Limits of SO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                                        | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 12.4           | 50.0                        |
| 06     | Average Concentration of SO <sub>2</sub>   | µg/m <sup>3</sup> | 11                                          | 12.3   | 12.7   | 12.3   | 10.8   | 12.2   | 12.8   | 14.5   | 13.4   | 12.6   | 12.5   | 12.2   | 10.8    | 14.5    |                |                             |
| 07     | Permissible Limits of NO <sub>2</sub> *    | µg/m <sup>3</sup> | 80.0                                        | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0   | 80.0    | 80.0    | 22.3           | 40.0                        |
| 08     | Average Concentration of NO <sub>2</sub>   | µg/m <sup>3</sup> | 19.7                                        | 22.2   | 23.7   | 22.4   | 19.7   | 21.3   | 21.9   | 24.8   | 22.6   | 24     | 22.8   | 23     | 19.7    | 24.8    |                |                             |

\*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

\*\*Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



*Smrit*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 301/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit  | Location : Nr. Main Security Gate |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|--------------------------------------------|-------|-----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                            | Month | Apr-24                            | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits Day Time                | dB(A) | 75.0                              | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0    | 75.0    | 65.8           |
| 02     | Results (Day Time)<br>6:00 AM - 10:00 PM   | dB(A) | 63.5                              | 64.2   | 65.8   | 65.7   | 63.8   | 64.5   | 65.8   | 67.5   | 68.7   | 67.5   | 66.4   | 65.7   | 63.5    | 68.7    |                |
| 03     | Permissible Limits Night Time              | dB(A) | 70.0                              | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0    | 70.0    | 54.3           |
| 04     | Results (Night Time)<br>10:00 PM - 6:00 AM | dB(A) | 55.6                              | 56.5   | 57.2   | 53.6   | 51.9   | 52.3   | 51.8   | 52.4   | 53.8   | 57.8   | 53.5   | 54.7   | 51.8    | 57.8    |                |

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 302/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit  | Location : Nr. Work Shop Area |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|--------------------------------------------|-------|-------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                            | Month | Apr-24                        | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits Day Time                | dB(A) | 75.0                          | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0    | 75.0    | 65.0           |
| 02     | Results (Day Time)<br>6:00 AM - 10:00 PM   | dB(A) | 64.7                          | 63.5   | 64.9   | 65.3   | 64.9   | 66.3   | 64.2   | 65.8   | 66.2   | 65.3   | 64.8   | 63.9   | 63.5    | 66.3    |                |
| 03     | Permissible Limits Night Time              | dB(A) | 70.0                          | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0    | 70.0    | 54.5           |
| 04     | Results (Night Time)<br>10:00 PM - 6:00 AM | dB(A) | 56.7                          | 57.8   | 53.6   | 52.8   | 53.2   | 54.7   | 56.2   | 55.8   | 51.7   | 52.7   | 53.7   | 55.6   | 51.7    | 57.8    |                |

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 303/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit  | Location : Nr. Weigh Bridge-Security Point |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|--------------------------------------------|-------|--------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                            | Month | Apr-24                                     | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits Day Time                | dB(A) | 75.0                                       | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0    | 75.0    | 64.9           |
| 02     | Results (Day Time)<br>6:00 AM - 10:00 PM   | dB(A) | 63.5                                       | 62.7   | 63.5   | 64.8   | 65.7   | 65.9   | 66.2   | 63.9   | 64.7   | 67.9   | 65.8   | 64.7   | 62.7    | 67.9    |                |
| 03     | Permissible Limits Night Time              | dB(A) | 70.0                                       | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0    | 70.0    | 54.8           |
| 04     | Results (Night Time)<br>10:00 PM - 6:00 AM | dB(A) | 57.3                                       | 54.7   | 55.7   | 53.7   | 54.9   | 53.9   | 55.8   | 52.7   | 55.4   | 56.3   | 52.8   | 53.9   | 52.7    | 57.3    |                |

Royal Environment Auditing & Consultancy Service, Rajkot



*Smit*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 304/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit  | Location : Nr. SMS Triangle Garden |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|--------------------------------------------|-------|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                            | Month | Apr-24                             | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits Day Time                | dB(A) | 75.0                               | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0    | 75.0    | 65.4           |
| 02     | Results (Day Time)<br>6:00 AM - 10:00 PM   | dB(A) | 62.6                               | 63.8   | 65.7   | 66.9   | 67.8   | 68.2   | 67.5   | 64.2   | 63.2   | 65.2   | 63.5   | 65.8   | 62.6    | 68.2    |                |
| 03     | Permissible Limits Night Time              | dB(A) | 70.0                               | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0    | 70.0    | 55.8           |
| 04     | Results (Night Time)<br>10:00 PM - 6:00 AM | dB(A) | 56.9                               | 57.8   | 55.8   | 54.2   | 57.2   | 54.8   | 54.8   | 56.8   | 57.3   | 54.9   | 55     | 54.2   | 54.2    | 57.8    |                |

Royal Environment Auditing & Consultancy Service, Rajkot



Smit  
Analyst





# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 305/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit  | Location : Nr. CPP Plant-Coal Shed Corner |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|--------------------------------------------|-------|-------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                            | Month | Apr-24                                    | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits Day Time                | dB(A) | 75.0                                      | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0    | 75.0    | 65.9           |
| 02     | Results (Day Time)<br>6:00 AM - 10:00 PM   | dB(A) | 64.8                                      | 64.7   | 63.8   | 63.7   | 66.8   | 67.3   | 66.9   | 63.9   | 65.8   | 68.4   | 37.6   | 66.7   | 63.7    | 68.4    |                |
| 03     | Permissible Limits Night Time              | dB(A) | 70.0                                      | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0    | 70.0    | 55.4           |
| 04     | Results (Night Time)<br>10:00 PM - 6:00 AM | dB(A) | 58.7                                      | 55.2   | 54.7   | 53.7   | 55.8   | 56.2   | 55.9   | 52.7   | 54.8   | 58.3   | 53.4   | 54.8   | 52.7    | 58.7    |                |

Royal Environment Auditing & Consultancy Service, Rajkot



*[Signature]*  
Analyst



# Royal

## Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.  
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 306/03/2024-25

Date: 01/04/2025

### ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,  
Village: Versamedi, Taluka: Anjar,  
Dist.: Kutch- 370110.

| S. No. | Particulars                                | Unit  | Location : Nr. West Security Gate |        |        |        |        |        |        |        |        |        |        |        | Minimum | Maximum | Annual Average |
|--------|--------------------------------------------|-------|-----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
|        |                                            | Month | Apr-24                            | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 |         |         |                |
| 01     | Permissible Limits Day Time                | dB(A) | 75.0                              | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0   | 75.0    | 75.0    | 64.9           |
| 02     | Results (Day Time)<br>6:00 AM - 10:00 PM   | dB(A) | 63.7                              | 62.7   | 63.8   | 67.8   | 63.6   | 65.9   | 62.8   | 65.7   | 66.4   | 65.7   | 64.5   | 65.9   | 62.7    | 67.8    |                |
| 03     | Permissible Limits Night Time              | dB(A) | 70.0                              | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0   | 70.0    | 70.0    | 55.4           |
| 04     | Results (Night Time)<br>10:00 PM - 6:00 AM | dB(A) | 59.3                              | 57.8   | 53.9   | 54.8   | 56.7   | 57.2   | 54.2   | 55.2   | 53.9   | 55.2   | 54.2   | 52.7   | 52.7    | 59.3    |                |

Royal Environment Auditing & Consultancy Service, Rajkot



Smit  
Analyst





**केन्द्रीय प्रदूषण नियंत्रण बोर्ड**  
CENTRAL POLLUTION CONTROL BOARD  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार  
MINISTRY OF ENVIRONMENT FOREST & CLIMATE CHANGE GOVT OF INDIA

फा.सं. एलबी-2021/7/99/इंस्टलैब-एचओ-सीपीसीबी-एचओ / प्राइवेट / 65  
मान्यता पत्र

02 अप्रैल 2025

सेवा में,

प्रयोगशाला प्रमुख,  
मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन),  
प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास,  
मासूम स्कूल रोड, मोटा मावा,  
राजकोट-360005, गुजरात।

विषय: पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरणीय प्रयोगशाला के रूप में मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात की मान्यता के बारे में।

महोदय,

केन्द्रीय प्रदूषण नियंत्रण बोर्ड(के.प्र.नि.बोर्ड) को पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरण प्रयोगशालाओं की मान्यता के लिए दिशानिर्देशों के निबंधन और शर्तों की स्वीकृति के साथ आपके दिनांक 17/02/2025 के प्रस्तुत आवेदन के संदर्भ में, के.प्र.नि.बोर्ड के सक्षम प्राधिकारी ने पर्यावरण प्रयोगशाला और सरकार के विश्लेषक की मान्यता को अनुमोदन प्रदान किया है। तत्पश्चात, मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात को भारत की राजपत्र अधिसूचना में प्रयोगशाला की अनिवार्य प्रत्यायन/प्रमाणन की वर्तमान अपेक्षा को ध्यान में रखते हुए दिनांक 29/03/2028(तीन साल) तक आईएसओ/ आईईसी 17025 और आईएस/आईएसओ 45001 की वैधता के साथ अधिसूचित किया जाएगा।

2. निम्नलिखित विश्लेषकों को सरकारी विश्लेषक के रूप में अनुमोदित किया गया है:

1. सुश्री श्वेता कमलेशभाई धनानी
2. श्री पार्थ महेशभाई गोधानी

3. प्रयोगशाला अनिवार्य रूप से स्वीकृत निबंधन और शर्तों का पालन करते हुए निम्नलिखित परीक्षणों करेगी:

- क. **भौतिक परीक्षण:** चालकता, रंग, पीएच, स्थिर और वाष्पशील ठोस, कुल ठोस, कुल विलीन ठोस, कुल निलंबित ठोस, आविलता, तापमान, वेग एवं निर्वहन औद्योगिक बहिःस्राव धारा का विसर्जन मापन, फ्लोक्यूलेशन टेस्ट (जार टेस्ट), गंध, लवणता, निपटान योग्य ठोस और आपक वॉल्यूम इंडेक्स (एसवीआई)।
- ख. **अकार्बनिक (सामान्य और गैर-धात्विक):** अम्लता, क्षारीयता, अमोनिकल नाइट्रोजन, क्लोराइड, क्लोरीन अवशिष्ट, विलीन ऑक्सीजन, फ्लोराइड, कुल कठोरता, कुल केजेलडहल नाइट्रोजन (टीकेएन), नाइट्राइट नाइट्रोजन, नाइट्रेट नाइट्रोजन, फॉस्फेट, सल्फेट, कार्बन डाइऑक्साइड, क्लोरीन डिमांड, साइनाइड, आयोडीन, सिलिका, सल्फाइड और सल्फाइट।
- ग. **अकार्बनिक (सूक्ष्म मात्रिक धातु):** बोरॉन, कैडमियम, कैल्शियम, टोटल क्रोमियम, क्रोमियम हेक्सावैलेंट, तांबा, लोहा, सीसा, मैग्नीशियम, पारा, निकल, पोटेशियम, सोडियम, सोडियम अवशोषण अनुपात (एसएआर), जिंक, आर्सेनिक, एल्युमीनियम, बेरियम, कोबाल्ट, मैंगनीज, सिल्वर और स्ट्रोंटियम।
- घ. **ऑर्गेनिक्स (सामान्य) और ट्रेस ऑर्गेनिक्स:** बायोकेमिकल ऑक्सीजन डिमांड (बीओडी), रासायनिक ऑक्सीजन डिमांड (सीओडी), तेल और ग्रीस, फेनोलिक यौगिक, कीटनाशक (प्रत्येक) (ऑर्गेनो-क्लोरीन और ऑर्गेनो नाइट्रोजन-फॉस्फोरस), कार्बन/नाइट्रोजन अनुपात, ऑर्गेनिक कार्बन (ठोस में), पॉली-क्लोरीनेटेड बाइफेनाइल (पीसीबी) (प्रत्येक), पॉलीन्यूक्लियर एरोमैटिक हाइड्रोकार्बन (पीएच), सर्फैक्टेंट, टैनिन & लिग्निन और टोटल ऑर्गेनिक कार्बन (टीओसी)।
- ङ. **सूक्ष्म जीवविज्ञान परीक्षण:** टोटल कोलीफॉर्म, फीकल कोलीफॉर्म, ई. कोली, फीकल स्ट्रेप्टोकोक्की और टोटल प्लेट काउंट।
- च. **आविष विज्ञानी परीक्षण:** मछली का उपयोग करके विषाक्तता के मूल्यांकन के लिए जैव परख विधि (100% प्रवाह में 96 घंटे के बाद मछली का 90% जीवित रहना), डैफ़निया या अन्य जीव का उपयोग करके विषाक्तता का मापन और ज़ेबरा मछली (आयाम रहित विषाक्तता परीक्षण) का उपयोग करके विषाक्तता कारक का मापन।

जारी.

**‘परिवेश भवन’ पर्वी अर्जुन नगर, दिल्ली-110032**

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in



- छ. **जैविक परीक्षण:** बैक्थिक जीव की पहचान और गणना, मैक्रोफाइटिक पहचान, प्लवक पहचान गणना और क्लोरोफिल।
- ज. **परिसंकटमय अपशिष्ट का लक्षण वर्णन:** निक्षालक (टीसीएलपी अर्क/जल अर्क) तैयार करना, संक्षारकता, ज्वलनशीलता (फ्लैश प्वाइंट), विषाक्तता और अपशिष्ट & निक्षालक में भारी धातुओं/पीड़कनाशियों का मापन।
- झ. **मृदा/आपंक/तलछट और ठोस अपशिष्ट:** बोरॉन, कटियन एक्सचेंज क्षमता (सीईसी), विद्युत चालकता, नाइट्रोजन (उपलब्ध), कार्बनिक कार्बन/पदार्थ (रासायनिक विधि), पीएच, फास्फोरस (उपलब्ध), फॉस्फेट (ऑर्थो), फॉस्फेट (कुल), पोटेशियम, मृदा के अर्क में एसएआर, सोडियम, मृदा की नमी, टीकेएन, कैलोरी मान, अमोनिया, कैल्शियम, कैल्शियम कार्बोनेट, क्लोराइड, रंग, विनिमेय सोडियम प्रतिशत (ईएसपी), जिप्सम आवश्यकता, भारी धातु, मैग्नीशियम, यांत्रिक मृदा विश्लेषण, नाइट्रेट, नाइट्राइट, पोटेश (उपलब्ध), सल्फेट, कुल कार्बनिक कार्बन (टीओसी), कुल पानी में घुलनशील नमक और जल धारण क्षमता।
- ञ. **परिवेशी वायु/पलायक उत्सर्जन:** नाइट्रोजन डाइऑक्साइड (एनओ<sub>2</sub>), सल्फर डाइऑक्साइड (एसओ<sub>2</sub>), कुल निलंबित विविक्त कण, श्वसन योग्य निलंबित कण पदार्थ (पीएम<sub>10</sub>), अमोनिया, कार्बन मोनोऑक्साइड, क्लोरीन, फ्लोराइड, सीसा, मीथेन, ओजोन, बेंजीन टोल्यूनि ज़ाइलीन (बीटीएक्स), पॉलीसाइक्लिक एरोमैटिक हाइड्रोकार्बन (पीएच) बेंजो-ए-पाइरिन और अन्य, पीएम<sub>2.5</sub> और वाष्पशील कार्बनिक कार्बन।
- ट. **चिमनी गैसें/स्रोत उत्सर्जन:** पार्टिकुलेट मैटर, सल्फर डाइऑक्साइड, वेग और प्रवाह, कार्बन डाइऑक्साइड, कार्बन मोनोऑक्साइड, तापमान, ऑक्सीजन, नाइट्रोजन के ऑक्साइड, एसिड धुंध, अमोनिया, क्लोरीन, फ्लोराइड (पार्टिकुलेट), फ्लोराइड (गैसीय) और हाइड्रोजन सल्फाइड।
- ठ. **रव (शोर) स्तर:** शोर स्तर माप (20 से 140 डीबीए) और परिवेश रव & स्रोत विशिष्ट रव।
- ड. **मौसम संबंधी:** परिवेश का तापमान, हवा की दिशा, हवा की गति, सापेक्ष आर्द्रता और वर्षा।
4. प्रयोगशाला और विश्लेषकों की क्षमता का पता लगाने के लिए प्रयोगशाला को के.प्र.नि.बोर्ड द्वारा आयोजित विश्लेषणात्मक गुणवत्ता नियंत्रण एक्ज्यूसी (अभ्यास में अनिवार्य रूप से भाग लेना होगा। प्रयोगशाला किए गए नमूना विश्लेषण पर के.प्र.नि.बोर्ड को तिमाही प्रगति रिपोर्ट प्रस्तुत करेगी।
5. अधिसूचना के अनुसार, एक संयुक्त दल द्वारा मान्यता प्राप्त पर्यावरण प्रयोगशाला का औचक निरीक्षण/आवधिक निगरानी उस के उचित कामकाज, व्यवस्थित प्रचालन और प्रयोगशाला में तैयार किए गए आंकड़ों की विश्वसनीयता का निर्धारण करने के लिए की जाएगी।
6. प्रयोगशाला के पास नियमानुसार ISO/IEC: 17025)2017 (और IS/ ISO: 45001 का अपेक्षित प्रत्यायन और प्रमाण पत्र होना चाहिए। यह मान्यता यथा लागू प्रत्यायन और नवीनीकरण के अधीन है और किसी भी निबंधन और शर्तों के गंभीर गैर-अनुपालन के मामले में, प्रयोगशाला को न्यूनतम दो साल की अवधि के लिए ब्लैकलिस्ट किया जा सकता है और सरकार की ओर से अनधिकृत तरीके से कार्य करने के लिए, यथा लागू सिविल/आपराधिक कार्यवाही शुरू की जा सकती है।
7. मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), राजकोट, गुजरात को संबंधित अनिवार्य प्रत्यायन/प्रमाणीकरण के साथ मान्यता की समाप्ति से पूर्व केंद्रीय प्रदूषण नियंत्रण बोर्ड के वेबपोर्टल (<https://cpcbepalab.in/epalab>) का उपयोग कर के ऑनलाइन मान्यता के नवीनीकरण के लिए आवेदन करना अपेक्षित है।

भवदीय,

K. P. 2/4/25

(डॉ. के. रंगनाथन)

वैज्ञानिक-ई एवं प्रभागप्रमुख  
उपकरणीय प्रयोगशाला

**डॉ. के. रंगनाथन / Dr. K. Ranganathan**  
वैज्ञानिक 'ई' / Scientist 'E'  
प्रभाषी जल एवं उपकरणीय प्रयोगशाला  
Div. Head-Water & Instrumentation Laboratory  
**केंद्रीय प्रदूषण नियंत्रण बोर्ड**  
Central Pollution Control Board  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार  
(Ministry of Environment, Forest & Climate Change, Govt. of India)  
परिवेश भवन, पूर्वी अर्जुन नगर, दिल्ली-110032  
Parivash Bhawan, East Arjun Nagar, Delhi-110032





**National Accreditation Board for  
Testing and Calibration Laboratories**

**CERTIFICATE OF ACCREDITATION**

**ROYAL ENVIRONMENT AUDITING & CONSULTANCY  
SERVICE (LABORATORY DIVISION)**

**has been assessed and accredited in accordance with the standard**

**ISO/IEC 17025:2017**

**"General Requirements for the Competence of Testing &  
Calibration Laboratories"**

**for its facilities at**

**PLOT NO. 19/20, MASOOM SCHOOL ROAD, MOTA MAUVA, RAJKOT, GUJARAT, INDIA**

**in the field of**

**TESTING**

**Certificate Number: TC-15048**

**Issue Date: 06/12/2024**

**Valid Until: 05/12/2028**

**This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued  
satisfactory compliance to the above standard & the relevant requirements of NABL.  
(To see the scope of accreditation of this laboratory, you may also visit NABL website [www.nabl-india.org](http://www.nabl-india.org))**

**Name of Legal Entity: Royal Environment Auditing & Consultancy Service**

**Signed for and on behalf of NABL**



**N. Venkateswaran  
Chief Executive Officer**

# **WELSPUN FOUNDATION FOR HEALTH AND KNOWLEDGE**



## **GUJARAT CSR ANNUAL REPORT FY24-25**





# ABOUT WELSPUN FOUNDATION FOR HEALTH & KNOWLEDGE

Welspun Group is one of India's fastest growing global conglomerates with businesses in line pipes, home textiles, infrastructure, steel, advanced textiles, and flooring solutions. As globally recognized leaders in home textiles and line pipes, we have a presence in over 50 countries with a strong team of more than 26,000 employees. At Welspun, we strongly believe in our purpose to delight customers through innovation and technology, and to achieve inclusive and sustainable growth in all our businesses. From homes to highways, hi-tech to heavy metals, we lead tomorrow together to create a smarter and more sustainable world.

The Welspun Foundation is the corporate social responsibility (CSR) arm of Welspun Group, proactively responding to the global need for sustainable practices and sharing a cherished bond with the communities around us. With a steadfast commitment to areas of Education, Empowerment, Environment, and Health, we work closely with surrounding villages to touch, heal, and improve the quality of their lives. In everything we do, there is a strong commitment towards sustainable development – balancing the needs of the present with those of the future. Welspun Foundation for Health & Knowledge (WFHK) is a non-profit registered Public Charitable Trust under the Bombay Public Trust Act, 1950.

Generating increased social value is part of our commitment and outlook. Social is also a vital part of ESG.

We understand why being socially responsible is crucial, not just for ourselves and our company, but also for our communities, stakeholders, and the planet. We're all about embracing sustainable practices and developmental initiatives designed to bring about positive change in the lives of communities in our areas of operation. Through our Corporate Social Values efforts we are aiming to bring positive change to over 1 million lives by 2030.

# WFHK PRESENCE IN INDIA

10 States  
25 Districts  
766 Villages  
8Lacs + Beneficiaries



## GUJARAT



| Districts of Gujarat | Number of Blocks with Name                        | Number of Villages |
|----------------------|---------------------------------------------------|--------------------|
| Kutch                | Anjar & Gandhidham,                               | 75                 |
| Valsad               | Vapi, Pardi, Umergaon, Kaprada, Valsad, Dharampur | 151                |
| Bharuch              | Bharuch, Jhagadia, Vagra                          | 26                 |
| Gandhinagar          | Kalol                                             | 5                  |
| Patan                | Patan (onetime)                                   | 14                 |



# WFHK FLAGSHIP PROGRAMME

**Overall Outreach FY25**  
**308734**

**WelShiksha**  
**190192**

**WelSwasthya**  
**89863**

**WelNetriva**  
**28689**

**WelPrakruti**  
**11100**

Tree Plant Supported to community

**1.20 Lacs**

Cubic Meter – 9 Ponds



**4051**

**Volunteering Hours**

## ABOUT WELSHIKSHA

The WelShiksha Program, initiated by the Welspun Foundation, is a comprehensive educational initiative focused on transforming the learning environment in government schools. It aims to bridge the gaps in traditional education by introducing modern, student-centric methods aligned with the National Education Policy (NEP) 2020. The program emphasizes foundational education while integrating digital tools, interactive learning, and practical experiences to build academic strength, social awareness, and emotional well-being among students.

One of the key aspects of the program is its focus on skill development and future readiness. Through career counselling, life skills sessions, coding classes, and vocational training, students are equipped not just with academic knowledge but also with the competencies needed in today's world. Spoken English courses and prevocational education further support students in becoming confident and job-ready, while initiatives like "Skill on Wheel" take learning beyond classrooms, making it more accessible and engaging.

WelShiksha also places a strong emphasis on teacher empowerment and community participation. By conducting capacity-building workshops for educators and engaging parents through community sessions, the program ensures a supportive ecosystem for students. The deployment of para teachers strengthens classroom instruction, ensuring continued learning support where teacher shortages exist. These efforts create a collaborative environment where educators, parents, and the community work together to improve student outcomes.

In addition to academic and skill-based interventions, the program supports school infrastructure and hygiene to create a safe and conducive learning atmosphere. This includes the provision of clean drinking water, seating, waste management systems, and creative learning spaces through educational wall paintings. The initiative also supports school readiness programs for young children and provides scholarships to encourage continued education. Overall, WelShiksha presents a scalable model of holistic education that empowers students and communities alike, paving the way for sustainable educational transformation..

# TOTAL OUTREACH 190182

Actilearn Worksheet  
• 11682

Career Counselling  
& Life Skill  
• 50 Schools  
• 12942

Teacher &  
Community  
Workshop  
• 50 Schools  
• 1249

Para Teachers  
• 5327

Digital Class Room  
• 786 Classes  
• 80942

GDVV  
• 18

Learning Outcome  
Project  
• 14946

Need based support  
• 1538

Prevocational  
Courses  
• 1220

Pre-Vocational  
Education  
• Skill on Wheel  
• 7989

Scholarship  
• 2

Spoken English  
• 2093

Vocational LAB  
• 117

BaLA Painting  
• 6423

School RO  
• 11125

School Entrance  
Programme  
• 5600

Coding Class  
• 4054

Youth Skill  
Development  
• 60

Dustbin Support  
• 7605

Water Tank Support  
• 15250



# PHOTO GALLERY



Pre vocational Project  
Inauguration by Shri Harish Sir



SOW Project - Vapi Inauguration  
by Shri Harish Sir



SOW Project - Anjar Inauguration  
by MLA Shri Trikambhai



Coding Club Project Visit by Shri  
Sanjeev Sir



District Level Science fair MLA &  
DED Visit



Inaugurate the Coding club -by  
MLA Shri Trikambhai



School Entrance Programme



DPO & DPEO Visited Vocational  
Lab



Skill on Wheel



Science Kit Handover to School



Spoken English classes



Career Guidance Workshop



DPO ,DPEO, Trikambdas ji grace  
the coding event



DPEO at Coding Event



District Level Science fair Prize  
distribution



# PHOTO GALLERY



Community Workshop



BaLA @ Coding Club



Para Teacher Orientation



Career Counseling Sessions



Career Guidance Project



Life Skill Workshop



Community Workshop



Life Skill Education



Learning Outcome Project



Teacher day celebrations



Activity Based Learning



Science Nature Learning Activity



Science Workshop



GDVV



Smart Class



# PHOTO GALLERY



Lab Setup



Vocational Lab Class



Spoken English classes



Coding Star



Coding Exhibition



Coding Exhibition



Coding Class



BaLA Painting



GDV



Skill on Wheel



School Entrance



School Benches



RO Plant Support



Water Tank



Dustbin



## ABOUT WELSWASHTHYA

The WelSwasthya Programme, launched by the Welspun Foundation, is a comprehensive health initiative aimed at enhancing the well-being of rural communities, with a strong focus on women and adolescents. The program operates through two key components: preventive and curative healthcare. Its preventive arm emphasizes health education and proactive interventions to address widespread health issues such as anaemia, malnutrition, tuberculosis, substance abuse, and chronic conditions like hypertension and diabetes. Through community awareness drives and treatment support, the program empowers individuals with knowledge and access to early care, helping them lead healthier lives.

At the heart of the curative efforts is the Mobile Medical Unit (MMU), which travels to remote and underserved villages to provide essential healthcare services directly to the community. This mobile unit ensures that people with limited access to medical facilities receive timely consultations, treatment, and necessary follow-ups. The MMU also plays an important educational role by conducting sessions on preventive health practices, thereby reinforcing the message of early intervention and self-care alongside treatment. This blend of mobile healthcare delivery and education has been instrumental in addressing both urgent medical needs and long-term health challenges.

The program's holistic approach extends beyond just physical health, recognizing the importance of environmental well-being as part of overall community health. Efforts such as distributing dustbins to local health centers and Anganwadi centers promote better waste management and hygiene practices. These initiatives not only improve day-to-day living conditions but also reduce health risks related to poor sanitation. By embedding health within the larger context of environmental cleanliness, the program underscores the importance of a clean and safe environment as a foundation for good health.

Overall, the WelSwasthya Programme reflects a deep commitment to sustainable health improvement in rural areas. By combining preventive education, curative services, and environmental interventions, the initiative creates a strong, community-centric health ecosystem. It empowers individuals with the knowledge, access, and resources to take charge of their well-being while building healthier, more resilient communities for the future.

## TOTAL OUTREACH 89863

**Preventive Health  
Care**

• 67025

**Anaemia treated/  
under treatment/  
awareness**

• 4702

**Malnutrition treated  
/Under treatment/  
awareness**

• 3877

**TB & substance  
abuse outreach**

• 33264

**RTI & cancer  
outreach**

• 5207

**Hypertension &  
Diabetes outreach**

• 16942

**Mobile Medical Unit**

• 26 Villages

**Patient Outreach**

• 22838

**Awareness**

• 4593

**Follow-Up**

• 3056

**Dustbin Support**

• 150 Unit

# PHOTO GALLERY



School Health Camp



Rasoi Show



MMU



Group Session



HB Screening



World Aid day



School Session



Adolescent awareness



MMU



FLW Meeting



Nukkad Natak



Street Play



Chandipura Virus Awareness



Rasoi Show



MHM awareness



# PHOTO GALLERY



School Session



Group session



MMU



Community awareness



School session



Breast cancer awareness month



MMU



Hb screening



Rasoi show



Group session



Awareness Session



Screening



MHM day Celebration



Wall painting




Breast Feeding Awareness

## ABOUT WELNETRUTVA

The WelNetrutva Programme by the Welspun Foundation is focused on improving the livelihoods of farmers, with a special emphasis on empowering women farmers, by promoting sustainable and natural farming practices. It supports agricultural and animal husbandry communities through various initiatives, such as establishing Seed Banks to ensure access to quality seeds, setting up Bio Resource Center to promote chemical free farming and conservation, and implementing Integrated Pest Management to reduce reliance on harmful pesticides. The program also addresses critical health issues like Brucellosis and ensures the availability of fodder to support healthy livestock. In addition to these, the program emphasizes the importance of backward and forward linkages by providing farmers with essential resources, training, and market connections. This helps improve productivity, enhances economic stability, and facilitates access to new markets for farmers' produce. A key component of the program is the promotion of Self-Help Groups (SHGs), which are encouraged to transform into entrepreneurs in both farm and non-farm sectors. These groups are provided with the skills, financial literacy, and business training needed to create sustainable income opportunities, empowering women and rural communities to become financially independent and self-sufficient. This holistic approach fosters long-term economic development and strengthens the resilience of farming communities.

## TOTAL OUTREACH 28689





# PHOTO GALLERY



Poultry farming Support



IPM Demo



Seed Bank Awareness



Soil and Water Sampling



Farmers Meeting



Animal Health Camp



SHG Products Demonstration



Wheat Demo



Rabi Crop Demo



Vegetable Crop Demo



Papad Making



Pest Management



BRC Exposure



Soil Improvement awareness session



Farm Exposure



# PHOTO GALLERY



Seed bank



Brucella Vaccination



IPM Demo



SHG Capacity Building



Exposure Visit - IPM



Agriculture POP training



Kit Distribution



Women Farmer Day Celebration



Animal Health Camp



Students awareness on Natural Farming



Mud Art Support



Floor Mill Support



IWD Anjar



IWD Vapi



IPM Awareness

## ABOUT WELPRAKRUTI

Under the WelPrakruti programme, our primary focus is on promoting environmental sustainability and ecological well-being within the community. As part of this initiative, we support and organize tree plantation drives to enhance green cover, improve air quality, and restore biodiversity in urban and rural areas. We actively promote water conservation through activities such as rainwater harvesting, watershed management, and awareness campaigns on efficient water use practices. Additionally, we work to increase community awareness on proper waste management by conducting educational sessions on waste segregation, recycling, composting, and responsible disposal methods. Beyond awareness, we also provide practical support for the on-ground implementation of these activities, including resources, technical guidance, and collaboration with local stakeholders to ensure the sustainability and success of each initiative. The programme aims to foster a strong sense of environmental responsibility and encourage active participation from individuals, schools, and local organizations.



**Ground Water Conservation**  
**4 Block Awareness , 9 Sites**  
**120575 CM work**

**Community Tree Plantation Support**  
**11100 Plant sapling**



**Dustbin Support - Waste Management**  
**750 Dustbin to School/CHC/GP**



# PHOTO GALLERY



Sinugra Village



Satapar Village



Ajapar Village



Dhori Village



Nathharkui Village



Talvana Village



Makhana Village



Nadapa Village



Kunariya Village



Community Plantation



Community Plantation



Community Plantation



Community Plantation



Dustbin Support



Dustbin Support to GP



# WE VOLUNTEERING

Under the We Volunteering theme, our aim is to actively engage employees in meaningful CSR activities and encourage them to come forward in support of various social causes. Every year, employees enthusiastically participate in a range of volunteering initiatives, including Daan Utsav—a festival of giving where employees contribute time, resources, and efforts to support underserved communities. Other key activities include community wall painting & Tree plantation projects that help beautify public spaces and spread social messages, the Neev Celebration, which involves engaging local artisan and women to showcase their various product for further forward linkages, and skill-based volunteering, where employees offer their professional expertise to support NGOs, youth, and other beneficiaries. Through these initiatives, the programme not only strengthens community impact but also fosters a culture of empathy, social responsibility, and active citizenship among employees.

## 4051

Volunteering Hours

## 1676

Volunteer participated



DAAN Utsav



DAAN Utsav



Tree Plantation Drive



NEEV Women Empowerment



Daan Utsav



Daan Utsav

# GUJARAT CSR PROJECT PARTNERS



Lend A Hand India



CareerNaksha  
An IIT IIM Alumni Venture



MAMTA HIMC  
BRIDGE TO HEALTH & BEYOND

17 PARTNERSHIPS  
FOR THE GOALS





# APPRECIATION













# MEDIA COVERAGE



(તસવીર : મનોજ બાયેજા)

## વાપીમા વેલશિક્ષા કાર્યક્રમ યોજાયો

**વાપી:** વેલશિક્ષા કાર્યક્રમમાં પ્રમુખ હરીશ ગુપ્તાની આગેવાનીમાં બલીઠા કોળીવાડ શાળામાં વિજ્ઞાન પ્રાયોગિક પ્રોજેક્ટનું ઉદ્ઘાટન કરવામાં આવ્યું હતું. તેમણે વિદ્યાર્થીઓને પ્રભાવશાળી વિજ્ઞાન કીટનું વિતરણ કરી સમગ્ર શૈક્ષણિક વર્ષ માટે તેમના પ્રાયોગિક શિક્ષણમાં વધારો કર્યો હતો. પ્રથમ સાથે મળીને આ પહેલનો ઉદ્દેશ્ય વિજ્ઞાનમાં જિજ્ઞાસા અને રુચિને ઉત્તેજન આપવાનો છે, વિદ્યાર્થીઓને વિભાવનાઓને વધુ સરળતાથી સમજવામાં અને અંતે પરીક્ષાના સારા પરિણામો પ્રાપ્ત કરવામાં મદદ કરવી છે.

## અંજારની શાળાઓમાં વિવિધ સુવિધાઓ ઉભી કરાઈ



ગાંધીધામ, તા. ૨૬

અંજારની શાળાઓમાં વેલ-શિક્ષા પ્રોગ્રામ અંતર્ગત પર્યાવરણીય સાયવણી અને સરકારી શાળાઓમાં પ્રેરણાદાયી કામગીરી કરવામાં આવી હતી. જેમાં આરઓ વોટર સિસ્ટમ, ડસ્ટબીન, વોલ પેંટિંગ વગેરેની સુવિધા ઊભી કરવામાં આવી હતી. વેલસ્પન ફાઉન્ડેશન દ્વારા અંજાર અને વલસાડ ખાતે આ કામગીરી

કરવામાં આવી હતી. જેમાં શિક્ષાના વાતાવરણ અને બાળકોને પ્રોત્સાહિત કરવા માટે ૨ શાળાઓમાં ૮૦ બેંચની વ્યવસ્થા કરી છે.

ઉપરાંત ૧૦ શાળાઓમાં બાળ-ચિત્રો જેવી કાર્યશાળાઓ બાળકોની કલાત્મકતા અને સર્જનાત્મકતાને ઉભા કરી શકે છે. આ ઉપરાંત ૧૦૦ શાળાઓમાં ૫૦૦ જેટલી કચરાપેટીનું સહાય કર્યું છે,

## વટાર પ્રાથમિક શાળામાં વેલસ્પન ફાઉન્ડેશન દ્વારા શિક્ષક દિનની ઉજવણી



વેલસ્પન ફાઉન્ડેશન દ્વારા વટાર પ્રાથમિક શાળામાં વેલશિક્ષા પહેલ હેઠળ શિક્ષક દિનની ઉજવણી કરવામાં આવી હતી, જેમાં સરકારી શિક્ષકો સાથે વિવિધ મોજમસ્તીની પ્રવૃત્તિઓ કરવામાં આવી. કાર્યક્રમમાં

મુખ્ય મહેમાન તરીકે બાનિમંજોરી ઘોષ, શ્રાવસ્તી સમંત્રાય, પાર્વતી સમંત્રાય, રૂબી મહાપાત્રા અને વેલસ્પન સીએસઆર તરફથી અવની શ્રીવાસ્તવએ સક્રિય રીતે ભાગ લઈ શિક્ષકોને પ્રેરણા આપી હતી.

## વેલસ્પન ફાઉન્ડેશનને ખોડિયારનગર પ્રાથમિક શાળા મેઘપર ખાતે આરોગ્ય શિબિરનું આયોજન કર્યું

અંજાર તા. ૨૨  
વેલસ્પન ફાઉન્ડેશનને સમુદાયનો ટેકો આપવા અને આરોગ્ય અને સુખાકારીને પ્રોત્સાહન આપવાની તેની સતત પ્રતિબદ્ધતામાં, તેની CSR પહેલ વેલ - સ્વાસ્થ્ય હેલ્થ અંજારના મેઘપરમાં ખોડિયારનગર પ્રાથમિક શાળામાં એક આરોગ્ય શિબિરનું આયોજન કર્યું હતું. આ કાર્યક્રમ બાળ અને મહિલા સ્વાસ્થ્ય પર કેન્દ્રિત હતો અને તેનો ઉદ્દેશ્ય વિદ્યાર્થીઓ, સ્ટાફ અને આસપાસના સમુદાયના સભ્યોને આવકર્ષક આરોગ્ય સેવાઓ પુરી પાડવાનો હતો, જેમાંથી યોગ્ય તબીબી ધ્યાન અને માર્ગદર્શન સરળતાથી મળી શકે.

આરોગ્ય શિબિરમાં સામાન્ય આરોગ્ય તપસ, રૂપાંતર માટે જીવન તથા, એનિમિયા, હાઇપરટેન્શન, પ્રજનન માર્ગની બીમારી અને MHH (માનસિક સ્વચ્છતા વ્યવસ્થાપન) સહિતની સેવાઓની વિશાળ શ્રેણી ઓફર કરવામાં આવી હતી. આ આરોગ્ય શિબિરમાં અનુભવી ડોક્ટરો અને આરોગ્યસેવા બ્યુરોમાંથી દ્વારા સમુદાયના સભ્યોના સ્વાસ્થ્યનું તપાસી મુલ્યાંકન કર્યું હતું, પરંતુ પુરું પાડવા હતું અને ભવિષ્ય માટે ઉપચારાત્મક પગલાં અને સલાહ આપી હતી. બાળકો અને સમુદાયના સભ્યો સહિત ૨૫૦ થી વધુ લોકોએ આરોગ્ય શિબિરની સેવાઓનો લાભ લીધો હતો. તુળીની તપાસ ઉપરાંત, આ કાર્યક્રમમાં નિવારક આરોગ્યસેવા બાજુ વિશે જાગૃતિ ફેલાવવા, સ્વચ્છ ટેબોને પ્રોત્સાહન આપવા અને નિયમિત આરોગ્ય તપાસના મહત્વ વિશે સમુદાયને શિક્ષિત કરવા પર પણ ધ્યાન કેન્દ્રિત કરવામાં આવ્યું હતું.

આ શિબિર શાળાના અધિકારીઓ અને સમુદાયના આગેવાનોના સહયોગથી યોજવામાં આવી હતી, જેમણે આ કાર્યક્રમની સફળતા સુનિશ્ચિત કરવામાં મહત્વપૂર્ણ ભૂમિકા ભજવી હતી. વેલસ્પન ફાઉન્ડેશન સમગ્ર પ્રદેશમાં હાંસિયામાં પહેલાઈ ગયેલા



સમુદાયના સ્વાસ્થ્ય અને સુખાકારીને ટેકો આપવા માટે સમગ્ર પહેલ હેલ્થ પેરવા માટે તેના કાર્યક્રમો ચાલુ રાખવાની યોજના પસંદ છે. વેલસ્પન ફાઉન્ડેશન એ વેલસ્પન વર્લ્ડની કોર્પોરેટ સામાજિક જવાબદારી (સીએસઆર) શાળા છે. તેના વેલસ્પન કાર્યક્રમ દ્વારા, વેલસ્પન ફાઉન્ડેશન નિવારક અને ઉપચારાત્મક આરોગ્યસેવાઓ અને પરિવાર કેન્દ્રિત કરીને સમુદાયના જીવનને સુધારવા માટે સમર્પિત છે. ટકાઉપણું અને સામાજિક નસર મૂલ્ય મજબૂત પ્રતિબદ્ધતા સાથે, ફાઉન્ડેશન બિનમોટા અને સમુદાયને સાક્ષાત્ત બનાવવા માટે કાર્ય કરે છે, તમને લમ્હે પચાવો અને ચુપ સારા અને સુરક્ષિત ભવિષ્યનું નિર્માણ કરવામાં મદદ કરે છે.

## અંજાર સરકારી પ્રાથમિક શાળાઓમાં કન્યા કેળવણી મહોત્સવ - શાળા પ્રવેશોત્સવ યોજાયો

અંજાર સરકારી પ્રાથમિક શાળાઓમાં કન્યા કેળવણી મહોત્સવ અને શાળા પ્રવેશોત્સવનું આયોજન ૬૨ વર્ષની જેમ વર્ષ ૨૦૨૪-૨૫માં પણ કરવામાં આવ્યું, જે સરકારી પ્રાથમિક શાળામાં બાલવાટિકા અને પહેલા ધોરણમાં પ્રવેશ લેતા બાળકોને શાળામાં આવવા માટે પ્રોત્સાહિત કરવા માટે ઉજવવામાં આવે છે, જેથી કોઈ પણ બાળક શિક્ષણી વંચિત ના રહે. વેલસ્પન ફાઉન્ડેશન દ્વારા વર્ષ ૨૦૨૪-૨૫ માં અંજાર અને વલસાડ જિલ્લાની ૨૫૦ સરકારી પ્રાથમિક શાળાઓમાં બાલવાટિકા અને પહેલા ધોરણમાં પ્રવેશ લીધેલ ૫૬૦૦ વિદ્યાર્થીઓને પ્રોત્સાહિત કરવા માટે શૈક્ષણિક કીટ આપી પ્રવેશોત્સવની ઉજવણી કરવામાં આવી

આ કાર્યક્રમમાં વરિષ્ઠ સરકારી અધિકારીઓ, ગામના સરંચ, SMC સભ્યો તેમજ વેલસ્પનના વરિષ્ઠ અધિકારીઓએ ભાગ લીધો હતો અને બાળકોને પ્રોત્સાહિત કર્યા હતા. શૈક્ષણિક વિકાસને ટેકો આપવાની વેલસ્પન વર્લ્ડની પ્રતિબદ્ધતામાં આ ઉવેન્ટ એક મહત્વપૂર્ણ પગલું છે. વેલસ્પન ફાઉન્ડેશન દેશભરમાં અનેક શાળાઓમાં વર્ગબોર્ડનું ડિજિટાઇઝેશન કર્યું છે જેથી અંદાજે ૧,૦૦,૦૦૦ વિદ્યાર્થીઓને ગમ્મત સાથે શાન મળી રહે. વેલસ્પન વર્લ્ડ બાળકો પોતાના ભવિષ્યની અપ ર સંભાવનાઓ જોઈ શકે અને તે દિશામાં કદમ વધારી શકે તે માટે અનેક શાળાઓ પણ ખુલ્લી મુકી છે. વેલ-શિક્ષા જેવી પહેલ દ્વારા, વેલસ્પન ફાઉન્ડેશન દેશના ગ્રામીણ વિસ્તારોમાં શિક્ષણના ધોરણોને સુધારવા માટે અચૂક કામ કરી રહ્યું છે. ફાઉન્ડેશન દ્વારા શાળાકીય શિક્ષણની જરૂરિયાતોનું વિતરણ એ થઈ પહેલોથી એક છે. વેલ-શિક્ષા રાષ્ટ્રની સાક્ષરતાને રેશિયો વધે તે માટે વિદ્યાર્થીઓ અને તેમના શિક્ષકોને નવા-યુગની ટેકનોલોજી



સાથે સંકળિત બનાવે છે. વેલસ્પન ફાઉન્ડેશન એ વેલસ્પન વર્લ્ડની CSR એજે કામ કરતું એકમ છે. જે ગ્રામિણ ભારતના વિવિધ ભેગોમાં સર્વજાલી વિકાસ માટે કામ કરે છે. તેના કાર્યક્રમો શિક્ષણ, મહિલા સશક્તિકરણ, આરોગ્ય, આજીવિકા, ખેતી, પશુપાલન અને એવી ઘણી બધી બાબતો ઉપર ભાર મુકે છે, જે ભારતમાં ગ્રામીણ વસ્તી માટે વિકાસના દરેક પાસાઓને આગવી લેવામાં આવે છે. વેલસ્પન ફાઉન્ડેશનનો ઉદ્દેશ આવા ૧૦ લાખ લોકો સુધી પહોંચવાનો છે. વેલસ્પન ફાઉન્ડેશન જમીની હકીકત સમજાવે છે જેથી તેના લાભાર્થીઓને મહત્તમ લાભ પ્રાપ્ત થાય. વેલસ્પન ફાઉન્ડેશન એક સર્વજાલી મેટ્રિક્સ દ્વારા ગામડાઓમાં પરિવર્તન લાવી રહ્યું છે, જે હકારાત્મકતાના મજબૂત પાયા ઉપર બનેલું છે.











# MEDIA COVERAGE

## અંજાર-વાપીના 25 ગામોમાં નુકકડ નાટક દ્વારા આરોગ્ય બાબતે જાગૃતી વેલસ્પન ફાઉન્ડેશન દ્વારા આરોગ્ય શિક્ષણમાં સમુદાયોને જોડવા નવતર પ્રયોગ

ભાસ્કર ન્યૂઝ | લાંબા

ગુજરાતના ગ્રામીણ વિસ્તારોમાં આરોગ્ય સંભાળ એ એક મોટો પડકાર છે. આરોગ્ય સંભાળ વિશેની મર્યાદિત જાણૂતિ ઘણીવાર વ્યાપક ચેરસમજો અને આરોગ્ય સમસ્યાઓ તરફ દોરી જાય છે. આ જરૂરિયાતને ઓળખીને, વેલસ્પન ફાઉન્ડેશને આરોગ્ય શિક્ષણમાં સમુદાયોને જોડવા માટે એક નવીન ઉદ્દેશ તરીકે નુકકડ નાટકનું લોકોને જાણૂત કરવાનું આયોજન કર્યું હતું. આ અંજાર અને વાપીના 25 ગામોમાં આ નવતર પ્રયોગના આયમથી આરોગ્ય એજે લોકોને જાણૂત કરાયા હતા.



જગ્યાઓ પર પ્રદર્શન કરે છે, જે સમુદાયના તમામ સભ્યો માટે આરોગ્ય સંદેશને સુલભ બનાવે છે. સ્થાનિક ભાષા, રમુજ અને સંપ્રદાય પાસેનો ઉપયોગ જટિલ આરોગ્ય માહિતી અને રોજિંદા સમજણ વચ્ચેના અંતરને દૂર કરવામાં મદદ કરે છે. વાસ્તવિક જીવનના દૃશ્યોને નાટકીય સ્વરૂપ આપીને, આ પ્રદર્શનો માત્ર માહિતી જ આપતા નથી પરંતુ પ્રેક્ષકોને તેમની સ્વાસ્થ્ય પ્રથાઓ અને તેમની પસંદગીના પરિણામો પર પ્રતિબિંબિત કરવા માટે પણ પ્રેરિત કરે છે.

## ધોરણ ૬ થી ૮નાં ૨૫ જેટલાં વિદ્યાર્થીઓએ ઉત્સાહભરે ભાગ લીધો અંજારની શાળામાં વિજ્ઞાન મેળા થકી છાત્રોમાં વિજ્ઞાનપ્રત્યે રુચિમાં વધારો

ભાસ્કર ન્યૂઝ | અંજાર

અંજાર ખાતે શાળા નંબર ૧૨માં વિજ્ઞાન મેળો યોજવામાં આવ્યો હતો. આમાં કોમ્પ્યુટર વિજ્ઞાન, જીવનશાસ્ત્ર, રાસાયણિક વર્ણન અને નવસર્જન કરવાની પરંપરા મારે એ સેલુલોઝીકલ શિક્ષણ પ્રોજેક્ટ અંતર્ગત વેલસ્પન ફાઉન્ડેશન અને પાલિકા સેફ્ટી ડ્રાઇવ દ્વારા આયોજન કરાયેલ છે. આ પ્રસંગે અંજારની ૨૫ જેટલાં વિદ્યાર્થીઓએ ઉત્સાહભરે ભાગ લીધો હતો.

અંજાર, પ્રગતિ, સુરક્ષાકેન્દ્ર વગરનું પાણી, સૂર્ય અને પુષ્ટીનું સંતુલન, મનુષ્યનું ડિજિટાઇઝેશન તેમજ હેના પ્રમ્સના નંદ, કવચશાળ આચાર્ય હતા.

આ તકે વેલસ્પન ફાઉન્ડેશનમાંથી સીધામને જોશી, સંદેશભાઈ, પ્રથમ એજ્યુકેશન ફાઉન્ડેશનનાં ચિત્તોદભાઈ



સોલંકી, ઉત્તરેશભાઈ ખલીસા હાજર રહ્યા હતા અને આગકોને એન્સાઇન કયાં હતા. વિજ્ઞાન મેળાની વ્યવસ્થા શાળાનાં આચાર્યનાં મહાદેવેશન હેઠળ સમગ્ર શાળા પરિવાર દ્વારા સંજ્ઞાજવામાં આવી હતી.

## વેલસ્પન ફાઉન્ડેશન અને બી આર સી દ્વારા બે દિવસીય તાલુકા કક્ષાનો વિજ્ઞાન મેળો યોજાયો



ધ બોલ સ્ટેપ  
odit@bolstep@gmail.com

વાપી, વેલસ્પન ફાઉન્ડેશન અને બી આર સી દ્વારા વસાવામાં આયોજિત બે દિવસીય તાલુકા કક્ષાનો વિજ્ઞાન મેળો પ્રથમ દિવસે વિજ્ઞાન પ્રદર્શન સાથે શરૂ થયો હતો અને બીજા દિવસે ઈનામ વિતરણ સાથે સમાપ્ત થયો હતો. પારાસભ્ય અરવિંદભાઈ, પ્રમુખ

મનહરભાઈ, ડીપીઈઓ વસાવાભાઈ અને વેલસ્પન વાપીના બિરનેસ હેડ રાજેશ ઘોષના પત્ની બાની મંજોરી ઘોષ જેવા મહેમાનો શ્રાવસ્તી મેડમ, મોનિકા મેડમ, પ્રતિમા મેડમ અને અવની શ્રીવાસવ સાથે પ્રદર્શનોની મુલાકાત લીધી, જેમાં પ્રાથમિક શાળાના વિદ્યાર્થીઓ દ્વારા સર્જાત્મક પ્રોજેક્ટ પ્રદર્શિત કરવામાં આવ્યા હતા.

## વેલસ્પન ફાઉન્ડેશન

## ૨૦થી વધુ ગામડાઓની આજીવિકા મજબૂત કરવા માટે પ્રોજેક્ટ હાથ ધર્યો

વેલસ્પન ફાઉન્ડેશનની દ્વારા આયોજિત આ પ્રોજેક્ટ હેઠળ ૨૦થી વધુ ગામડાઓની આજીવિકા મજબૂત કરવા માટે પ્રોજેક્ટ હાથ ધર્યો છે. આ પ્રોજેક્ટ હેઠળ ૨૦થી વધુ ગામડાઓની આજીવિકા મજબૂત કરવા માટે પ્રોજેક્ટ હાથ ધર્યો છે.



વેલસ્પન ફાઉન્ડેશનની દ્વારા આયોજિત આ પ્રોજેક્ટ હેઠળ ૨૦થી વધુ ગામડાઓની આજીવિકા મજબૂત કરવા માટે પ્રોજેક્ટ હાથ ધર્યો છે. આ પ્રોજેક્ટ હેઠળ ૨૦થી વધુ ગામડાઓની આજીવિકા મજબૂત કરવા માટે પ્રોજેક્ટ હાથ ધર્યો છે.

## અંજારની ડીવી હાઈસ્કુલે વોકેશનલ લેબના ઉદઘાટન સાથે ૮૯ મો સ્થાપના દિન ઉજવ્યો

ધો. 10 અને 12 ના એ-1 ગ્રેડ મેળવનાર છાત્રોને ચાંદીના સિક્કા આપવાની જાહેરાત

ભાસ્કર ન્યૂઝ | લાંબા

અંજારની આઝાદી પહેલાંની ઐતિહાસિક શેઠ ધર્મસિંહ વલ્લભદાસ સરકારી ઉ. મા. શાળાના ૮૯મા સ્થાપના દિનની ઉજવણી, વેલસ્પન ફાઉન્ડેશન દ્વારા આયોજામાં આવેલી વોકેશનલ લેબનું ઉદઘાટન સાથે ઉજવવામાં આવ્યો હતો સાથે ધો. 10, 12 ના અભ્યાસ કરતા વિદ્યાર્થીઓને રૂબરૂ રૂબરૂ વિદ્યા આપવામાં આવી હતી.



પટાણ, વેલસ્પન ફાઉન્ડેશન સીએસઆર એજ્યુકેશન પ્રોગ્રામ મેનેજર વીજાલેખ જોષી, લેન્ડ એન્ડ ઈન્ડિયા સંસ્થાના જી. પ્રોજેક્ટ કોઓર્ડિનેટર સુનિલભાઈ પટેલ, શાળાના એસએમ પ્રીતી સભ્યો નારાયણભાઈ ધોરીયા, રમેશભાઈ ચોહાણ, સંજયભાઈ પરમાર, મોહન સ્કુલ અંજારના વડાભાઈ રમણી, શાળાના સુપરવાઈઝર રાહુલભાઈ નાઈ, સિનીયર કારકુન ભરતસિંહ જાડેજા વગેરેની ઉપસ્થિતિમાં ઉજવણી કરાઈ હતી. સમગ્ર કાર્યક્રમનું સંચાલન નીલમહેન ગજજર તથા અનમહેન પાટણે તથા આભારવિધિ સુપરવાઈઝર રાહુલભાઈ નાઈએ કરી હતી. કાર્યક્રમને સફળ બનાવવા અજયભાઈ આદિત અને સ્ટાફના બહેનોએ જીવંત ભાગ લીધો હતો.

## વેલસ્પન ફાઉન્ડેશન દ્વારા ધોધકડકુવા ગામે વિશ્વ માનસિક સ્વાસ્થ્ય દિવસની ઉજવણી



ગો. રિતિયા બાક અને સુશી સિયાની ગુસ્સાએ આ સત્રનું નેતૃત્વ કર્યું. આભારવિધિમાં ધોર-રહુલભાઈ (જાન્યત્ર ધર) અને રિલેક્ષેશન (લગભગ ૫) ટેકનિક પર કેન્ટિન વિવિધ વસ્તુ પ્રતિબિંબો અને કવચનો દ્વારા માર્ગદર્શન આપ્યું. તેમની નિષ્ણત સુવિધાઓ હેતુ ઉપસ્થિતિને મોનિટરિંગ કરવાના હેતુથી આમને આમ જોડવામાં આવ્યા હતા. વેલસ્પન ફાઉન્ડેશન એક એવી સંસ્થા બનાવવા માટે પ્રતિબદ્ધ છે જ્યાં માનસિક સ્વાસ્થ્ય સહાય મેળવવાને નળણીને બદલે સહાય મેળવવાને તરિકે ઓળખવામાં આવે. ધોધકડકુવા સરપંચ સીમમતી ગાંધીએ તેમને કૃતજ્ઞતા બિંદુ પાલ નામના SFTD સભ્યોને માનવિક સ્વાસ્થ્ય એજે પોસ્ટાલ વિષયો રૂપકમાં હતા. સર્વકમ દરમિયાન કુલ ૧૮ સહભાગીઓ હાજર રહ્યા હતા. આ પોસ્ટ દ્વારા, વેલસ્પન ફાઉન્ડેશન જાગૃતિય વાર્તાઓ અને માનસિક સ્વાસ્થ્ય વિશે વાચનથી મોટાભાઈ કરવાનો પ્રયત્ન કરે છે, ઉપરે બધા માટે વધુ સહાય સમુદાયનું નિર્માણ કરે છે.



## MEDIA COVERAGE



વેલસ્યન ફાઉન્ડેશન દ્વારા પ્રાથમિક શાળાના બાળકોમાં વ્યવસાયવક્ત્રી શિક્ષણ માટે સ્કીલ્સ ઓન વ્હીલ્સ કાર્યક્રમનું ધારાસભ્યના વરદ હસ્તે ઉદ્ઘાટન

[illegible][illegible]

## રતનાલ કન્યા શાળામાં વિવિધ કૌશલ્યોની જાણકારી અપાઈ



કચ્છ ઉદય 05/12/2024

અંજર : રતનાલ કન્યા  
શાળામાં વેલરૂપન કાઉન્ડેશન  
અંજર તથા લેન્ડ અ હેન્ડ  
ઈન્ડિયા પુણે તરફથી ફી  
વોશંશનલ કાર્યક્રમ અંતર્ગત  
ફ્રિલ ડેવલપમેન્ટની વિવિધ  
પ્રવૃત્તિઓ કરાવવામાં આવી  
હતી. બાળકોને કામના જગતનો  
પરિચય કરાવ્યો હતો. સ્કીલ્સ  
ઓન વીડીયો બસ જરૂરી સાધનો  
સાથે સજ્જ છે અને બાળકોના  
સાહિત્યપૂર્વક કારકિર્દીમાં પ્રેરણા  
આપવા માટે કોરકિર્દી વર્કશોપ

પૂર્ણ પાજ્ય હતું. તેમણે સુસ્થીર  
કૃત્રિમી લઈને અદ્યતન  
ટેકનોલોજી અને માનવ કેન્દ્રિત  
સેવાઓની માહિતી આપી હતી,  
જેમાં બાળકોને ખૂબ જ શ્રાવણ મળ્યું  
અને જાણવા મળ્યું હતું. વેલેસ્પન  
તથા એનજીઓ તરફથી ટ્રેનર  
અરુણકુમાર, સુનિલ નવાલે,  
કીર્તિકુમાર ભાનુશાલી, અમિત  
કુમાર, અનિશ પાન તથા  
જિ.કે.ની. જીનપ્રસિદ્ધ, આચાર્ય  
જોશભાઈ અને શાળા સ્ટાફ  
હાજર રહ્યા હતા.

### ફાઉન્ડેશન દ્વારા શિક્ષક દિનની ઉજવણી



વેલ્સપત કાઉન્સિલન દ્વારા  
પરાર પ્રથમિત શાળામાં વેલ્સિલા  
પહેલું હેડમ, કોલેજ દિનની ઉજવણી  
કરવામાં આવી હતી, જેમાં સરકારે  
દિલ્લો સાથે વિવિધ નોજીમતીની  
પ્રથમિતો કરવામાં આવી હતી.

मुष्य महेमान तर्हि के अन्तिमोदर  
 पोष, आदस्ती समन्त्राय, पार्वत  
 समन्त्राय, उषी मन्त्रायाना रुने  
 मेघस्वन सोमेश्वर तत्त्वज्ञो अवर्त  
 श्रीवास्तवो सवित्र रीते भागवती  
 शिखरोने प्रियया रूपी मन्त्र

RNI NO. GU/JGU./2020/79761

**KUTCH MAHEK**

Editor: Rajesh D. Rathod Mo.No. 9898232969

Friday 3rd, January 2025 kutchmahek@gmail.com Gujarat Kutch

વેલ્થ્મન ફાઉન્ડેશન અને પ્રથમ એજ્યુકેશન દ્વારા ગણિતશાસ્ત્રી શ્રીનિવાસ રામાનુજનની જન્મજયંતી ઉજવવામાં આવી.

અંજાર નગર પ્રાથમિક શાળા નંબર ૧૬ માં ગણિત - શિક્ષાન અને ભાષાવિજ્ઞાનનું ત્રિવિધ પ્રદર્શન યોજવામાં આવ્યું.



22 ડિસેમ્બર 1887 નો રોજ બારેલામાં જન્મેલા અને નાતપણથી જ ગણિત વિષય પ્રતી વ્યાસ શરૂઆત તોરેજ રાખનારા પ્રખર ગણિતજ્ઞ વાણસીમાં પેઢી એકે એકે સીનીવાસી આબાર રામાનુજનની જન્મ જયંતી ૨૨ વર્ષ સમય દેવામાં સરોજી ગણિત વિષય તરીકે ઉજવવામાં આવે છે. બાળકમાં ગણિત વિષય પ્રતી અમિષ્ણિત વધે અને અભ્યાસમાં ગણિત વિષયને સમગ્ર રીતે સામગ્રી શકે એ વેનુસ વેનુસમાં છાત્ર-ડોલન અને પ્રભવ સંરચા દ્વારા ગણિતજ્ઞતાની સીનીવાસ રામાનુજનની જન્મજયંતી ઉજવવામાં અનોનો આયોજન કરવામાં આવ્યું હતું.

[illegible]

સામાન્ય સહયોગ(LCM), VST બોક્સ, રામાનુજન મેન્જી સર્વિસ, બાર સાફ્ટવેર,અનુભવશીલની સમીક્ષા,જાર્જ પિઝોરા,સિંગ પરિવર્તન,વિરામચિદ્ર કપોરે જેવા વિષય સૈવિધ્ય ધરાવતી ૪૦ ફિલ્મોનો નિર્માણ કરી પ્રદર્શન માટે મુકવામાં આવી હતી.

[illegible]

सोशली सभ्यस्थाने निवृत्ताची पांथा आपहु  
जेडभात खणवत

**मारुं भारत**

EDITOR : MAHESHWARI GOVIND LAL JIBHAI  
3.12.2024

**MARU BHARAT**  
विषय - सभ्यता सभ्यता



શ્રી રતનાબ કન્યા શાળામાં  
વેલ્સપન ફાઉન્ડેશન અંજાર  
તથા લેડઝ અ લેડઝ ઇન્સ્ટિટ્યુટ  
પુણે તરફથી ફી વોલેન્ટરિસ  
કામકામ અંતર્ગત ફિલ્મ  
ફેસ્ટિવલમેન્ટ ની વિવિધ  
પ્રવૃત્તિઓ કયાવવામાં આવી.  
બાળકોને કામના જ્ઞાનનો  
પરિચય કરાવ્યો. રફીલ્સ  
ઓન વીલ્સ બસ જરૂરી  
સાધનો સાથે સજ્જ છે અને  
બાળકોને સાહિત્યવૃત્તિ  
કારકિર્દીમાં પ્રેરણા આપવા  
માટે પ્રેક્ટીકલ વર્કશોપ પૂરું  
પાડ્યું. તેમણે સુરશ્રી ફાઉન્ડેશન  
લઈને અદ્યતન ટેકનોલોજી  
અને માનવ કેપિટલ સેવાઓની  
માહિતી આપી. જેમાં  
બાળકોને ખુબ જ જ્ઞાન મળ્યું  
અને જાણવા મળ્યું.  
વેલ્સપન તથા **NGO**  
તરફથી ટ્રેનર મરુણકુમાર,  
સુનિલ નવાલે, કીર્તિમાર  
બાનુસાની, અમિત કુમાર,  
અનિલ ખાન તથા જિ.કે.ની.  
જીતેન્દ્રસિંહ, આચાર્ય  
જીતેન્દ્રભાઈ અને શાળા સ્ટાફ  
કાજર રહ્યા હતા.



કચ્છ, ગુજરાત ના સમાચાર આપને મળતા રહે તે માટે અમારા  
અમારા વોટસઅપ 99250 39844 98624 38543 આપનું નામ મોકલી ગપમા જોડાઓ



## STORY FROM THE FIELD

### "Shahista, Journey to Better Health"



Ms. Shahista, Varsamedi

Ms. Shahista, a 40-year-old resident of Varsamedi village, began her journey toward improved health with the support of the WelSwasthya Project. Ms. Rinkal, a dedicated Community Mobilizer from the WelSwasthya team, visited Ms. Shahista for the third time in July 2024 during a house-to-house follow-up for risk identification and screening.

#### Positive Changes and Results

Following the consultation, Ms. Shahista received treatment from Dr. Bharati at the Welhome Clinic for her anaemia and related issues. During a follow-up visit by the WelSwasthya team, her haemoglobin level had significantly improved, rising from 7.5 gm/dl to 13 gm/dl.

### "Vansh, Journey to Health & Well-being"

This is the story of Master Vansh, a 4-year-old boy from Lohariya village, one of our community beneficiaries. Vansh belongs to a farmer-labor family, where his parents earn their livelihood through agricultural labor.


Health Screening and Initial Findings , Weight 14 kg and height 105 cm case of malnutrition condition

#### Positive Changes and Progress

Ms. Nidhiben later shared that she had begun feeding Vansh nutritious home-cooked meals and started using BAL Shakti in her cooking. As a result, Vansh showed gradual improvement, gaining weight. In July, Ms. Kajal conducted a follow-up screening and found that Vansh's weight had increased to 16 kg, with his height measuring 106 cm, placing him in the normal category. Ms. Nidhiben was overjoyed



### "Growing Naturally, Thriving Sustainably"



Chandanbhai Chavda –  
village Chandiya

A farmer from Chandiya village faced challenges with conventional methods, including soil degradation and health concerns. The farmer transitioned to 100% BRC and IPM products for chemical-free farming, motivated by the need for sustainable practices.

Implemented techniques such as crop rotation and natural pest control using BRC bio pesticides and bio fertilizers. Achieved improved crop quality and yield, with positive market response leading to increased sales of chemical-free vegetables. Inspired local farmers to adopt similar practices, promoting a healthier community and environment through sustainable agriculture.

**Impact :** Swaminarayan group Bhuj came for the exposure in his field and ask all the participants to follow the same practices and he is now become the brand ambassador of WFHK natural farming project



## STORY FROM THE FIELD

### “Maths Anxiety to Mastery”

Vaishali, Student-Sapeda

Vaishali, a student from Sapeda village, initially faced difficulties with addition and subtraction, especially with double-digit numbers. Although she wasn't part of the target group for the advanced camps, she joined the community activities and received guidance on concepts like carrying and borrowing. Over time, she became more comfortable with these skills through consistent practice.

Recently, Vaishali participated in a summer camp and expressed how much she enjoyed the learning experience. She now approaches math with confidence and joy, tackling problems that once seemed challenging. Today, she even performs oral addition and subtraction and regularly shares how she uses math in her daily life, showing how far she has come in her learning journey.



### “Nurturing Potential: Krisha's Path to Mastering Math”

Krisha Sanjaybhai Garasia, an 8th-grade student from Segwa village, lives with her mother, Jayashreeben, her father, Sanjaybhai, and her younger brother. Last year, Krisha struggled with subtraction but made significant progress through a learning camp. This year, although she didn't attend the camp, she participated in a summer camp to address her challenges with subtraction.

Through regular practice, **Krisha regained her subtraction skills and was thrilled with her improvement.** She actively sought extra worksheets and received support from her friend Dhruvi and her mother. Her mother expressed gratitude for the educational support, noting how helpful community-based programs had been. Krisha's progress filled her family with pride and reinforced the positive impact of such initiatives.



# THANK YOU



## WFHK TEAM GUJARAT

*Dr. Bharati, Veena, Avani, Asif, Nitesh, Vijay, Anand*

*For more detail please contact*

Asifkhan Pathan

Corporate Social Responsibility

Welspun Foundation For Health & Knowledge

Welspun City, Village Varsamedi, Taluka Anjar, Dist: Kutch, Gujarat 370 110, India.

Mob : +91 9099065262 ,

E-mail : [Asifkhan\\_Pathan@welspun.com](mailto:Asifkhan_Pathan@welspun.com) Website : [www.welspunindia.com](http://www.welspunindia.com)